

SUBJECT INDEX

A

Accommodation

Ultrasound biomicroscopic analysis of iris profile changes with accommodation in pigmentary glaucoma and relationship to age, 652

Acetazolamide

Presumed "sulfa allergy" in patients with intracranial hypertension treated with acetazolamide or furosemide: cross-reactivity, myth or reality?, 114

Acute idiopathic blind spot enlargement syndrome

Decrease of blue cone sensitivity in acute idiopathic blind spot enlargement syndrome, 296

Acute myelogenous leukemia

Visual recovery after radiation therapy for bilateral subfoveal acute myelogenous leukemia, 659

Acute zonal occult outer retinopathy

Acute zonal occult outer retinopathy in a patient with graft-versus-host disease, 1058

Collateral damage in acute zonal occult outer retinopathy, 887

Adult-onset foveomacular vitelliform dystrophy

Adult-onset foveomacular vitelliform dystrophy with OCT 3, 294

Age

Age-related changes in corneal and ocular higher-order aberrations (letter), 897

Age-related changes in ocular and corneal aberrations, 143

Photodynamic therapy of subfoveal choroidal neovascularization in high myopia in a clinical setting: visual outcome in relation to age at treatment, 602

Ultrasound biomicroscopic analysis of iris profile changes with accommodation in pigmentary glaucoma and relationship to age, 652

Age-related macular degeneration

Age-Related Macular Degeneration Radiotherapy Trial (AMDRT): one year results a pilot study, 818

Apolipoprotein E polymorphisms in Japanese patients with polypoidal choroidal vasculopathy and exudative age-related macular degeneration, 567

Association of prior cytomegalovirus infection with neovascular age-related macular degeneration, 323

Association of the M55L and Q192R paraoxonase gene polymorphisms with age-related macular degeneration, 665

Health- and vision-related quality of life among patients with choroidal neovascularization secondary to age-related macular degeneration at enrollment in randomized trials of submacular surgery: SST report no. 4, 91

Infectious agents and ARMD: a connection? (editorial), 468

Macular degeneration and glaucoma-like optic nerve head cupping (editorial), 135

Macular pigment density and aging, assessed in the normal elderly and those with cataracts and age-related macular degeneration, 582

Optic atrophy and macular degeneration as initial presentations of subacute sclerosing panencephalitis, 879

Optic disk appearance in advanced age-related macular degeneration, 38

Photodynamic therapy for age-related macular degeneration (letter), 513

Photodynamic therapy for retinal angiomatous proliferation and pigment epithelium detachment, 1077

Predictors of structural findings in old disciform lesions, 245

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration (letter), 697, 1089

Statins and age-related macular degeneration (letter), 688

Age-related maculopathy

MELAS A3243G mitochondrial DNA mutation and age related maculopathy, 1051

Aging

Macular pigment density and aging, assessed in the normal elderly and those with cataracts and age-related macular degeneration, 582

Ala546Asp

Lattice corneal dystrophy associated with the Ala546Asp and Pro551Gln missense changes in the TGFBI gene, 772

Albinism

Effects of extraocular muscle surgery on 15 patients with oculo-cutaneous albinism (OCA) and infantile nystagmus syndrome (INS), 978

Positive angle kappa: a sign of albinism in patients with congenital nystagmus (letter), 692

Positive angle kappa in albinism (letter), 1093

Allergy

Presumed "sulfa allergy" in patients with intracranial hypertension treated with acetazolamide or furosemide: cross-reactivity, myth or reality?, 114

Amblyopia

Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years (letter), 512

Prospective, pilot study of treatment of amblyopia in children 10 to <18 years old (letter), 698

Amniotic membrane

Oxygen permeability of amniotic membrane and actual tear oxygen tension beneath amniotic membrane patch, 486

Amniotic membrane patch

Oxygen permeability of amniotic membrane and actual tear oxygen tension beneath amniotic membrane patch, 486

Amyloidosis

Eyelid bleeding and atypical amyloidosis, 495

Anesthesia

Visual experience during phacoemulsification under topical versus retrobulbar anesthesia: results of a prospective, randomized, controlled trial, 782

Aneurysms

Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm, 682

Subperiosteal hematoma of the orbit following an aneurysm coiling procedure, 680

Angioedema

Angioedema related to the use of hyaluronidase in cataract surgery, 142

Angiogenesis

Expression of ephrinB2 and its receptors on fibroproliferative membranes in ocular angiogenic diseases, 270

Angiography

Retinal blood flow analysis using intraoperative video fluorescein angiography combined with optical fiber-free intra-vitreous surgery system, 1082

Angle-closure glaucoma

See also Glaucoma

Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm, 682

Animal models

Retinal vein cannulation with prolonged infusion of tissue plasminogen activator (t-PA) for the treatment of experimental retinal vein occlusion in dogs, 829

Topical prophylaxis with moxifloxacin prevents endophthalmitis in a rabbit model, 33

Anisometropia

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis (letter), 1091

Anterior capsule overlap

Effect of lens edge design versus anterior capsule overlap on posterior capsule opacification, 521

Anterior chamber

Intracameral triamcinolone helps to visualize and remove the vitreous body in anterior chamber in cataract surgery, 650

Anterior chamber angle

Two cases of intraoperative anterior chamber angle observation using ophthalmic endoscope in viscocanalostomy, 1060

Anterior segments

Trabecular bypass stents decrease intraocular pressure in cultured human anterior segments, 988

Antibiotics

Laboratory evaluation of antibiotic therapy for ciprofloxacin-resistant *Pseudomonas aeruginosa*, 226

Antibodies

Fuchs heterochromic cyclitis: rubella virus antibodies and genome in aqueous humor, 46

Antiplatelet therapy

Comparative effect of antiplatelet therapy in retinal vein occlusion evaluated by the particle-counting method using light scattering, 809

Aortic regurgitation

Increased ocular pulse amplitude revealing aortic regurgitation, 503

Aphakia

Removal of silicone oil from aphakia: use of a self-sealing corneal incision, 1055

Apolipoprotein E

Apolipoprotein E polymorphisms in Japanese patients with polypoidal choroidal vasculopathy and exudative age-related macular degeneration, 567

Apoptosis

Trypan blue induces apoptosis in human retinal pigment epithelial cells, 492

Appositional suprachoroidal hemorrhage

Appositional suprachoroidal hemorrhage: a case-control study, 959

Aqueous fluid contamination

Challenge of determining aqueous contamination rate in anterior segment intraocular surgeries (letter), 687

Aqueous humor

Chemokines and gelatinases in the aqueous humor of patients with active uveitis, 401

Elevated homocysteine levels in aqueous humor of patients with pseudoexfoliation glaucoma, 162

Fuchs heterochromic cyclitis: rubella virus antibodies and genome in aqueous humor, 46

Arteriovenous sheatotomy

Vitrectomy with or without arteriovenous adventitial sheatotomy for macular edema associated with branch retinal vein occlusion, 907

Aspirin

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration (letter), 697, 1089

Atypical amyloidosis

Eyelid bleeding and atypical amyloidosis, 495

Autofluorescence

Fundus autofluorescence in Stargardt macular dystrophy-fundus flavimaculatus, 55

Autografts

Use of a radiofrequency unit for harvesting conjunctival autografts in pterygium surgery, 165

Automated lamellar therapeutic keratoplasty

Automated lamellar therapeutic keratoplasty for post-PRK corneal scarring and thinning, 1067

Automated visual fields

Optical coherence tomography (OCT) macular and peripapillary retinal nerve fiber layer measurements and automated visual fields, 218

Autosomal dominant congenital nystagmus

Autosomal dominant congenital nystagmus is not linked to 6p12, 7p11, and 15q11 in a German family, 439

Axial growth

Eye growth after pediatric cataract surgery (editorial), 1039

Rate of axial growth after congenital cataract surgery, 915

Azithromycin

Corneal pharmacokinetics of topically applied azithromycin and clarithromycin, 547

B

Bartonella henselae

Bartonella henselae infection presenting as a unilateral panuveitis simulating Vogt-Koyanagi-Harada syndrome, 1063

Behçet disease

Intravitreal injections of triamcinolone acetonide for severe vitritis in patients with incomplete Behçet's disease, 666

Intravitreal triamcinolone acetonide for the treatment of cystoid macular edema secondary to Behçet disease, 289

Uveitis in Behçet disease: an analysis of 880 patients, 373

Beraprost

Comparative effect of antiplatelet therapy in retinal vein occlusion evaluated by the particle-counting method using light scattering, 809

Bilateral idiopathic juxtafoveal telangiectasis

Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

Bilateral posterior microphthalmos

Optical coherence tomography of bilateral posterior microphthalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480

Bilaterally identical monoclonality

Bilaterally identical monoclonality in a case of primary intraocular lymphoma, 306

Bimatoprost

Conjunctival hyperemia associated with bimatoprost use: a histopathologic study, 310

Binocular vision

Maximizing binocular vision outcomes in strabismus patients (editorial), 1044

Birdshot retinochoroidopathy

Human leukocyte antigen A29 subtypes associated with birdshot retinochoroidopathy, 631

Blepharospasm

Randomized, placebo-controlled, crossover clinical trial of super blue-green algae in patients with essential blepharospasm or Meige syndrome, 18

Blindness

Blindness and rectus muscle damage following spinal surgery, 889

Blood vessels

Histopathological abnormalities in ocular blood vessels of CADASIL patients, 302

Blue cone sensitivity

Decrease of blue cone sensitivity in acute idiopathic blind spot enlargement syndrome, 296

Blurred vision

Microsaccadic opsoclonus: an idiopathic cause of oscillopsia and episodic blurred vision, 1053

Botulinum toxin

Botulinum toxin for the treatment of congenital entropion, 153

Lidocaine tape (Penles) reduces the pain of botulinum toxin injection for Meige syndrome, 654

Randomized, placebo-controlled, crossover clinical trial of super blue-green algae in patients with essential blepharospasm or Meige syndrome, 18

Branch retinal vein occlusion

See also Retinal vein occlusion

Vitrectomy with or without arteriovenous adventitial sheathotomy for macular edema associated with branch retinal vein occlusion, 907

What is the role of vitrectomy for macular edema from branch retinal vein occlusion? (editorial), 1037

Brimonidine tartrate

Effect of daily use of brimonidine tartrate on the dark-adapted pupil diameter, 149

C

CADASIL

Histopathological abnormalities in ocular blood vessels of CADASIL patients, 302

Capsulotomy

Posterior capsule opacification and YAG capsulotomy (editorial), 635

Carotid artery dissection

Embolic cilioretinal artery occlusion due to carotid artery dissection, 496

Cataract(s)

Herpes simplex virus-1-associated congenital cataract, 313

Inflow of ocular surface fluid through clear corneal cataract incisions: a laboratory model, 206

Macular pigment density and aging, assessed in the normal elderly and those with cataracts and age-related macular degeneration, 582

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy, 79

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy (letter), 1090

Twice-yearly exams unnecessary for patients taking quetiapine, 870

Visual experience during phacoemulsification under topical versus retrobulbar anesthesia: results of a prospective, randomized, controlled trial, 782

Cataract extraction

Effect of cataract extraction on frequency doubling technology perimetry, 85

Functional visual outcomes of cataract extraction in monocular versus binocular patients, 125

Propionibacterium acnes endophthalmitis with bacterial sequestration in a Molteno's implant after cataract extraction, 878

Visual field changes after cataract extraction: the AGIS experience, 1022

Cataract surgery

Angioedema related to the use of hyaluronidase in cataract surgery, 142

Effect of cataract surgery on ocular levels of topical moxifloxacin, 554

Effect of vitreous presentation during extracapsular cataract surgery on the postoperative visual acuity at one year, 536

Eye growth after pediatric cataract surgery (editorial), 1039

Functional visual outcomes of cataract extraction in monocular versus binocular patients, 125

Intracameral triamcinolone helps to visualize and remove the vitreous body in anterior chamber in cataract surgery, 650

Rate of axial growth after congenital cataract surgery, 915

Cavernomas

Treatment and long-term outcomes of patients with orbital cavernomas, 237

Cavernous sinus

Diagnosis of metastatic carcinoma to the cavernous sinus by computed tomography-guided fine-needle aspiration, 864

Cellular retinaldehyde-binding protein gene

Novel compound heterozygous mutation in the cellular retinaldehyde-binding protein gene (*RLBP1*) in a patient with retinitis punctata albescens, 171

Cellular telephones

Visual field attention is reduced by concomitant hands-free conversation on a cellular telephone, 347

Central corneal thickness

Central corneal thickness and measured IOP response to topical ocular hypotensive medication in the Ocular Hypertension Treatment Study, 717

Too thick for your drugs (editorial), 847

Central retinal vein occlusion

Evaluation of radial optic neurotomy for central retinal vein occlusion by indocyanine green videoangiography and image analysis, 612

Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy

Histopathological abnormalities in ocular blood vessels of CADASIL patients, 302

Cerebrovascular malformations

Acquired, isolated third nerve palsies in infants with cerebrovascular malformations, 484

Cevimeline

Therapeutic effect of cevimeline on dry eye in patients with Sjögren's syndrome: a randomized, double-blind clinical study, 6

Chalazia

Recurrent *Staphylococcus aureus* chalazia in hyperimmunoglobulinemia E (Job's) syndrome, 1057

Chemokines

Chemokines and gelatinases in the aqueous humor of patients with active uveitis, 401

Chemoreduction

Chemoreduction for retinoblastoma. Analysis of tumor control and risks for recurrence in 457 tumors, 329

Children

See also Infant(s); Neonates

Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years (letter), 512

Corneal thickness in children, 744

Development of an instrument to assess vision-related quality of life in young children, 362

Eye growth after pediatric cataract surgery (editorial), 1039

Herpes simplex virus keratitis in children, 474

Optic disk and retinal characteristics in myopic children, 160

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis (letter), 1091

Porous polyethylene orbital implant in the pediatric population, 425

Prospective, pilot study of treatment of amblyopia in children 10 to <18 years old (letter), 698

Successful use of topical cysteamine formulated from the oral

preparation in a child with keratopathy secondary to cystinosis, 674

Children's Visual Function Questionnaire

Development of an instrument to assess vision-related quality of life in young children, 362

Chlamydia pneumoniae

Infectious agents and ARMD: a connection? (editorial), 468

Chorioscleral outfolding

Macular translocation with chorioscleral outfolding: 2-year results, 574

Choroidal detachment

Dorzolamide-induced choroidal detachment in a surgically untreated eye, 285

Choroidal neovascularization

Age-Related Macular Degeneration Radiotherapy Trial (AMDRT): one year results a pilot study, 818

Health- and vision-related quality of life among patients with choroidal neovascularization secondary to age-related macular degeneration at enrollment in randomized trials of submacular surgery: SST report no. 4, 91

Macular translocation with chorioscleral outfolding: 2-year results, 574

Photodynamic therapy of subfoveal choroidal neovascularization in high myopia in a clinical setting: visual outcome in relation to age at treatment, 602

Photodynamic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263

Prognostic factors influencing visual outcome of photodynamic therapy for subfoveal choroidal neovascularization in pathologic myopia, 434

Severe pigment epithelial alterations in the treatment area following photodynamic therapy for classic choroidal neovascularization in young females, 803

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration (letter), 697, 1089

Successful treatment of subfoveal choroidal neovascularization associated with combined hamartoma of the retina and retinal pigment epithelium, 155

Transpupillary thermotherapy for subfoveal choroidal neovascularization associated with choroidal nevus, 1074

Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveal telangiectasis, 147

Choroidal nevus

Transpupillary thermotherapy for subfoveal choroidal neovascularization associated with choroidal nevus, 1074

Choroiditis

Photodynamic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263

Cilioretinal artery occlusion

Embolic cilioretinal artery occlusion due to carotid artery dissection, 496

Ciprofloxacin-resistant *Pseudomonas aeruginosa*

Laboratory evaluation of antibiotic therapy for ciprofloxacin-resistant *Pseudomonas aeruginosa*, 226

Clarithromycin

Corneal pharmacokinetics of topically applied azithromycin and clarithromycin, 547

CLEK study reports

CLEK study reports on the quality of life (editorial), 637

Computed tomography

Diagnosis of metastatic carcinoma to the cavernous sinus by computed tomography-guided fine-needle aspiration, 864

Cone-rod dystrophy

Novel 615delC mutation in the CRX gene in a Japanese family with cone-rod dystrophy, 876

Cone-rod homeobox

Novel 615delC mutation in the CRX gene in a Japanese family with cone-rod dystrophy, 876

Confocal scanning laser tomography

Optical coherence tomography and confocal scanning laser tomography for assessment of macular edema, 354

Congenital nystagmus

See also Nystagmus

Autosomal dominant congenital nystagmus is not linked to 6p12, 7p11, and 15q11 in a German family, 439

Positive angle kappa: a sign of albinism in patients with congenital nystagmus (letter), 692

Variable phenotype related to a novel PAX6 mutation (IVS4 + 5G>C) in a family presenting congenital nystagmus and foveal hypoplasia, 1016

Conjunctiva

Effect of chronic systemic use of trimethoprim-sulfamethoxazole in the conjunctival bacterial flora of patients with HIV infection, 678

Treatment of conjunctival squamous cell carcinoma with photodynamic therapy, 183

Conjunctival autografts

Use of a radiofrequency unit for harvesting conjunctival autografts in pterygium surgery, 165

Conjunctival hyperemia

Conjunctival hyperemia associated with bimatoprost use: a histopathologic study, 310

Conjunctival lymphoma

Systemic remission of non-Hodgkin's lymphoma after intraleSIONAL interferon alpha-2b to bilateral conjunctival lymphomas, 672

Conjunctivitis

Prevention of ligneous conjunctivitis by topical and subconjunctival fresh frozen plasma, 299

Therapeutic approaches in the treatment of ligneous conjunctivitis, the most common clinical manifestation of a systemic disease, caused by severe type I plasminogen deficiency (letter), 699

Cornea

Age-related changes in ocular and corneal aberrations, 143

Corneal pharmacokinetics of topically applied azithromycin and clarithromycin, 547

Corneal aberrations

Age-related changes in corneal and ocular higher-order aberrations (letter), 897

Corneal flap

Effect of corneal flap on optical aberrations, 190

Corneal incisions

Removal of silicone oil from aphakia: use of a self-sealing corneal incision, 1055

Corneal scarring

Automated lamellar therapeutic keratoplasty for post-PRK corneal scarring and thinning, 1067

Corneal subepithelial haze

Influence of wavefront aberration and corneal subepithelial haze on low-contrast visual acuity after photorefractive keratectomy, 620

Corneal thickness

Central corneal thickness and measured IOP response to topical ocular hypotensive medication in the Ocular Hypertension Treatment Study, 717

Corneal thickness in children, 744

Too thick for your drugs (editorial), 847

Corneal wounds

Inflow of ocular surface fluid through clear corneal cataract incisions: a laboratory model, 206

Coronary heart disease

Glaucoma risk factor assessment and prevention: lessons from coronary heart disease, S11

Crohn disease

Bilateral lid margin ulcers as the initial manifestation of Crohn disease, 292

Crystalline lens

Bilateral intraocular foreign bodies simulating crystalline lens, 146

Cup-to-disk ratio

Baseline risk factors for the development of primary open-angle glaucoma in the Ocular Hypertension Treatment Study, 684

Cysteamine

Successful use of topical cysteamine formulated from the oral preparation in a child with keratopathy secondary to cystinosis, 674

Cystinosis

Successful use of topical cysteamine formulated from the oral preparation in a child with keratopathy secondary to cystinosis, 674

Cystoid macular edema

Infliximab for chronic cystoid macular edema associated with uveitis, 649

Intravitreal triamcinolone acetonide for the treatment of cystoid macular edema secondary to Behcet disease, 289

Pseudohypopyon after intravitreal triamcinolone acetonide injection for cystoid macular edema, 489

Trace microalbuminuria in inflammatory cystoid macular edema, 1010

Cytomegalovirus infection

Association of prior cytomegalovirus infection with neovascular age-related macular degeneration, 323

Infectious agents and ARMD: a connection? (editorial), 468

Cytomegalovirus retinitis

Clinical characteristics and outcomes of cytomegalovirus retinitis in persons without human immunodeficiency virus infection, 338

D

Dacryocystorhinostomy

Length of unsutured mucosal margins in external dacryocystorhinostomy, 840

Rhinolithiasis: a very late complication after dacryocystorhinostomy with rubber-gum and polyethylene stenting, 1065

Dark-adapted pupil diameter

Effect of daily use of brimonidine tartrate on the dark-adapted pupil diameter, 149

Deep anterior lamellar keratoplasty

Deep anterior lamellar keratoplasty in a patient with descemetocele following gonococcal keratitis, 506

Delayed tear clearance

Randomized, double-masked, placebo-controlled, multicenter comparison of loteprednol etabonate ophthalmic suspension, 0.5%, and placebo for treatment of keratoconjunctivitis sicca in patients with delayed tear clearance, 444

Delayed visual maturation

Normal vernier acuity in infants with delayed visual maturation, 140

Descemetocele

Deep anterior lamellar keratoplasty in a patient with descemetocele following gonococcal keratitis, 506

Diabetes mellitus

Ocular surface changes with applanation contact lens and coupling fluid use after argon laser photocoagulation in noninsulin-dependent diabetes mellitus, 381

Diabetic macular edema

Duration of the effect of intravitreal triamcinolone acetonide as treatment for diffuse diabetic macular edema, 158

Inter-eye difference in diabetic macular edema after unilateral intravitreal injection of triamcinolone acetonide, 970

Intrasurgical plasmin enzyme in diabetic macular edema, 560

Diabetic retinopathy

Classification of Farnsworth-Munsell 100-hue test results in the Early Treatment Diabetic Retinopathy Study, 119

Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years (letter), 512

Direct ophthalmoscopy

Simple device for teaching direct ophthalmoscopy to primary care practitioners, 501

Disciform lesions

Predictors of structural findings in old disciform lesions, 245

Dorzolamide

Dorzolamide-induced choroidal detachment in a surgically untreated eye, 285

Dry eye

Therapeutic effect of cevimeline on dry eye in patients with Sjögren's syndrome: a randomized, double-blind clinical study, 6

E**Early Treatment Diabetic Retinopathy Study**

Classification of Farnsworth-Munsell 100-hue test results in the Early Treatment Diabetic Retinopathy Study, 119

Echocardiography

Bilateral endogenous endophthalmitis secondary to endocarditis with negative transesophageal echocardiogram, 151

Edema

See Macular edema

Elderly

See also Aging

Macular pigment density and aging, assessed in the normal elderly and those with cataracts and age-related macular degeneration, 582

Embolic cilioretinal artery occlusion

Embolic cilioretinal artery occlusion due to carotid artery dissection, 496

Embolic stroke

Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300

Endocapsular tension ring

Extraction of endocapsular tension ring after phacoemulsification in eyes with pseudoexfoliation, 173

Endocarditis

Bilateral endogenous endophthalmitis secondary to endocarditis with negative transesophageal echocardiogram, 151

Endophthalmitis

Bilateral endogenous endophthalmitis secondary to endocarditis with negative transesophageal echocardiogram, 151

Endophthalmitis after pars plana vitrectomy: incidence, causative organisms, and visual acuity outcomes, 799

Endophthalmitis caused by *Klebsiella* species, 662

Endophthalmitis caused by *Streptococcus pneumoniae*, 231

Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300

Incidence of acute endophthalmitis after triamcinolone-assisted pars plana vitrectomy, 137

Propionibacterium acnes endophthalmitis with bacterial sequestration in a Molteno's implant after cataract extraction, 878

Topical prophylaxis with moxifloxacin prevents endophthalmitis in a rabbit model, 33

Endothelial cells

Endothelial cell density after posterior lamellar keratoplasty (Melles techniques): 3 years follow-up, 211

Entropion

Botulinum toxin for the treatment of congenital entropion, 153

EphrinB2

Expression of ephrinB2 and its receptors on fibroproliferative membranes in ocular angiogenic diseases, 270

Epidermolysis bullosa

Eye involvement in inherited epidermolysis bullosa: experience of the National Epidermolysis Bullosa Registry, 254

Epi-retinal membrane

Indocyanine green-assisted internal limiting membrane removal in epiretinal membrane surgery: a clinical and histologic surgery, 194

Multiple components of epiretinal tissues detected by triamcinolone and indocyanine green in macular hole and retinal detachment as a result of high myopia, 1079

Epithelial downgrowth

Epithelial downgrowth following surgery for congenital glaucoma, 1075

Esotropia

Pre-operative stability of infantile esotropia and post-operative outcome, 1003

Essential blepharospasm

Randomized, placebo-controlled, crossover clinical trial of super blue-green algae in patients with essential blepharospasm or Meige syndrome, 18

Evidence-based medicine

Applying an evidence-based approach to the management of patients with ocular hypertension: evaluating and synthesizing published evidence, S3

Ex-PRESS miniature glaucoma implant

Results of the use of the Ex-PRESS miniature glaucoma implant in technically challenging, advanced glaucoma cases: a clinical pilot study, 1049

Extraocular muscle surgery

Effects of extraocular muscle surgery on 15 patients with oculo-cutaneous albinism (OCA) and infantile nystagmus syndrome (INS), 978

Eyelid(s)

Bilateral lid margin ulcers as the initial manifestation of Crohn disease, 292

Eyelid bleeding and atypical amyloidosis, 495

Eyelid sparganosis, 873

Primary *Nocardia brasiliensis* of the eyelid, 498

Sticky eyelid syndrome, 882

Eyelid imbrication syndrome

Congenital eyelid imbrication syndrome, 499

F

Facial trauma

Facial and ocular injuries associated with methamphetamine production accidents, 875

Factor XIII Val34Leu

Prevalence of Factor XIII Val34Leu polymorphism in patients affected by spontaneous subconjunctival hemorrhage, 481

Familial exudative vitreoretinopathy

Novel mutation in *FZD4* gene in a Japanese pedigree with familial exudative vitreoretinopathy, 670

Farnsworth-Munsell 100-hue test

Classification of Farnsworth-Munsell 100-hue test results in the Early Treatment Diabetic Retinopathy Study, 119

Filtering blebs

Explanation of transient visual loss associated with leaking filtering bleb, 869

Fine-needle aspiration

Diagnosis of metastatic carcinoma to the cavernous sinus by computed tomography-guided fine-needle aspiration, 864

Fluorescein angiography

Retinal blood flow analysis using intraoperative video fluorescein angiography combined with optical fiber-free intra-vitreous surgery system, 1082

Foreign bodies

Bilateral intraocular foreign bodies simulating crystalline lens, 146

Foveal hypoplasia

Variable phenotype related to a novel *PAX6* mutation (IVS4 + 5G>>C) in a family presenting congenital nystagmus and foveal hypoplasia, 1016

Free tarsal grafts

Donor site morbidity in free tarsal grafts, 430

Frequency doubling perimetry

Effect of cataract extraction on frequency doubling technology perimetry, 85

Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss (letter), 897

Fresh frozen plasma

Prevention of ligneous conjunctivitis by topical and subconjunctival fresh frozen plasma, 299

Frontalis suspension

Scanning electron microscopic studies of supramid extra from the patients displaying recurrent ptosis after frontalis suspension, 756

Fuchs heterochromic cyclitis

Fuch's heterochromic cyclitis: new clues regarding pathogenesis (editorial), 133

Fuchs heterochromic cyclitis: rubella virus antibodies and genome in aqueous humor, 46

Fuchs heterochromic cyclitis: whither the apostrophe? (letter), 1087

Fundus

Fundus autofluorescence in Stargardt macular dystrophy-fundus flavimaculatus, 55

Fundus flavimaculatus

Fundus autofluorescence in Stargardt macular dystrophy-fundus flavimaculatus, 55

Furosemide

Presumed "sulfa allergy" in patients with intracranial hypertension treated with acetazolamide or furosemide: cross-reactivity, myth or reality?, 114

FZD4 mutation

Novel mutation in *FZD4* gene in a Japanese pedigree with familial exudative vitreoretinopathy, 670

G

Gelatinases

Chemokines and gelatinases in the aqueous humor of patients with active uveitis, 401

Ghrelin

Plasma ghrelin levels are normal in obese patients with idiopathic intracranial hypertension (pseudotumor cerebri), 109

Glaucoma

Baseline risk factors for the development of primary open-angle glaucoma in the Ocular Hypertension Treatment Study, 684

Elevated homocysteine levels in aqueous humor of patients with pseudoexfoliation glaucoma, 162

Epithelial downgrowth following surgery for congenital glaucoma, 1075

Evidence-based assessment of risk factors for the progression of ocular hypertension and glaucoma, S19

Glaucoma risk factor assessment and prevention: lessons from coronary heart disease, S11

Macular degeneration and glaucoma-like optic nerve head cupping (editorial), 135

Persistence with glaucoma medication (letter), 1093

Photodynamic therapy with verteporfin for anterior segment neovascularizations in neovascular glaucoma, 157

Results of the use of the Ex-PRESS miniature glaucoma implant in technically challenging, advanced glaucoma cases: a clinical pilot study, 1049

Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm, 682

Ultrasound biomicroscopic analysis of iris profile changes with

- accommodation in pigmentary glaucoma and relationship to age, 652
- Visibility of lamina cribrosa pores and open-angle glaucoma, 871
- Glaucoma drainage device**
 - Long-term results of keratoplasty in eyes with a glaucoma drainage device, 200
- Glaucomatous visual fields**
 - Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss (letter), 897
 - Patterns of glaucomatous visual field progression identified by three progression criteria, 1029
 - Retinal nerve fiber layer thickness measurements with scanning laser polarimetry predict glaucomatous visual field loss, 592
- Gonococcal keratitis**
 - Deep anterior lamellar keratoplasty in a patient with descemetocele following gonococcal keratitis, 506
- Grafts**
 - Donor site morbidity in free tarsal grafts, 430
- Graft-versus-host disease**
 - Acute zonal occult outer retinopathy in a patient with graft-versus-host disease, 1058
- Group B streptococcus**
 - Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300

H

- Hamartoma**
 - Successful treatment of subfoveal choroidal neovascularization associated with combined hamartoma of the retina and retinal pigment epithelium, 155
- Health-related quality of life**
 - Health- and vision-related quality of life among patients with choroidal neovascularization secondary to age-related macular degeneration at enrollment in randomized trials of submacular surgery: SST report no. 4, 91
 - Visual function and subjective perception of visual ability after macular hole surgery, 995
- Hearing loss**
 - Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in OPA1, 749
- Helicobacter pylori**
 - Infectious agents and ARMD: a connection? (editorial), 468
- Hematoma**
 - Subperiosteal hematoma of the orbit following an aneurysm coiling procedure, 680
- Hemorrhage**
 - Acute bilateral vitreo-retinal hemorrhages following oxygen-ozone therapy for lumbar disk herniation, 175
 - Appositional suprachoroidal hemorrhage: a case-control study, 959
 - Macular hemorrhage after laser in situ keratomileusis (LASIK) with femtosecond laser flap creation, 657
 - Prevalence of Factor XIII Val34Leu polymorphism in patients affected by spontaneous subconjunctival hemorrhage, 481
 - Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm, 682

Herbal medicines

- Ocular side effects from herbal medicines and nutritional supplements, 639

Herpes simplex virus-1

- Herpes simplex virus keratitis in children, 474
- Herpes simplex virus-1-associated congenital cataract, 313

Higher-order aberrations

- Age-related changes in corneal and ocular higher-order aberrations (letter), 897

Homocysteine

- Elevated homocysteine levels in aqueous humor of patients with pseudoexfoliation glaucoma, 162

Homonymous hemianopsia

- Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300

HOTV

- Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years (letter), 512

Human immunodeficiency virus

- Clinical characteristics and outcomes of cytomegalovirus retinitis in persons without human immunodeficiency virus infection, 338
- Effect of chronic systemic use of trimethoprim-sulfamethoxazole in the conjunctival bacterial flora of patients with HIV infection, 678

Human leukocyte antigen A29

- Human leukocyte antigen A29 subtypes associated with bird-shot retinochoroidopathy, 631

Hyaluronidase

- Angioedema related to the use of hyaluronidase in cataract surgery, 142

Hyperemia

- Conjunctival hyperemia associated with bimatoprost use: a histopathologic study, 310

Hyperimmunoglobulinemia E

- Recurrent *Staphylococcus aureus* chalazia in hyperimmunoglobulinemia E (Job's) syndrome, 1057

Hypertension

- See Ocular hypertension

Hypotony

- Flattening of the posterior sclera: hypotony or elevated intracranial pressure? (letter), 511

Hypotony maculopathy

- Vitrectomy for a persisting macular fold in a case of resolved hypotony maculopathy, 487

I

Idiopathic intracranial hypertension

- Plasma ghrelin levels are normal in obese patients with idiopathic intracranial hypertension (pseudotumor cerebri), 109
- Presumed "sulfa allergy" in patients with intracranial hypertension treated with acetazolamide or furosemide: cross-reactivity, myth or reality?, 114

Idiopathic juxtafoveal telangiectasis

- Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

- Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveal telangiectasis, 147
- Idiopathic macular hole**
Familial idiopathic macular hole, 608
- Idiopathic orbital inflammation**
Etiology and management of idiopathic orbital inflammation (editorial), 1041
Treatment of recalcitrant idiopathic orbital inflammation (chronic orbital myositis) with infliximab, 925
- Idiopathic polypoidal choroidal vasculopathy**
Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy (letter), 693
- Imaging**
Comparability of estimates of retroilluminated lens opacities as judged from film-based and digital imaging, 668
Imaging for neuro-ophthalmic and orbital disease (editorial), 852
Ophthalmic imaging by spectral optical coherence tomography, 412
- Implants**
Late porous polyethylene implant exposure after motility coupling post placement, 420
Porous polyethylene orbital implant in the pediatric population, 425
Propionibacterium acnes endophthalmitis with bacterial sequestration in a Molteno's implant after cataract extraction, 878
Results of the use of the Ex-PRESS miniature glaucoma implant in technically challenging, advanced glaucoma cases: a clinical pilot study, 1049
- Incisions**
Inflow of ocular surface fluid through clear corneal cataract incisions: a laboratory model, 206
- Indocyanine green**
Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery (letter), 690
Comparison of the in vitro toxicity of indocyanine green to that of trypan blue in human retinal pigment epithelium cell cultures, 64
Evaluation of radial optic neurotomy for central retinal vein occlusion by indocyanine green videoangiography and image analysis, 612
Favorable visual outcome associated with subretinal indocyanine green in macular hole surgery (letter), 689
Indocyanine green-assisted ILM peeling in macular hole surgery revisited, 886
Indocyanine green-assisted internal limiting membrane removal in epiretinal membrane surgery: a clinical and histologic surgery, 194
Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy (letter), 693
Multiple components of epiretinal tissues detected by triamcinolone and indocyanine green in macular hole and retinal detachment as a result of high myopia, 1079
- Infant(s)**
See also Children; Neonates
- Acquired, isolated third nerve palsies in infants with cerebrovascular malformations, 484
Herpes simplex virus-1-associated congenital cataract, 313
Normal vernier acuity in infants with delayed visual maturation, 140
Pre-operative stability of infantile esotropia and post-operative outcome, 1003
- Infantile nystagmus syndrome**
Effects of extraocular muscle surgery on 15 patients with oculo-cutaneous albinism (OCA) and infantile nystagmus syndrome (INS), 978
- Infections**
Association of prior cytomegalovirus infection with neovascular age-related macular degeneration, 323
Bartonella henselae infection presenting as a unilateral panuveitis simulating Vogt-Koyanagi-Harada syndrome, 1063
Infectious agents and ARMD: a connection? (editorial), 468
Microbiologic spectrum and susceptibility of isolates in scleral buckle infection in India, 663
- Inflammation**
Treatment of recalcitrant idiopathic orbital inflammation (chronic orbital myositis) with infliximab, 925
- Inflammatory orbital pseudotumor**
Inflammatory orbital pseudotumor with extension beyond the orbit, 396
- Infliximab**
Infliximab for chronic cystoid macular edema associated with uveitis, 649
Treatment of recalcitrant idiopathic orbital inflammation (chronic orbital myositis) with infliximab, 925
- Interferon alpha-2b**
Systemic remission of non-Hodgkin's lymphoma after intraleisional interferon alpha-2b to bilateral conjunctival lymphomas, 672
- Internal limiting membrane**
Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery (letter), 690
Indocyanine green-assisted ILM peeling in macular hole surgery revisited, 886
Indocyanine green-assisted internal limiting membrane removal in epiretinal membrane surgery: a clinical and histologic surgery, 194
Internal limiting membrane peeling using triamcinolone acetate: histopathologic confirmation, 656
In vivo observation of internal limiting membrane in an eye with macular hole (letter), 315
- Intracranial pressure**
Flattening of the posterior sclera: hypotony or elevated intracranial pressure? (letter), 511
- Intraocular lens**
Contrast sensitivity and color vision with a yellow intraocular lens, 138
Effect of lens edge design versus anterior capsule overlap on posterior capsule opacification, 521
Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation (letter), 696
Phakic IOLs: a photo finish? (editorial), 849

Position of angle-supported, iris-fixated, and ciliary sulcus-implanted myopic phakic intraocular lens evaluated by Scheimpflug photography, 723

Surgical technique for repositioning subluxated previously scleral-fixated intraocular lens, 676

Intraocular pressure

Central corneal thickness and measured IOP response to topical ocular hypotensive medication in the Ocular Hypertension Treatment Study, 717

Comparison of the nocturnal effects of once-daily timolol and latanoprost on intraocular pressure, 389

Early rapid rise in intraocular pressure after intravitreal triamcinolone acetonide injection, 286

Intravitreal triamcinolone acetonide and intraocular pressure, 740

Trabecular bypass stents decrease intraocular pressure in cultured human anterior segments, 988

Vitrectomy as a treatment for elevated intraocular pressure following intravitreal injection of triamcinolone acetonide, 679

IP-10

Chemokines and gelatinases in the aqueous humor of patients with active uveitis, 401

Iris

Analysis of irises with a latanoprost-induced change in iris color, 625

Dilation of the minor arterial circle of the iris preceding rubeosis iridis during retinal vein occlusion, 1083

J

Job's syndrome

Recurrent *Staphylococcus aureus* chalazia in hyperimmunoglobulinemia E (Job's) syndrome, 1057

Juvenile retinoschisis

Four Japanese male patients with juvenile retinoschisis: only three have mutations in the *RS1* gene, 788

Juxtafoveal telangiectasis

Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveolar telangiectasis, 147

K

Kelman, Charles D., 896

Keratitis

Deep anterior lamellar keratoplasty in a patient with descemetocele following gonococcal keratitis, 506

Herpes simplex virus keratitis in children, 474

Thygeson's superficial punctate keratitis recurrence after laser in situ keratomileusis, 507

Keratoconjunctivitis sicca

Randomized, double-masked, placebo-controlled, multicenter comparison of loteprednol etabonate ophthalmic suspension, 0.5%, and placebo for treatment of keratoconjunctivitis sicca in patients with delayed tear clearance, 444

Keratoconus

Quality of life in keratoconus, 527

Keratopathy

Successful use of topical cysteamine formulated from the oral preparation in a child with keratopathy secondary to cystinosis, 674

Keratoplasty

Automated lamellar therapeutic keratoplasty for post-PRK corneal scarring and thinning, 1067

Deep anterior lamellar keratoplasty in a patient with descemetocele following gonococcal keratitis, 506

Endothelial cell density after posterior lamellar keratoplasty (Melles techniques): 3 years follow-up, 211

Long-term results of keratoplasty in eyes with a glaucoma drainage device, 200

Klebsiella sp.

Endophthalmitis caused by *Klebsiella* species, 662

L

Lacrimal drainage system

Presurgical and postsurgical ultrasound assessment of lacrimal drainage dysfunction, 764

Lamellar macular holes

Diagnosis of macular pseudoholes and lamellar macular holes by optical coherence tomography, 732

Lamellar therapeutic keratoplasty

Automated lamellar therapeutic keratoplasty for post-PRK corneal scarring and thinning, 1067

Lamina cribosa

Visibility of lamina cribosa pores and open-angle glaucoma, 871

Langerhans cell histiocytosis

Langerhans cell histiocytosis presenting as an limbal nodule in an adult patient, 508

Laser in situ keratomileusis

Bilateral serous macular detachment following laser in situ keratomileusis, 1069

Macular hemorrhage after laser in situ keratomileusis (LASIK) with femtosecond laser flap creation, 657

Thygeson's superficial punctate keratitis recurrence after laser in situ keratomileusis, 507

Laser photocoagulation

Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy (letter), 693

Ocular surface changes with applanation contact lens and coupling fluid use after argon laser photocoagulation in noninsulin-dependent diabetes mellitus, 381

Latanoprost

Analysis of irises with a latanoprost-induced change in iris color, 625

Comparison of the nocturnal effects of once-daily timolol and latanoprost on intraocular pressure, 389

Latanoprost exposure in pregnancy, 305

Lateral tarsal strip procedure

Use of a polyglactin suture in the lateral tarsal strip procedure, 588

Lattice corneal dystrophy

Lattice corneal dystrophy associated with the Ala546Asp and Pro551Gln missense changes in the *TGFBI* gene, 772

Lens edge design

Effect of lens edge design versus anterior capsule overlap on posterior capsule opacification, 521

Lens opacity

Comparability of estimates of retroilluminated lens opacities as judged from film-based and digital imaging, 668

Leukemia

Visual recovery after radiation therapy for bilateral subfoveal acute myelogenous leukemia, 659

Lidocaine tape

Lidocaine tape (Penles) reduces the pain of botulinum toxin injection for Meige syndrome, 654

Light scattering

Comparative effect of antiplatelet therapy in retinal vein occlusion evaluated by the particle-counting method using light scattering, 809

Ligneous conjunctivitis

Prevention of ligneous conjunctivitis by topical and subconjunctival fresh frozen plasma, 299

Therapeutic approaches in the treatment of ligneous conjunctivitis, the most common clinical manifestation of a systemic disease, caused by severe type I plasminogen deficiency (letter), 699

Loteprednol etabonate ophthalmic 0.5% suspension

Randomized, double-masked, placebo-controlled, multicenter comparison of loteprednol etabonate ophthalmic suspension, 0.5%, and placebo for treatment of keratoconjunctivitis sicca in patients with delayed tear clearance, 444

Low-contrast visual acuity

Influence of wavefront aberration and corneal subepithelial haze on low-contrast visual acuity after photorefractive keratectomy, 620

Lung carcinoma

Diagnosis of metastatic carcinoma to the cavernous sinus by computed tomography-guided fine-needle aspiration, 864

Lymphoma

Bilaterally identical monoclonality in a case of primary intraocular lymphoma, 306

High incidence of orbital malignant lymphoma in Japanese patients, 881

Systemic remission of non-Hodgkin's lymphoma after intraleSIONAL interferon alpha-2b to bilateral conjunctival lymphomas, 672

M

Macular degeneration

See Age-related macular degeneration

Macular detachment

Bilateral serous macular detachment following laser in situ keratomileusis, 1069

Macular edema

Duration of the effect of intravitreal triamcinolone acetonide as treatment for diffuse diabetic macular edema, 158

Inter-eye difference in diabetic macular edema after unilateral intravitreal injection of triamcinolone acetonide, 970

Intrasurgical plasmin enzyme in diabetic macular edema, 560

Intravitreal triamcinolone acetonide for the treatment of cystoid macular edema secondary to Behcet disease, 289

Macular edema as the only ocular finding of tuberculosis, 1048

Optical coherence tomography and confocal scanning laser tomography for assessment of macular edema, 354

Pseudophopyon after intravitreal triamcinolone acetonide injection for cystoid macular edema, 489

Trace microalbuminuria in inflammatory cystoid macular edema, 1010

Vitrectomy with or without arteriovenous adventitial sheathotomy for macular edema associated with branch retinal vein occlusion, 907

What is the role of vitrectomy for macular edema from branch retinal vein occlusion? (editorial), 1037

Macular fold

Vitrectomy for a persisting macular fold in a case of resolved hypotony maculopathy, 487

Macular hemorrhage

Macular hemorrhage after laser in situ keratomileusis (LASIK) with femtosecond laser flap creation, 657

Macular holes

Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery (letter), 690

Diagnosis of macular pseudoholes and lamellar macular holes by optical coherence tomography, 732

Familial idiopathic macular hole, 608

Favorable visual outcome associated with subretinal indocyanine green in macular hole surgery (letter), 689

Indocyanine green-assisted ILM peeling in macular hole surgery revisited, 886

Irregularity of photoreceptor layer after successful macular hole surgery prevents visual acuity improvement, 308

Multiple components of epiretinal tissues detected by triamcinolone and indocyanine green in macular hole and retinal detachment as a result of high myopia, 1079

Posterior vitreous detachment and macular hole formation in myopic foveoschisis, 1071

Prediction of postoperative visual outcome based on hole configuration by optical coherence tomography in eyes with idiopathic macular holes, 709

Visual function and subjective perception of visual ability after macular hole surgery, 995

In vivo observation of internal limiting membrane in an eye with macular hole (letter), 315

Macular pigment

Macular pigment density and aging, assessed in the normal elderly and those with cataracts and age-related macular degeneration, 582

Macular pseudoholes

Diagnosis of macular pseudoholes and lamellar macular holes by optical coherence tomography, 732

Macular pucker

Functional outcome after trypan blue-assisted vitrectomy for macular pucker: a prospective, randomized, comparative trial, 1

Macular translocation

Macular translocation with chorioscleral outfolding: 2-year results, 574

Maculopathy

Vitrectomy for a persisting macular fold in a case of resolved hypotony maculopathy, 487

Meige syndrome

Lidocaine tape (Penles) reduces the pain of botulinum toxin injection for Meige syndrome, 654

Randomized, placebo-controlled, crossover clinical trial of su-

per blue-green algae in patients with essential blepharospasm or Meige syndrome, 18

Melanocytomas

Melanocytomas of the optic disk, 964

Melanoma

Analysis of melanoma cell type in uveal melanoma following treatment failure, 543

Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma: IV. Ten-year mortality findings and prognostic factors. COMS Report Number 24, 936

MELAS A3243G mitochondrial DNA mutation

MELAS A3243G mitochondrial DNA mutation and age related maculopathy, 1051

Melles techniques

Endothelial cell density after posterior lamellar keratoplasty (Melles techniques): 3 years follow-up, 211

Metastases

Diagnosis of metastatic carcinoma to the cavernous sinus by computed tomography-guided fine-needle aspiration, 864

Methamphetamine

Facial and ocular injuries associated with methamphetamine production accidents, 875

Microalbuminuria

Trace microalbuminuria in inflammatory cystoid macular edema, 1010

Microphthalmos

Optical coherence tomography of bilateral posterior microphthalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480

Microsaccadic opsoclonus

Microsaccadic opsoclonus: an idiopathic cause of oscillopsia and episodic blurred vision, 1053

Mitochondrial DNA

MELAS A3243G mitochondrial DNA mutation and age related maculopathy, 1051

M55L

Association of the M55L and Q192R paraoxonase gene polymorphisms with age-related macular degeneration, 665

Molteno's implant

Propionibacterium acnes endophthalmitis with bacterial sequestration in a Molteno's implant after cataract extraction, 878

Monoclonality

Bilaterally identical monoclonality in a case of primary intraocular lymphoma, 306

Monocular vertical prism dissociation test

Monocular vertical prism dissociation test (letter), 514

Motility coupling

Late porous polyethylene implant exposure after motility coupling post placement, 420

Moxifloxacin

Effect of cataract surgery on ocular levels of topical moxifloxacin, 554

Topical prophylaxis with moxifloxacin prevents endophthalmitis in a rabbit model, 33

Mucosal margins

Length of unsutured mucosal margins in external dacryocystorhinostomy, 840

Multifocal choroiditis

Photodynamic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263

Myopia

Measurement of retinal thickness by ocular coherence tomography in a case of scleral transparency in high myopia, 169

Multiple components of epiretinal tissues detected by triamcinolone and indocyanine green in macular hole and retinal detachment as a result of high myopia, 1079

Photodynamic therapy of subfoveal choroidal neovascularization in high myopia in a clinical setting: visual outcome in relation to age at treatment, 602

Position of angle-supported, iris-fixed, and ciliary sulcus-implanted myopic phakic intraocular lens evaluated by Scheimpflug photography, 723

Prognostic factors influencing visual outcome of photodynamic therapy for subfoveal choroidal neovascularization in pathologic myopia, 434

Myopic foveoschisis

Posterior vitreous detachment and macular hole formation in myopic foveoschisis, 1071

N

Neonates

See also Children; Infant(s)

Pseudopapilledema of neonatal-onset multisystem inflammatory disease, 894

Neovascularization

See also Choroidal neovascularization; Subfoveal choroidal neovascularization

Photodynamic therapy with verteporfin for anterior segment neovascularizations in neovascular glaucoma, 157

Neuro-ophthalmic disease

Imaging for neuro-ophthalmic and orbital disease (editorial), 852

Nocardia brasiliensis

Primary *Nocardia brasiliensis* of the eyelid, 498

Non-Hodgkin's lymphoma

Systemic remission of non-Hodgkin's lymphoma after intraleSIONAL interferon alpha-2b to bilateral conjunctival lymphomas, 672

Nutritional supplements

Ocular side effects from herbal medicines and nutritional supplements, 639

Nystagmus

Autosomal dominant congenital nystagmus is not linked to 6p12, 7p11, and 15q11 in a German family, 439

Effects of extraocular muscle surgery on 15 patients with oculo-cutaneous albinism (OCA) and infantile nystagmus syndrome (INS), 978

Positive angle kappa: a sign of albinism in patients with congenital nystagmus (letter), 692

Variable phenotype related to a novel PAX6 mutation (IVS4 + 5G>C) in a family presenting congenital nystagmus and foveal hypoplasia, 1016

O

Obesity

- Plasma ghrelin levels are normal in obese patients with idiopathic intracranial hypertension (pseudotumor cerebri), 109

Ocular aberrations

- Age-related changes in corneal and ocular higher-order aberrations (letter), 897
- Age-related changes in ocular and corneal aberrations, 143
- Effect of corneal flap on optical aberrations, 190

Ocular angiogenesis

- Expression of ephrinB2 and its receptors on fibroproliferative membranes in ocular angiogenic diseases, 270

Ocular hypertension

- Applying an evidence-based approach to the management of patients with ocular hypertension: evaluating and synthesizing published evidence, S3
- Baseline risk factors for the development of primary open-angle glaucoma in the Ocular Hypertension Treatment Study, 684
- Central corneal thickness and measured IOP response to topical ocular hypotensive medication in the Ocular Hypertension Treatment Study, 717
- Evidence-based assessment of risk factors for the progression of ocular hypertension and glaucoma, S19
- Ocular hypertension: defining risks and clinical options, S1
- Risk assessment in the management of patients with ocular hypertension, 458

Ocular melanoma

- Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma: IV. Ten-year mortality findings and prognostic factors. COMS Report Number 24, 936

Ocular pulse amplitude

- Increased ocular pulse amplitude revealing aortic regurgitation, 503

Ocular surface fluid

- Inflow of ocular surface fluid through clear corneal cataract incisions: a laboratory model, 206

Ocular trauma

- Facial and ocular injuries associated with methamphetamine production accidents, 875

Oculo-cutaneous albinism

- Effects of extraocular muscle surgery on 15 patients with oculo-cutaneous albinism (OCA) and infantile nystagmus syndrome (INS), 978

Off-the-visual-axis retinoscopy

- Effect of off-the-visual-axis retinoscopy on objective refractive measurement (letter), 1087

OPA1 mutation

- Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in OPA1, 749

Open-angle glaucoma

See also Glaucoma

- Baseline risk factors for the development of primary open-angle glaucoma in the Ocular Hypertension Treatment Study, 684
- Visibility of lamina cribosa pores and open-angle glaucoma, 871

Ophthalmology residency programs

- Attrition from ophthalmology residency programs, 863

Ophthalmoplegia

- Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in OPA1, 749

Ophthalmoscopy

- Simple device for teaching direct ophthalmoscopy to primary care practitioners, 501

Opsoclonus

- Microsaccadic opsoclonus: an idiopathic cause of oscillopsia and episodic blurred vision, 1053

Optic atrophy

- Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in OPA1, 749
- Optic atrophy and macular degeneration as initial presentations of subacute sclerosing panencephalitis, 879

Optic disk

- Melanocytomas of the optic disk, 964
- Optic disk and retinal characteristics in myopic children, 160
- Optic disk appearance in advanced age-related macular degeneration, 38

Optic nerve

- Macular degeneration and glaucoma-like optic nerve head cupping (editorial), 135

Optic neuritis

- Optic neuritis treatment trial: 10-year follow-up results (letter), 695

Optical coherence tomography

- Adult-onset foveomacular vitelliform dystrophy with OCT 3, 294
- Diagnosis of macular pseudoholes and lamellar macular holes by optical coherence tomography, 732
- Intraobserver variability in optical coherence tomography, 477
- Measurement of retinal thickness by optical coherence tomography in a case of scleral transparency in high myopia, 169
- Ophthalmic imaging by spectral optical coherence tomography, 412
- Optical coherence tomography and confocal scanning laser tomography for assessment of macular edema, 354
- Optical coherence tomography comes of age (editorial), 845
- Optical coherence tomography (OCT) macular and peripapillary retinal nerve fiber layer measurements and automated visual fields, 218
- Optical coherence tomography of bilateral posterior microphthalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480
- Prediction of postoperative visual outcome based on hole configuration by optical coherence tomography in eyes with idiopathic macular holes, 709

Optical fiber-free intravitreal surgery system

- Retinal blood flow analysis using intraoperative video fluorescein angiography combined with optical fiber-free intravitreal surgery system, 1082

Orbit

- Imaging for neuro-ophthalmic and orbital disease (editorial), 852

Inflammatory orbital pseudotumor with extension beyond the orbit, 396

Pneumocoele—a rare cause of air in the orbit, 168

Subperiosteal hematoma of the orbit following an aneurysm coiling procedure, 680

Orbital cavernomas
Treatment and long-term outcomes of patients with orbital cavernomas, 237

Orbital implants
Late porous polyethylene implant exposure after motility coupling post placement, 420

Porous polyethylene orbital implant in the pediatric population, 425

Orbital inflammation
Etiology and management of idiopathic orbital inflammation (editorial), 1041

Treatment of recalcitrant idiopathic orbital inflammation (chronic orbital myositis) with infliximab, 925

Orbital myositis
Treatment of recalcitrant idiopathic orbital inflammation (chronic orbital myositis) with infliximab, 925

Orbital pseudotumor
Inflammatory orbital pseudotumor with extension beyond the orbit, 396

Orbital tumors
High incidence of orbital malignant lymphoma in Japanese patients, 881

Oscillopsia
Microsaccadic opsoclonus: an idiopathic cause of oscillopsia and episodic blurred vision, 1053

Outcomes
Anatomic and visual outcomes after indocyanine green-assisted peeling of the retinal internal limiting membrane in idiopathic macular hole surgery (letter), 690

Endophthalmitis after pars plana vitrectomy: incidence, causative organisms, and visual acuity outcomes, 799

Factors influencing stereoacuity outcomes in adults with acquired strabismus, 931

Favorable visual outcome associated with subretinal indocyanine green in macular hole surgery (letter), 689

Functional outcome after trypan blue-assisted vitrectomy for macular pucker: a prospective, randomized, comparative trial, 1

Functional visual outcomes of cataract extraction in monocular versus binocular patients, 125

Maximizing binocular vision outcomes in strabismus patients (editorial), 1044

Prediction of postoperative visual outcome based on hole configuration by optical coherence tomography in eyes with idiopathic macular holes, 709

Prognostic factors influencing visual outcome of photodynamic therapy for subfoveal choroidal neovascularization in pathologic myopia, 434

Oxygen permeability
Oxygen permeability of amniotic membrane and actual tear oxygen tension beneath amniotic membrane patch, 486

Oxygen-ozone therapy
Acute bilateral vitreo-retinal hemorrhages following oxygen-ozone therapy for lumbar disk herniation, 175

P

Panuveitis
Bartonella henselae infection presenting as a unilateral panuveitis simulating Vogt-Koyanagi-Harada syndrome, 1063

Papillomacular fold
Optical coherence tomography of bilateral posterior microphthalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480

Parafoveal telangiectasis
Lack of apparent short-term benefit of photodynamic therapy in bilateral, acquired, parafoveal telangiectasis without subretinal neovascularization, 892

Pars plana vitrectomy
Endophthalmitis after pars plana vitrectomy: incidence, causative organisms, and visual acuity outcomes, 799

Incidence of acute endophthalmitis after triamcinolone-assisted pars plana vitrectomy, 137

Modified sutureless sclerotomies for pars plana vitrectomy, 866

Pars-plana vitrectomy alone vs vitrectomy with scleral buckling for primary rhegmatogenous pseudophakic retinal detachment, 952

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy, 79

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy (letter), 1090

Pattern standard deviation
Baseline risk factors for the development of primary open-angle glaucoma in the Ocular Hypertension Treatment Study, 684

PAX6 gene
Variable phenotype related to a novel PAX6 mutation (IVS4 + 5G>C) in a family presenting congenital nystagmus and foveal hypoplasia, 1016

Pediatrics
See Children

Perfluorocarbon liquid
Removal of retained subfoveal perfluoro-n-octane liquid, 287

Perimetry
See Frequency doubling perimetry

Phacoemulsification
Extraction of endocapsular tension ring after phacoemulsification in eyes with pseudoexfoliation, 173

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy, 79

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy (letter), 1090

Visual experience during phacoemulsification under topical versus retrobulbar anesthesia: results of a prospective, randomized, controlled trial, 782

Phakic intraocular lens
Phakic IOLs: a photo finish? (editorial), 849

Position of angle-supported, iris-fixated, and ciliary sulcus-implanted myopic phakic intraocular lens evaluated by Scheimpflug photography, 723

Photocoagulation
Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy (letter), 693

Ocular surface changes with applanation contact lens and coupling fluid use after argon laser photocoagulation in noninsulin-dependent diabetes mellitus, 381

Photodynamic therapy

Lack of apparent short-term benefit of photodynamic therapy in bilateral, acquired, parafoveal telangiectasis without subretinal neovascularization, 892

Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

Photodynamic therapy for age-related macular degeneration (letter), 513

Photodynamic therapy for retinal angiomatous proliferation and pigment epithelium detachment, 1077

Photodynamic therapy of subfoveal choroidal neovascularization in high myopia in a clinical setting: visual outcome in relation to age at treatment, 602

Photodynamic therapy with verteporfin for anterior segment neovascularizations in neovascular glaucoma, 157

Photodynamic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263

Prognostic factors influencing visual outcome of photodynamic therapy for subfoveal choroidal neovascularization in pathologic myopia, 434

Severe pigment epithelial alterations in the treatment area following photodynamic therapy for classic choroidal neovascularization in young females, 803

Treatment of conjunctival squamous cell carcinoma with photodynamic therapy, 183

Photorefractive keratectomy

Automated lamellar therapeutic keratoplasty for post-PRK corneal scarring and thinning, 1067

Influence of wavefront aberration and corneal subepithelial haze on low-contrast visual acuity after photorefractive keratectomy, 620

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis (letter), 1091

Pigmentary glaucoma

Ultrasound biomicroscopic analysis of iris profile changes with accommodation in pigmentary glaucoma and relationship to age, 652

Plasmin enzyme

Intrasurgical plasmin enzyme in diabetic macular edema, 560

Plasminogen deficiency

Therapeutic approaches in the treatment of ligneous conjunctivitis, the most common clinical manifestation of a systemic disease, caused by severe type I plasminogen deficiency (letter), 699

Pneumocele

Pneumocele—a rare cause of air in the orbit, 168

Polyglactin suture

Use of a polyglactin suture in the lateral tarsal strip procedure, 588

Polypoidal choroidal vasculopathy

Apolipoprotein E polymorphisms in Japanese patients with polypoidal choroidal vasculopathy and exudative age-related macular degeneration, 567

Laser photocoagulation of indocyanine green angiographically identified feeder vessels to idiopathic polypoidal choroidal vasculopathy (letter), 693

Porous polyethylene implants

Late porous polyethylene implant exposure after motility coupling post placement, 420

Porous polyethylene orbital implant in the pediatric population, 425

Positive angle kappa

Positive angle kappa: a sign of albinism in patients with congenital nystagmus (letter), 692

Positive angle kappa in albinism (letter), 1093

Posterior capsule opacification

Effect of lens edge design versus anterior capsule overlap on posterior capsule opacification, 521

Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation (letter), 696

Posterior capsule opacification and YAG capsulotomy (editorial), 635

Posterior lamellar keratoplasty

Endothelial cell density after posterior lamellar keratoplasty (Melles techniques): 3 years follow-up, 211

Posterior microphthalmos

Optical coherence tomography of bilateral posterior microphthalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480

Posterior sclera

Flattening of the posterior sclera: hypotony or elevated intracranial pressure? (letter), 511

Posterior vitreous detachment

Determination of the incidence and clinical characteristics of subsequent retinal tears following treatment of the acute posterior vitreous detachment-related intimal retinal tears, 280

Posterior vitreous detachment and macular hole formation in myopic foveoschisis, 1071

Pregnancy

Latanoprost exposure in pregnancy, 305

Preimplantation genetic diagnosis

Another liveborn after preimplantation genetic diagnosis for retinoblastoma (letter), 1088

Primary care

Simple device for teaching direct ophthalmoscopy to primary care practitioners, 501

Pro551Gln

Lattice corneal dystrophy associated with the Ala546Asp and Pro551Gln missense changes in the TGFBI gene, 772

Progressive subretinal fibrosis

Immunopathology of progressive subretinal fibrosis: a variant of sympathetic ophthalmia, 475

Propionibacterium acnes endophthalmitis

Propionibacterium acnes endophthalmitis with bacterial sequestration in a Molteno's implant after cataract extraction, 878

Pseudoexfoliation

Extraction of endocapsular tension ring after phacoemulsification in eyes with pseudoexfoliation, 173

Pseudoexfoliation glaucoma

Elevated homocysteine levels in aqueous humor of patients with pseudoexfoliation glaucoma, 162

Pseudohypopyon

Pseudohypopyon after intravitreal triamcinolone acetonide injection for cystoid macular edema, 489

Pseudomonas aeruginosa

Laboratory evaluation of antibiotic therapy for ciprofloxacin-resistant *Pseudomonas aeruginosa*, 226

Pseudopapilledema

Pseudopapilledema of neonatal-onset multisystem inflammatory disease, 894

Pseudophakic retinal detachment

Pars-plana vitrectomy alone vs vitrectomy with scleral buckling for primary rhegmatogenous pseudophakic retinal detachment, 952

Pseudotumor cerebri

Plasma ghrelin levels are normal in obese patients with idiopathic intracranial hypertension (pseudotumor cerebri), 109

Pterygium

Use of a radiofrequency unit for harvesting conjunctival autografts in pterygium surgery, 165

Ptosis

Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in OPA1, 749

Scanning electron microscopic studies of supramid extra from the patients displaying recurrent ptosis after frontalis suspension, 756

Pupil

Effect of daily use of brimonidine tartrate on the dark-adapted pupil diameter, 149

Q

Q192R

Association of the M55L and Q192R paraoxonase gene polymorphisms with age-related macular degeneration, 665

Quality of life

CLEK study reports on the quality of life (editorial), 637

Development of an instrument to assess vision-related quality of life in young children, 362

Health- and vision-related quality of life among patients with choroidal neovascularization secondary to age-related macular degeneration at enrollment in randomized trials of submacular surgery: SST report no. 4, 91

Quality of life in keratoconus, 527

Visual function and subjective perception of visual ability after macular hole surgery, 995

Quetiapine

Twice-yearly exams unnecessary for patients taking quetiapine, 870

R

Radial optic neurotomy

Evaluation of radial optic neurotomy for central retinal vein occlusion by indocyanine green videoangiography and image analysis, 612

Radiation therapy

Age-Related Macular Degeneration Radiotherapy Trial (AMDRT): one year results a pilot study, 818

Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma: IV. Ten-year mortality findings and prognostic factors. COMS Report Number 24, 936

Visual recovery after radiation therapy for bilateral subfoveal acute myelogenous leukemia, 659

Radiofrequency unit

Use of a radiofrequency unit for harvesting conjunctival autografts in pterygium surgery, 165

Rectus muscles

Blindness and rectus muscle damage following spinal surgery, 889

Refractive errors

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis (letter), 1091

Residency programs

Attrition from ophthalmology residency programs, 863

Retina

Measurement of retinal thickness by ocular coherence tomography in a case of scleral transparency in high myopia, 169

Optic disk and retinal characteristics in myopic children, 160

Successful treatment of subfoveal choroidal neovascularization associated with combined hamartoma of the retina and retinal pigment epithelium, 155

Retinal angiomatous proliferation

Photodynamic therapy for retinal angiomatous proliferation and pigment epithelium detachment, 1077

Retinal arterial macroaneurysm

Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm, 682

Retinal blood flow analysis

Retinal blood flow analysis using intraoperative video fluorescein angiography combined with optical fiber-free intra-vitreous surgery system, 1082

Retinal detachment

Multiple components of epiretinal tissues detected by triamcinolone and indocyanine green in macular hole and retinal detachment as a result of high myopia, 1079

Pars-plana vitrectomy alone vs vitrectomy with scleral buckling for primary rhegmatogenous pseudophakic retinal detachment, 952

Retinal hemorrhages

Acute bilateral vitreo-retinal hemorrhages following oxygen-ozone therapy for lumbar disk herniation, 175

Retinal nerve fiber layer

Optical coherence tomography (OCT) macular and peripapillary retinal nerve fiber layer measurements and automated visual fields, 218

Retinal nerve fiber layer thickness measurements with scanning laser polarimetry predict glaucomatous visual field loss, 592

Retinal pigment epithelial cells

Comparison of the in vitro toxicity of indocyanine green to that of trypan blue in human retinal pigment epithelium cell cultures, 64

Trypan blue induces apoptosis in human retinal pigment epithelial cells, 492

Retinal pigment epithelium

Photodynamic therapy for retinal angiomatous proliferation and pigment epithelium detachment, 1077

Severe pigment epithelial alterations in the treatment area following photodynamic therapy for classic choroidal neovascularization in young females, 803

Successful treatment of subfoveal choroidal neovascularization associated with combined hamartoma of the retina and retinal pigment epithelium, 155

Retinal tears

Determination of the incidence and clinical characteristics of subsequent retinal tears following treatment of the acute posterior vitreous detachment-related intimal retinal tears, 280

Retinal thickness

Optical coherence tomography and confocal scanning laser tomography for assessment of macular edema, 354

Retinal vein cannulation

Retinal vein cannulation with prolonged infusion of tissue plasminogen activator (t-PA) for the treatment of experimental retinal vein occlusion in dogs, 829

Retinal vein occlusion

See also Branch retinal vein occlusion

Comparative effect of antiplatelet therapy in retinal vein occlusion evaluated by the particle-counting method using light scattering, 809

Dilation of the minor arterial circle of the iris preceding rubeosis iridis during retinal vein occlusion, 1083

Retinal vein cannulation with prolonged infusion of tissue plasminogen activator (t-PA) for the treatment of experimental retinal vein occlusion in dogs, 829

Retinaldehyde-binding protein gene

Novel compound heterozygous mutation in the cellular retinaldehyde-binding protein gene (*RLBP1*) in a patient with retinitis punctata albescens, 171

Retinitis pigmentosa

Presumed missense mutation of *RPGR* causes abnormal RNA splicing with exon skipping, 504

Retinitis punctata albescens

Novel compound heterozygous mutation in the cellular retinaldehyde-binding protein gene (*RLBP1*) in a patient with retinitis punctata albescens, 171

Retinoblastoma

Another liveborn after preimplantation genetic diagnosis for retinoblastoma (letter), 1088

Chemoreduction for retinoblastoma. Analysis of tumor control and risks for recurrence in 457 tumors, 329

What is the best treatment for retinoblastoma (editorial), 471

Retinopathy

Acute zonal occult outer retinopathy in a patient with graft-versus-host disease, 1058

Retinoschisis

Four Japanese male patients with juvenile retinoschisis: only three have mutations in the *RS1* gene, 788

Optical coherence tomography of bilateral posterior microph-

thalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480

Retinoscopy

Effect of off-the-visual-axis retinoscopy on objective refractive measurement (letter), 1087

Retrobulbar anesthesia

Visual experience during phacoemulsification under topical versus retrobulbar anesthesia: results of a prospective, randomized, controlled trial, 782

Retroilluminated lens opacities

Comparability of estimates of retroilluminated lens opacities as judged from film-based and digital imaging, 668

Rhinolithiasis

Rhinolithiasis: a very late complication after dacryocystorhinostomy with rubber-gum and polyethylene stenting, 1065

Risk assessment

Evidence-based assessment of risk factors for the progression of ocular hypertension and glaucoma, S19

Glaucoma risk factor assessment and prevention: lessons from coronary heart disease, S11

Risk assessment in the management of patients with ocular hypertension, 458

RPGR mutation

Presumed missense mutation of *RPGR* causes abnormal RNA splicing with exon skipping, 504

RS1 gene

Four Japanese male patients with juvenile retinoschisis: only three have mutations in the *RS1* gene, 788

Rubella virus antibodies

Fuchs heterochromic cyclitis: rubella virus antibodies and genome in aqueous humor, 46

Rubeosis iridis

Dilation of the minor arterial circle of the iris preceding rubeosis iridis during retinal vein occlusion, 1083

S

Scanning electron microscopy

Scanning electron microscopic studies of supramid extra from the patients displaying recurrent ptosis after frontalis suspension, 756

Scanning laser polarimetry

Retinal nerve fiber layer thickness measurements with scanning laser polarimetry predict glaucomatous visual field loss, 592

Scheimpflug videophotography system

Limitation of Scheimpflug videophotography system in quantifying posterior capsule opacification after intraocular lens implantation (letter), 696

Position of angle-supported, iris-fixed, and ciliary sulcus-implanted myopic phakic intraocular lens evaluated by Scheimpflug photography, 723

Schlemm's canal

Two cases of intraoperative anterior chamber angle observation using ophthalmic endoscopy in viscocanalostomy, 1060

Sclera

Flattening of the posterior sclera: hypotony or elevated intracranial pressure? (letter), 511

Measurement of retinal thickness by ocular coherence tomography in a case of scleral transparency in high myopia, 169

Scleral buckling

Microbiologic spectrum and susceptibility of isolates in scleral buckle infection in India, 663

Pars-plana vitrectomy alone vs vitrectomy with scleral buckling for primary rhegmatogenous pseudophakic retinal detachment, 952

Sclerotomy

Modified sutureless sclerotomies for pars plana vitrectomy, 866

Sensorineural hearing loss

Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in *OPA1*, 749

Septic arthritis

Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300

Serous macular detachment

Bilateral serous macular detachment following laser in situ keratomileusis, 1069

Silicone oil

Removal of silicone oil from aphakia: use of a self-sealing corneal incision, 1055

Single-nucleotide polymorphisms

Association of the M55L and Q192R paraoxonase gene polymorphisms with age-related macular degeneration, 665

Sjögren's syndrome

Therapeutic effect of cevimeline on dry eye in patients with Sjögren's syndrome: a randomized, double-blind clinical study, 6

Sparganosis

Eyelid sparganosis, 873

Spectral optical coherence tomography

Ophthalmic imaging by spectral optical coherence tomography, 412

Spontaneous subconjunctival hemorrhage

Prevalence of Factor XIII Val34Leu polymorphism in patients affected by spontaneous subconjunctival hemorrhage, 481

Squamous cell carcinoma

Treatment of conjunctival squamous cell carcinoma with photodynamic therapy, 183

Staphylococcus aureus chalazia

Recurrent *Staphylococcus aureus* chalazia in hyperimmunoglobulinemia E (Job's) syndrome, 1057

Stargardt macular dystrophy-fundus flavimaculatus

Fundus autofluorescence in Stargardt macular dystrophy-fundus flavimaculatus, 55

Statins

Statin and aspirin therapy are associated with decreased rates of choroidal neovascularization among patients with age-related macular degeneration (letter), 697, 1089

Statins and age-related macular degeneration (letter), 688

Stents

Trabecular bypass stents decrease intraocular pressure in cultured human anterior segments, 988

Stereoacuity

Factors influencing stereoacuity outcomes in adults with acquired strabismus, 931

Stereopsis

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis (letter), 1091

Sticky eyelid syndrome

Sticky eyelid syndrome, 882

Strabismus

Factors influencing stereoacuity outcomes in adults with acquired strabismus, 931

Maximizing binocular vision outcomes in strabismus patients (editorial), 1044

Streptococcus pneumoniae

Endophthalmitis caused by *Streptococcus pneumoniae*, 231

Stroke

Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300

Subacute sclerosing panencephalitis

Optic atrophy and macular degeneration as initial presentations of subacute sclerosing panencephalitis, 879

Subconjunctival hemorrhage

Prevalence of Factor XIII Val34Leu polymorphism in patients affected by spontaneous subconjunctival hemorrhage, 481

Subfoveal choroidal neovascularization

Photodynamic therapy of subfoveal choroidal neovascularization in high myopia in a clinical setting: visual outcome in relation to age at treatment, 602

Photodynamic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263

Prognostic factors influencing visual outcome of photodynamic therapy for subfoveal choroidal neovascularization in pathologic myopia, 434

Successful treatment of subfoveal choroidal neovascularization associated with combined hamartoma of the retina and retinal pigment epithelium, 155

Transpupillary thermotherapy for subfoveal choroidal neovascularization associated with choroidal nevus, 1074

Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveal telangiectasis, 147

Submacular surgery

Health- and vision-related quality of life among patients with choroidal neovascularization secondary to age-related macular degeneration at enrollment in randomized trials of submacular surgery: SST report no. 4, 91

Subperiosteal hematoma

Subperiosteal hematoma of the orbit following an aneurysm coiling procedure, 680

Subretinal neovascularization

Lack of apparent short-term benefit of photodynamic therapy in bilateral, acquired, parafoveal telangiectasis without subretinal neovascularization, 892

Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

Subtenon injections

Vitreous concentrations of triamcinolone acetonide in human eyes after intravitreal or subtenon injection, 1046

Sulfa allergy

Presumed "sulfa allergy" in patients with intracranial hypertension treated with acetazolamide or furosemide: cross-reactivity, myth or reality?, 114

Super blue-green algae

Randomized, placebo-controlled, crossover clinical trial of super blue-green algae in patients with essential blepharospasm or Meige syndrome, 18

Superficial punctuate keratitis

Thygeson's superficial punctuate keratitis recurrence after laser in situ keratomileusis, 507

Suprachoroidal hemorrhage

Appositional suprachoroidal hemorrhage: a case-control study, 959

Supramid Extra

Scanning electron microscopic studies of supramid extra from the patients displaying recurrent ptosis after frontalis suspension, 756

Sutures

Use of a polyglactin suture in the lateral tarsal strip procedure, 588

Sympathetic ophthalmia

Immunopathology of progressive subretinal fibrosis: a variant of sympathetic ophthalmia, 475

T

Tarsal grafts

Donor site morbidity in free tarsal grafts, 430

Telangiectasis

Lack of apparent short-term benefit of photodynamic therapy in bilateral, acquired, parafoveal telangiectasis without subretinal neovascularization, 892

Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveal telangiectasis, 147

TGFBI gene

Lattice corneal dystrophy associated with the Ala546Asp and Pro551Gln missense changes in the TGFBI gene, 772

Third nerve palsy

Acquired, isolated third nerve palsies in infants with cerebrovascular malformations, 484

Thygeson's superficial punctuate keratitis

Thygeson's superficial punctuate keratitis recurrence after laser in situ keratomileusis, 507

Ticlopidine

Comparative effect of antiplatelet therapy in retinal vein occlusion evaluated by the particle-counting method using light scattering, 809

Timolol

Comparison of the nocturnal effects of once-daily timolol and latanoprost on intraocular pressure, 389

Tissue plasminogen activator

Retinal vein cannulation with prolonged infusion of tissue plasminogen activator (t-PA) for the treatment of experimental retinal vein occlusion in dogs, 829

Topical anesthesia

Visual experience during phacoemulsification under topical versus retrobulbar anesthesia: results of a prospective, randomized, controlled trial, 782

Trabecular bypass stents

Trabecular bypass stents decrease intraocular pressure in cultured human anterior segments, 988

Trabeculectomy

Explanation of transient visual loss associated with leaking filtering bleb, 869

Transesophageal echocardiogram

Bilateral endogenous endophthalmitis secondary to endocarditis with negative transesophageal echocardiogram, 151

Transpupillary thermotherapy

Transpupillary thermotherapy for subfoveal choroidal neovascularization associated with choroidal nevus, 1074

Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveal telangiectasis, 147

Trauma

Facial and ocular injuries associated with methamphetamine production accidents, 875

Triamcinolone acetonide

Duration of the effect of intravitreal triamcinolone acetonide as treatment for diffuse diabetic macular edema, 158

Early rapid rise in intraocular pressure after intravitreal triamcinolone acetonide injection, 286

Incidence of acute endophthalmitis after triamcinolone-assisted pars plana vitrectomy, 137

Inter-eye difference in diabetic macular edema after unilateral intravitreal injection of triamcinolone acetonide, 970

Internal limiting membrane peeling using triamcinolone acetonide: histopathologic confirmation, 656

Intracameral triamcinolone helps to visualize and remove the vitreous body in anterior chamber in cataract surgery, 650

Intravitreal injections of triamcinolone acetonide for severe vitritis in patients with incomplete Behçet's disease, 666

Intravitreal triamcinolone acetonide and intraocular pressure, 740

Intravitreal triamcinolone acetonide for the treatment of cystoid macular edema secondary to Behçet disease, 289

Multiple components of epiretinal tissues detected by triamcinolone and indocyanine green in macular hole and retinal detachment as a result of high myopia, 1079

Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884

Pseudohypopyon after intravitreal triamcinolone acetonide injection for cystoid macular edema, 489

Safety of intravitreal high-dose reinjections of triamcinolone acetonide, 1054

Vitrectomy as a treatment for elevated intraocular pressure following intravitreal injection of triamcinolone acetonide, 679

Vitreous concentrations of triamcinolone acetonide in human eyes after intravitreal or subtenon injection, 1046

Trimethoprim-sulfamethoxazole

Effect of chronic systemic use of trimethoprim-sulfamethoxazole in the conjunctival bacterial flora of patients with HIV infection, 678

Trypan blue

Comparison of the in vitro toxicity of indocyanine green to that of trypan blue in human retinal pigment epithelium cell cultures, 64

Functional outcome after trypan blue-assisted vitrectomy for macular pucker: a prospective, randomized, comparative trial, 1

Trypan blue induces apoptosis in human retinal pigment epithelial cells, 492

Tuberculosis

Macular edema as the only ocular finding of tuberculosis, 1048

Tumors

Chemoreduction for retinoblastoma. Analysis of tumor control and risks for recurrence in 457 tumors, 329

25-gauge vitreous cutter

Intraoperative breakage of a 25-gauge vitreous cutter, 867

U

Ultrasound

Presurgical and postsurgical ultrasound assessment of lacrimal drainage dysfunction, 764

Ultrasound biomicroscopy

Ultrasound biomicroscopic analysis of iris profile changes with accommodation in pigmentary glaucoma and relationship to age, 652

Uveal melanoma

Analysis of melanoma cell type in uveal melanoma following treatment failure, 543

Uveitis

Chemokines and gelatinases in the aqueous humor of patients with active uveitis, 401

Infliximab for chronic cystoid macular edema associated with uveitis, 649

Uveitis in Behcet disease: an analysis of 880 patients, 373

V

Vernier acuity

Normal vernier acuity in infants with delayed visual maturation, 140

Verteporfin

Photodynamic therapy with verteporfin for anterior segment neovascularizations in neovascular glaucoma, 157

Photodynamic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263

Vertical prism dissociation test

Monocular vertical prism dissociation test (letter), 514

Video fluorescein angiography

Retinal blood flow analysis using intraoperative video fluorescein angiography combined with optical fiber-free intra-vitreous surgery system, 1082

Videoangiography

Evaluation of radial optic neurotomy for central retinal vein occlusion by indocyanine green videoangiography and image analysis, 612

Viscocalostomy

Two cases of intraoperative anterior chamber angle observation using ophthalmic endoscope in viscocalostomy, 1060

Viscous coupling fluid

Ocular surface changes with applanation contact lens and coupling fluid use after argon laser photocoagulation in noninsulin-dependent diabetes mellitus, 381

Vision

Development of an instrument to assess vision-related quality of life in young children, 362

Functional visual outcomes of cataract extraction in monocular versus binocular patients, 125

Visual acuity

Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years (letter), 512

Duration of the effect of intravitreal triamcinolone acetonide as treatment for diffuse diabetic macular edema, 158

Effect of vitreous presentation during extracapsular cataract surgery on the postoperative visual acuity at one year, 536

Endophthalmitis after pars plana vitrectomy: incidence, causative organisms, and visual acuity outcomes, 799

Influence of wavefront aberration and corneal subepithelial haze on low-contrast visual acuity after photorefractive keratectomy, 620

Irregularity of photoreceptor layer after successful macular hole surgery prevents visual acuity improvement, 308

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70

Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis (letter), 1091

Visual field(s)

Optical coherence tomography (OCT) macular and peripapillary retinal nerve fiber layer measurements and automated visual fields, 218

Patterns of glaucomatous visual field progression identified by three progression criteria, 1029

Visual field changes after cataract extraction: the AGIS experience, 1022

Visual field attention

Visual field attention is reduced by concomitant hands-free conversation on a cellular telephone, 347

Visual field loss

Explanation of transient visual loss associated with leaking filtering bleb, 869

Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss (letter), 897

Retinal nerve fiber layer thickness measurements with scanning laser polarimetry predict glaucomatous visual field loss, 592

Visual function

Visual function and subjective perception of visual ability after macular hole surgery, 995

Vitrectomy

Endophthalmitis after pars plana vitrectomy: incidence, causative organisms, and visual acuity outcomes, 799

Functional outcome after trypan blue-assisted vitrectomy for macular pucker: a prospective, randomized, comparative trial, 1

Incidence of acute endophthalmitis after triamcinolone-assisted pars plana vitrectomy, 137

Modified sutureless sclerotomies for pars plana vitrectomy, 866

Pars-plana vitrectomy alone vs vitrectomy with scleral buckling for primary rhegmatogenous pseudophakic retinal detachment, 952

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy, 79

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy (letter), 1090

Vitrectomy as a treatment for elevated intraocular pressure following intravitreal injection of triamcinolone acetonide, 679

Vitrectomy for a persisting macular fold in a case of resolved hypotony maculopathy, 487

Vitrectomy with or without arteriovenous adventitial sheathotomy for macular edema associated with branch retinal vein occlusion, 907

What is the role of vitrectomy for macular edema from branch retinal vein occlusion? (editorial), 1037

Vitreo-retinal hemorrhages

Acute bilateral vitreo-retinal hemorrhages following oxygen-ozone therapy for lumbar disk herniation, 175

Vitreous

Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy, 79

Vitreous body

Intracameral triamcinolone helps to visualize and remove the vitreous body in anterior chamber in cataract surgery, 650

Vitreous cutter

Intraoperative breakage of a 25-gauge vitreous cutter, 867

Vitreous hemorrhage

Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm, 682

Vitreous presentation

Effect of vitreous presentation during extracapsular cataract surgery on the postoperative visual acuity at one year, 536

Vitritis

Intravitreal injections of triamcinolone acetonide for severe vitritis in patients with incomplete Behçet's disease, 666

Vogt-Koyanagi-Harada syndrome

Bartonella henselae infection presenting as a unilateral panuveitis simulating Vogt-Koyanagi-Harada syndrome, 1063

W

Wavefront aberration

Influence of wavefront aberration and corneal subepithelial haze on low-contrast visual acuity after photorefractive keratectomy, 620

White dot syndromes

White dot syndromes (letter), 686

Women

Severe pigment epithelial alterations in the treatment area following photodynamic therapy for classic choroidal neovascularization in young females, 803

Y

YAG capsulotomy

Posterior capsule opacification and YAG capsulotomy (editorial), 635

Yellow ultraviolet intraocular lens

Contrast sensitivity and color vision with a yellow intraocular lens, 138

AUTHOR INDEX

A

- ABANO, J. M.: See TONG, L., 506
- ABRAMSON, D. H.: See BARBAZETTO, I. A., 183
- ABU EL-ASRAR, A. M., STRUYF, S., DESCAMPS, F. J., AL-OBEIDAN, S. A., PROOST, P., VAN DAMME, J., OPDENAKKER, G., and GEBOES, K.: Chemokines and gelatinases in the aqueous humor of patients with active uveitis, 401
- ADAM, R. S., PAVLIN, C. J., and ULANSKI, L. J.: Ultrasound Biomicroscopic Analysis of Iris Profile Changes With Accommodation in Pigmentary Glaucoma and Relationship to Age, 652
- ADAMS, Z. C.: See TRANOS, P. G., 995
- ADELMAN, R. A.: See HAGEDORN, C. L., 146
- AFFELDT, J. A.: See ALDAVE, A. J., 772
- AGRAWAL, J.: See AGRAWAL, S., 679
- AGRAWAL, S., AGRAWAL, J., and AGRAWAL, T. P.: Vitrectomy as a Treatment for Elevated Intraocular Pressure Following Intravitreal Injection of Triamcinolone Acetonide, 679
- AGRAWAL, T. P.: See AGRAWAL, S., 679
- AHAD, M. A.: See MCKEE, H. D. R., 503
- AHMAD, S. I.: See SINGH, I. P., 286
- AHSEN, N. V.: See BLEICH, S., 162
- AKKOYUN, I.: See JONAS, J. B., 1054
- AKKOYUN, I.: See JONAS, J. B., 158
- ALBINI, T.: See KHURANA, R. N., 1063
- ALDAVE, A. J., GUTMARK, J. G., YELLORE, V. S., AFFELDT, J. A., MEALLET, M. A., UDAR, N., RAO, N. A., SMALL, K. W., and KLINTWORTH, G. K.: Lattice corneal dystrophy associated with the Ala546Asp and Pro551Gln missense changes in the TGFBI gene, 772
- ALDAVE, A. J.: See GIACONI, J. A. A., 1075
- ALDAVE, A. J.: See PRINCIPE, A. H., 657
- ALGE, C.: See HARITOGLOU, C., 1
- ALLINGHAM, R. R.: See SINGH, I. P., 286
- AL-OBEIDAN, S. A.: See ABU EL-ASRAR, A. M., 401
- ALONI, E.: See LANDA, G., 495
- ALTAN-YAYCIOGLU, R.: See TUGAL-TUTKUN, I., 373
- ALTMAN, C. A.: See PARK, P., 151
- ALTUNBAS, H. H.: See TUGAL-TUTKUN, I., 373
- ALVARADO, J. A.: See HOLLANDER, D. A., 878
- ALVARENGA, L. S., MANNIS, M. J., BRANDT, J. D., LEE, W. B., SCHWAB, I. R., and LIM, M. C.: The long-term results of keratoplasty in eyes with a glaucoma drainage device, 200
- ALVIM, H. S.: See WAMSLEY, S., 1049
- ALWARD, W. L. M.: Macular degeneration and glaucoma-like optic nerve head cupping, 135
- AMANO, S., AMANO, Y., YAMAGAMI, S., MIYAI, T., MIYATA, K., SAMEJIMA, T., and OSHIKA, T.: Reply to WANG, L.: Age-related changes in corneal and ocular higher-order aberrations, 897
- AMANO, S.: See TANAKA, Y., 696
- AMANO, Y.: See AMANO, S., 897
- AMDRT RESEARCH GROUP, T.: The age-related macular degeneration radiotherapy trial (AMDRT): one year results from a pilot study, 818
- ANDERSON, B.: See PFLUGFELDER, S. C., 444
- ANDERSON, H. K.: See BRANNAN, P. A., 498
- ANDERSON, R.: See LEE, A. G., 114
- ANDO, F.: Reply to FLETCHER, E. C.: Favorable Visual Outcome Associated With Subretinal Indocyanine Green in Macular Hole Surgery, 690
- ANDO, F.: Reply to HARITOGLU, C.: Anatomic and Visual Outcomes After Indocyanine Green-assisted Peeling of the Retinal Internal Limiting Membrane in Idiopathic Macular Hole Surgery, 692
- ANDO, F. and OHBA, N.: Reply to GONDER, J. R.: Anatomic and Visual Outcomes After Indocyanine Green-assisted Peeling of the Retinal Internal Limiting Membrane in Idiopathic Macular Hole Surgery, 691
- ANDO, F., SASANO, K., SUZUKI, F., and OHBA, N.: Indocyanine green-assisted ILM peeling in macular hole surgery revisited, 886
- ANG, L. P. K.: See TAN, D. T. H., 1067
- ANNINGER, W.: See HERTLE, R. W., 978
- ARAI, J.: See GOTOH, N., 567
- ARAI, S.: See GOTOH, N., 567
- ARITA, R.-I.: See YOSHIDA, S., 670
- ARRANZ-MARQUEZ, E., TEUS, M. A., SAORNIL, M. A., MENDEZ, M. C., and GIL, R.: Analysis of Irises with a Latanoprost-induced Change in Iris Color, 625
- ARTHUR, S. N., MASON, J., ROBERTS, B., and GIRKIN, C. A.: Secondary Acute Angle-closure Glaucoma Associated With Vitreous Hemorrhage After Ruptured Retinal Arterial Macroaneurysm, 682
- ASCHMONEIT, I.: See DEGENRING, R. F., 354
- ASCHOFF, A.: See SCHEUERLE, A. F., 237
- ASLAN, O.: See BERKER, N., 879
- AVCI, R.: See DOGRU, M., 381
- AVNI, I.: See BARKANA, Y., 347
- AVNI, I.: See BENHAMOU, N., 294
- AXER-SIEGEL, R., EHRLICH, R., WEINBERGER, D., ROSENBLATT, I., SHANI, L., YASSUR, Y., PRIEL, E., and KRAMER, M.: Photodynamic Therapy of Subfoveal Choroidal Neovascularization in High Myopia in a Clinical Setting: Visual Outcome in Relation to Age at Treatment, 602
- AXER-SIEGEL, R.: See KRAMER, M., 666
- AYDIN, A.: See WOLLSTEIN, G., 218
- AZZOLINI, C., D'ANGELO, A., MAESTRANZI, G., CODENOTTI, M., DELLA VALLE, P., PRATI, M., and BRANCATO, R.: Intravitreal Plasmin Enzyme in Diabetic Macular Edema, 560

B

- BABA, T.: See NOMOTO, H., 612
- BAHLER, C. K., SMEDLEY, G. T., ZHOU, J., and JOHNSON, D. H.: Trabecular Bypass Stents Decrease Intraocular Pressure in Cultured Human Anterior Segments, 988
- BAIRD, P. N., CHU, D., GUIDA, E., VU, H. T. V., and GUYMER, R.: Association of the M55L and Q192R Paraoxonase Gene Polymorphisms With Age-related Macular Degeneration, 665
- BAJRASZEWSKI, T.: See WOJTKOWSKI, M., 412
- BALDESCHI, L., MACANDIE, K., and HINTSCHICH, C. R.: The length of unsutured mucosal margins in external dacryocystorhinostomy, 840
- BALTA, F. N.: Surgical Technique for Repositioning Subluxated Previously Scleral-fixed Intraocular Lenses, 676
- BANDELLO, F.: See PARODI, M. B., 263
- BARABINO, S. and ROLANDO, M.: Reply to TEFS, K.: Therapeutic Approaches in the Treatment of Ligneous Conjunctivitis, the Most Common Clinical Manifestation of a Systemic Disease, Caused by Severe Type I Plasminogen Deficiency, 699
- BARATZ, K. H.: See CHRISTIANSEN, G., 153
- BARBAZETTO, I. A., LEE, T. C., and ABRAMSON, D. H.: Treatment of conjunctival squamous cell carcinoma with photodynamic therapy, 183
- BARKANA, Y., ZADOK, D., MORAD, Y., and AVNI, I.: Visual field attention is reduced by concomitant hands-free conversation on a cellular phone, 347
- BARNES, A. C.: See TAMEESH, M. K., 829
- BARTELS, S. P.: See PFLUGFELDER, S. C., 444
- BARTON, F. B., FONG, D. S., KNATTERUD, G. L., and ETDRS RESEARCH GROUP: Classification of Farnsworth-Munsell 100-hue test results in the early treatment diabetic retinopathy study, 119
- BARTON, K.: See BENSON, S. E., 487
- BARTOV, E.: See YESHURUN, I., 866
- BASKIN, D.: See HUSSEIN, M. A. W., 744
- BATMAN, C.: See BERKER, N., 879
- BAUMEISTER, M., BÜHREN, J., and KOHNEN, T.: Position of angle-supported, iris-fixed, and ciliary sulcus-implanted myopic phakic intraocular lenses evaluated by Scheimpflug photography, 723
- BEATON, S. A.: See WOLLSTEIN, G., 218
- BECK, G.: See BLEICH, S., 162
- BECK, R. W.: Photodynamic therapy for age-related macular degeneration, 513
- BECK, R. W., BIRCH, E. E., COTTER, S. A., EVERETT, D. F., HERTLE, R. W., HOLMES, J. M., KRAKER, R. T., LYON, D. W., MOKE, P. S., QUINN, G. E., REPKA, M. X., SCHEIMAN, M. M., WALLACE, D. K., and WEAKLEY, D. R., Jr: Reply to TIFTIKCIOGLU, Y.: A Prospective, Pilot Study of Treatment of Amblyopia in Children 10 to <18 Years Old, 698
- BECK, R. W. and GAL, R. L.: Reply to CHAN, C. K. M.: Optic Neuritis Treatment Trial: 10-Year Follow-up Results, 695
- BECKER, A.: See HOFFMANN, S., 439
- BEEKHUIS, W. H.: See DOOREN, B. V., 211
- BEHRENS, A.: See SARAYBA, M. A., 206
- BEISER, J. A.: See BRANDT, J. D., 717
- BEISER, J. A.: See COLEMAN, A. L., 684
- BELFORT, R., Jr: See FONTES, B. M., 678
- BELL, N. P.: See HUSSEIN, M. A. W., 744
- BENHAMOU, N., MESSAS-KAPLAN, A., COHEN, Y., GAUDRIC, A., SOUIED, E. H., SOUBRANE, G., and AVNI, I.: Adult-onset foveomacular vitelliform dystrophy with OCT 3, 294
- BENITEZ DEL CASTILLO, J. M.: See DIAZ-VALLE, D., 292
- BENSON, S. E., BARTON, K., and GREGOR, Z. J.: Vitrectomy for a persisting macular fold in a case of resolved hypotony maculopathy, 487
- BENSON, W. E.: See SHARMA, M. C., 280
- BEREZOVSKY, A.: See FELIUS, J., 362
- BERKER, N., BATMAN, C., GUVEN, A., OZALP, S., ASLAN, O., and ZILELIOGLU, O.: Optic atrophy and macular degeneration as initial presentations of subacute sclerosing panencephalitis, 879
- BERNARDINO, C. R.: See BOULOS, P. R., 168
- BERRY, P. M.: See FELIUS, J., 362
- BHEND, J.: See RAGHU, H., 313
- BÜHREN, J.: See BAUMEISTER, M., 723
- BIRCH, E. E., FELIUS, J., STAGER, D. R., Sr, WEAKLEY, D. R., Jr, and BOSWORTH, R. G.: Pre-Operative Stability of Infantile Esotropia and Post-Operative Outcome, 1003
- BIRCH, E. E.: See BECK, R. W., 698
- BIRCH, E. E.: See FELIUS, J., 362
- BIRD, A. C.: See LOIS, N., 55
- BISHARA, S.: See GOLDBERG, S., 285
- BLEICH, S., ROEDL, J., AHSEN, N. V., SCHLOTZER-SCHREHARDT, U., REULBACH, U., BECK, G., KRUSE, F. E., NAUMANN, G. O. H., KORNUBER, J., and JUNEMANN, A. G. M.: Elevated homocysteine levels in aqueous humor of patients with pseudoexfoliation glaucoma, 162
- BLUMENKRANZ, M. S.: See TA, C. N., 687
- BLUMENTHAL, E. Z.: See BODEN, C., 1029
- BLUMENTHAL, E. Z.: See GOLDBERG, S., 285
- BODEN, C., BLUMENTHAL, E. Z., PASCUAL, J., MCEWAN, G., WEINREB, R. N., MEDEIROS, F., and SAMPLE, P. A.: Patterns of Glaucomatous Visual Field Progression Identified by Three Progression Criteria, 1029
- BOES, D. A.: See KIM, J. W., 480
- BORRILLO, J. L.: See SHARMA, M. C., 280
- BOSCIA, F., FURINO, C., SBORGIA, L., REIBALDI, M., and SBORGIA, C.: Photodynamic Therapy for Retinal Angiomatous Proliferations and Pigment Epithelium Detachment, 1077
- BOSWORTH, R. G.: See BIRCH, E. E., 1003
- BOULOS, P. R., BERNARDINO, C. R., and RUBIN, P. A. D.: Pneumocoele—a rare cause of air in the orbit, 168
- BOWD, C.: See MOHAMMADI, K., 592
- BRADLEY, E. A.: See CHRISTIANSEN, G., 153
- BRANCATO, R.: See AZZOLINI, C., 560
- BRANDT, J. D., BEISER, J. A., GORDON, M. O., KASS, M. A., and OCULAR HYPERTENSION TREATMENT

- STUDY (OHTS) GROUP: Central corneal thickness and measured IOP response to topical ocular hypotensive medication in the ocular hypertension treatment study, 717
- BRANDT, J. D.: See ALVARENGA, L. S., 200
- BRANNAN, P. A., KERSTEN, R. C., HUDAK, D. T., ANDERSON, H. K., and KULWIN, D. R.: Primary *Nocardia brasiliensis* of the eyelid, 498
- BRAZIS, P. W.: See LEE, A. G., 852
- BRODSKY, M. C.: Flattening of the posterior sclera: Hypotony or elevated intracranial pressure?, 511
- BRODSKY, M. C.: See FOROOZAN, R., 1053
- BRODSKY, M. C.: See FRAY, K. J., 693
- BROWN, S. M.: Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years, 512
- BROWN, S. M.: Positive Angle Kappa: A Sign of Albinism in Patients With Congenital Nystagmus, 692
- BROWN, S. M., KHANANI, A. M., and MCCARTNEY, D. L.: The effect of daily use of brimonidine tartrate on the dark-adapted pupil diameter, 149
- BROWN, S.: The Effect of Off-the-visual-axis Retinoscopy on Objective Refractive Measurement, 1087
- BROWNING, D. J. and FRASER, C. M.: Intraobserver variability in optical coherence tomography, 477
- BROZOU, C. G.: See STANGOS, A. N., 952
- BUDDE, W. M.: See DEGENER, R. F., 354
- BUERGER, G. F., Jr.: See KORTVELESY, J. S., 882
- BURUMCEK, E.: See KARACORLU, M., 289
- BUSSE, H.: See STUPP, T., 764
- C**
- CALONGE, M.: See TORRES, R. M., 1047
- CALVAS, P.: See VINCENT, M.-C., 1016
- CAMARA, J. G., DELA CRUZ-ROSAS, B., and NGUYEN, L. T.: The use of a radiofrequency unit for harvesting conjunctival autografts in pterygium surgery, 165
- CAPRIOLI, J.: See KOUCHEKI, B., 1022
- CAPRIOLI, J.: See LAW, S. K., 38
- CARDUCCI, B.: See DE SANTIS, M., 305
- CARRIER, D.: See LIN, A., 864
- CARRILLO, C.: See ZADOK, D., 190
- CARUSO, A.: See DE SANTIS, M., 305
- CASH, S.: See FINE, J.-D., 254
- CATER, J.: See SHIELDS, C. L., 329
- CAVALIERE, A. F.: See DE SANTIS, M., 305
- CHAKRABORTY, P.: See MADHUSUDHANA, K. C., 687
- CHALAM, K. V. and SHAH, V. A.: Reply to ER, H.: Successful Management of Cataract Surgery Associated Vitreous Loss With Sutureless Small-Gauge Pars Plana Vitrectomy, 1091
- CHALAM, K. V. and SHAH, V. A.: Successful management of cataract surgery associated vitreous loss with sutureless small-gauge pars plana vitrectomy, 79
- CHALITA, M. R.: See NETTO, M. V., 507
- CHALLA, P.: See SINGH, I. P., 286
- CHALOUKPA, J.: See DOAN, A. P., 680
- CHAMOT, L.: See ZOGRAFOS, L., 964
- CHAN, C. K. M. and LAM, D. S. C.: Optic Neuritis Treatment Trial: 10-Year Follow-up Results, 695
- CHAN, C.-C.: See LIM, W.-K., 475
- CHAN, D. G. and FRANCIS, I. C.: Fuchs Heterochromic Cyclitis: Whither the Apostrophe?, 1087
- CHAN, N. R.: See KWOK, A. K. H., 194
- CHAN, W.-M.: See LAI, T. Y. Y., 693
- CHANG, J. H.: See KOOK, K. H., 756
- CHANG, S.: See LALIN, S. C., 608
- CHANG, S.: See TSENG, J. J., 169
- CHAR, D. H., MILLER, T., and CRAWFORD, J. B.: Analysis of Melanoma Cell Type in Uveal Melanoma Following Treatment Failure, 543
- CHARTERIS, D. G.: See TRANOS, P. G., 995
- CHARUKAMNOETKANOK, P. and WAGONER, M. D.: Facial and ocular injuries associated with methamphetamine production accidents, 875
- CHAYET, A. S.: See ZADOK, D., 190
- CHEE, S.-P.: See LIM, W.-K., 475
- CHEN, S. D. M.: See FLETCHER, E. C., 689
- CHEN, S.-N.: See HWANG, J.-F., 496
- CHENG, B.: See TONG, L., 160
- CHENG, M. S., LIAO, S. L., and LIN, L. L.-K.: Late porous polyethylene implant exposure after motility coupling post placement, 420
- CHESKIN, L. J.: See SUBRAMANIAN, P. S., 109
- CHEUNG, M. C., NUNE, G. C., HWANG, D. G., SUTTER, E. E., and DUNCAN, J. L.: Acute Zonal Occult Outer Retinopathy in a Patient With Graft-versus-host Disease, 1058
- CHIHARA, E.: See TAKAHASHI, H., 1060
- CHIU, S.-L.: See HWANG, J.-F., 496
- CHODOSH, J.: See PFLUGFELDER, S. C., 444
- CHOI, J.-S.: See SAKAGUCHI, H., 1079
- CHONG, E.-M., WILHELMUS, K. R., MATOBA, A. Y., JONES, D. B., COATS, D. K., and PAYSSE, E. A.: Herpes simplex virus keratitis in children, 474
- CHRISTIANSEN, G., MOHNEY, B. G., BARATZ, K. H., and BRADLEY, E. A.: Botulinum toxin for the treatment of congenital entropion, 153
- CHU, D.: See BAIRD, P. N., 665
- CHUA, W.-H.: See TONG, L., 160
- CHUNG, J.: See KOOK, M. S., 85
- CHUNG, K. D. and WATZKE, R. C.: A simple device for teaching direct ophthalmoscopy to primary care practitioners, 501
- CIOFFI, G. A.: See WEINREB, R. N., 458
- CIULLA, T. A. and HAMMOND, B. R., Jr.: Macular Pigment Density and Aging, Assessed in the Normal Elderly and Those With Cataracts and Age-related Macular Degeneration, 582
- CLAYMAN, H. M., DODICK, J. M., and KRAFF, M. C.: Charles D. Kelman, 896
- COATES, D. K.: Reply to BROWN, S.: The Effect of Off-the-

visual-axis Retinoscopy on Objective Refractive Measurement, 1088

COATS, D. K.: See CHONG, E.-M., 474

COATS, D. K.: See HUSSEIN, M. A. W., 744

CODENOTTI, M.: See AZZOLINI, C., 560

COHEN, S. Y.: See DUCOS DE LAHITTE, G., 892

COHEN, Y.: See BENHAMOU, N., 294

COLEMAN, A. L., GORDON, M. O., BEISER, J. A., KASS, M. A., and OCULAR HYPERTENSION TREATMENT STUDY (OHTS): Baseline Risk Factors for the Development of Primary Open-angle Glaucoma in the Ocular Hypertension Treatment Study, 684

COLEMAN, A. L.: See GIACONI, J. A. A., 1075

COLEMAN, A. L.: See LAW, S. K., 38

COLEMAN, A. L.: See WEINREB, R. N., 458

COLEMAN, A. W.: See GARRITY, J. A., 925

COLLABORATIVE OCULAR MELANOMA STUDY GROUP: The Collaborative Ocular Melanoma Study (COMS) Randomized Trial of Preenucleation Radiation of Large Choroidal Melanoma: IV. Ten-year Mortality Findings and Prognostic Factors. COMS Report Number 24, 936

COLLINS, J. F., KROL, W. F., KIRK, G. F., GASTER, R. N., and GROUP, B. V. A. C. C. S.: The Effect of Vitreous Presentation During Extracapsular Cataract Surgery on the Postoperative Visual Acuity at One Year, 536

COONEN, E.: See DOMMERING, C. J., 1088

COQUELET, P.: See POSTELMANS, L., 803

COREY, R. P.: See MILLER, J. J., 231

COSTA, V. P.: Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss, 897

COSTAGLIOLA, C.: See PARMEGGIANI, F., 481

COTTER, S. A.: See BECK, R. W., 698

COUSINS, S. W.: See MILLER, D. M., 323

CRAWFORD, J. B.: See CHAR, D. H., 543

D

DAMATO, B. E.: See ROSS, J. J., 672

D'ANGELO, A.: See AZZOLINI, C., 560

D'ANGELO, S.: See PARMEGGIANI, F., 481

D'ANNA, S.: See TAMEESH, M. K., 829

DAS, T.: See PATHENGAY, A., 663

DAVIS, G.: See LEIBOVITCH, I., 430

DAVIS, J.: Reply to GASCH, A. T.: The White Dot Syndromes, 686

DAYNES, T.: See SMITH, S. R., 521

DE BELVIS, V.: See LO GIUDICE, G., 175

DE DIE-SMULDERS, C. E. M.: See DOMMERING, C. J., 1088

DE JUAN, E., Jr.: See TAMEESH, M. K., 829

DE PAIVA, C. S.: See PFLUGFELDER, S. C., 444

DE POTTER, P.: See IORDANIDOU, V., 425

DE SANTIS, M., LUCCHESI, A., CARDUCCI, B., CAVALLIERE, A. F., SANTIS, L. D., MEROLA, A., STRAFACE, G., and CARUSO, A.: Latanoprost exposure in pregnancy, 305

DEGENRING, R. F., ASCHMONEIT, I., KAMPPETER, B., BUDDE, W. M., and JONAS, J. B.: Optical coherence tomography and confocal scanning laser tomography for assessment of macular edema, 354

DEGENRING, R. F.: See JONAS, J. B., 158

DEGENRING, R.: See JONAS, J. B., 1054

DELA CRUZ-ROSAS, B.: See CAMARA, J. G., 165

DELEOZ, J.: See FINE, J.-D., 254

DELLA VALLE, P.: See AZZOLINI, C., 560

DEMIRCI, F. Y. K., RADAK, A. L., RIGATTI, B. W., MAH, T. S., and GORIN, M. B.: A presumed missense mutation of RPGR causes abnormal RNA splicing with exon skipping, 504

DEMIRCI, F. Y. K., RIGATTI, B. W., MAH, T. S., and GORIN, M. B.: A novel compound heterozygous mutation in the cellular retinaldehyde-binding protein gene (RLBP1) in a patient with retinitis punctata albescens, 171

DESCAMPS, F. J.: See ABU EL-ASRAR, A. M., 401

DESJARDINS, L.: See ZOGRAFOS, L., 964

DESTAFENO, J. J., KODSI, S. R., and PRIMACK, J. D.: Recurrent *Staphylococcus aureus* Chalazia in Hyperimmunoglobulinemia E (Job's) Syndrome, 1057

DEVRIES, D. T.: See FINE, J.-D., 254

DI CRECCHIO, L.: See PARODI, M. B., 263

DIAZ-VALLE, D., BENITEZ DEL CASTILLO, J. M., FERNANDEZ ACENERO, M. J., PASCUAL ALLEN, D., and MORICHE CARRETERO, M.: Bilateral lid margin ulcers as the initial manifestation of Crohn disease, 292

DICHGANS, M.: See HARITOGLOU, C., 302

DIX, R. D.: See MILLER, D. M., 323

DOAN, A. P., LEE, S.-K., CHALLOUPKA, J., NERAD, J. A., and LEE, A. G.: Subperiosteal Hematoma of the Orbit Following an Aneurysm Coiling Procedure, 680

DOAN, A. P.: See POKHAREL, D., 300

DODDS, E. M.: See HOLLANDER, D. A., 878

DODICK, J. M.: See CLAYMAN, H. M., 896

DOGRU, M., KADERLI, B., GELISKEN, O., YUCEL, A., AVCI, R., GOTO, E., SHIMMURA, S., SHIMAZAKI, J., and TSUBOTA, K.: Ocular surface changes with applanation contact lens and coupling fluid use after argon laser photocoagulation in noninsulin-dependent diabetes mellitus, 381

DOGRU, M.: See ONGUCHI, T., 654

DOLLFUS, H.: See VINCENT, M.-C., 1016

DOMMERING, C. J., MOLL, A. C., IMHOF, S. M., DE DIE-SMULDERS, C. E. M., and COONEN, E.: Another Liveborn After Preimplantation Genetic Diagnosis for Retinoblastoma, 1088

DOOREN, B. V., MULDER, P. G. H., NIEUWENDAAL, C. P., BEEKHUIS, W. H., and MELLES, G. R. J.: Endothelial cell density after posterior lamellar keratoplasty (Melles techniques): 3 years follow-up, 211

DREYER, E. B.: Too thick for your drugs, 847

DUBOVY, S. R.: See MILLER, D. M., 323

DUCOS DE LAHITTE, G., COHEN, S. Y., and GAUDRIC, A.: Lack of apparent short-term benefit of photodynamic therapy in bilateral, acquired, parafoveal telangiectasis without subretinal neovascularization, 892

- DUNCAN, J. L.: Reply to GAYNES, B. I.: Statin and Aspirin Therapy Are Associated With Decreased Rates of Choroidal Neovascularization Among Age-related Macular Degeneration Patients, 1090
- DUNCAN, J. L.: Reply to GIRGIS, R. A. M.: Statin and Aspirin Therapy Are Associated With Decreased Rates of Choroidal Neovascularization Among Patients With Age-related Macular Degeneration, 697
- DUNCAN, J. L.: See CHEUNG, M. C., 1058
- DUNN, J. P.: See KUO, I. C., 338
- DUTTA, M.: See SINGHVI, A., 1069

E

- EBERHART, A. H., WEILER, C. R., and ERIE, J. C.: Angioedema related to the use of hyaluronidase in cataract surgery, 142
- EDITOR-IN-CHIEF: Reply to CHAN, D. G.: Fuchs Heterochromatic Cyclitis: Whither the Apostrophe?, 1087
- EGAN, R. A.: The monocular vertical prism dissociation test, 514
- EGBERT, P. R.: See TA, C. N., 687
- EGGENBERGER, E. R.: See GARRITY, J. A., 925
- EGGENBERGER, E. R.: See GOLNIK, K. C., 514
- EHRlich, R.: See AXER-SIEGEL, R., 602
- EHRlich, R.: See KRAMER, M., 666
- EIBL, K.: See HARITOGLOU, C., 1
- EIFRIG, C. W. G., SCOTT, I. U., FLYNN, H. W., Jr, SMIDDY, W. E., and NEWTON, J.: Endophthalmitis after pars plana vitrectomy: incidence, causative organisms, and visual acuity outcomes, 799
- EMI, K.: See OYAGI, T., 316
- EMORI, A.: See YOSHIDA, S., 670
- ENAIIDA, H.: See SAKAMOTO, T., 137
- EONG, K.-G. A.: See RENGARAJ, V., 782
- ER, H.: Successful Management of Cataract Surgery Associated Vitreous Loss With Sutureless Small-Gauge Pars Plana Vitrectomy, 1090
- ERGINAY, A.: See HAOUCHINE, B., 732
- ERGUN, E., HEINZL, H., and STUR, M.: Prognostic factors influencing visual outcome of photodynamic therapy for subfoveal choroidal neovascularization in pathologic myopia, 434
- ERIE, J. C.: See EBERHART, A. H., 142
- ERNEST, J. T.: See REZAI, K. A., 492
- ESCANO, M. F. T.: See KUSUHARA, S., 709
- ESPINOSA-HEIDMANN, D. G.: See MILLER, D. M., 323
- ETDRS RESEARCH GROUP.: See BARTON, F. B., 119
- EUSTIS, H. S.: Maximizing Binocular Vision Outcomes in Strabismus Patients, 1044
- EVERETT, D. F.: See BECK, R. W., 698

F

- FARAH, M.: See TAMEESH, M. K., 829
- FARROKH-SIAR, L.: See REZAI, K. A., 492
- FAWCETT, S. L., STAGER, D. R., Sr, and FELIUS, J.: Factors Influencing Stereoacuity Outcomes in Adults With Acquired Strabismus, 931

- FAWCETT, S. L.: See FELIUS, J., 362
- FECHTNER, R. D.: See WEINREB, R. N., 458
- FELIUS, J., STAGER, D. R., Sr, BERRY, P. M., FAWCETT, S. L., STAGER, D. R., Jr, SALOMAO, S. R., BERZOVSKY, A., and BIRCH, E. E.: Development of an instrument to assess vision-related quality of life in young children, 362
- FELIUS, J.: See BIRCH, E. E., 1003
- FELIUS, J.: See FAWCETT, S. L., 931
- FERNANDEZ ACENERO, M. J.: See DIAZ-VALLE, D., 292
- FERNANDEZ-HORTELANO, A.: See MORENO-MONTANES, J., 173
- FIJNHEER, R.: See VAN KOOIJ, B., 1010
- FINAMOR, L. P.: See FONTES, B. M., 678
- FINE, J.-D., JOHNSON, L. B., WEINER, M., STEIN, A., CASH, S., DELEOZ, J., DEVRIES, D. T., and SUCHINDRAN, C.: Eye involvement in inherited epidermolysis bullosa: experience of the National Epidermolysis Bullosa Registry, 254
- FINGER, P. T., PRO, M. J., SCHNEIDER, S., KURLI, M., SHAPIRA, I., and HU, K.: Visual Recovery After Radiation Therapy for Bilateral Subfoveal Acute Myelogenous Leukemia (AML), 659
- FISCELLA, R. G.: Persistency With Glaucoma Medication, 1093
- FITZKE, F. W.: See LOIS, N., 55
- FLAMENT, J.: See VINCENT, M.-C., 1016
- FLETCHER, E. C., CHEN, S. D. M., and PATEL, C. K.: Favorable Visual Outcome Associated With Subretinal Indocyanine Green in Macular Hole Surgery, 689
- FLYNN, H. W., Jr: See EIFRIG, C. W. G., 799
- FLYNN, H. W., Jr: See MILLER, J. J., 231
- FLYNN, H. W., Jr: See MOSHFEGHI, A. A., 489
- FLYNN, H. W., Jr: See SCOTT, I. U., 662
- FLYNN, H.: See LALIN, S. C., 608
- FONG, D. S.: See BARTON, F. B., 119
- FONTANAROSA, J.: See WAMSLEY, S., 1049
- FONTES, B. M., MUCCIOLI, C., PRNCIPE, A. H., FINAMOR, L. P., HOFLING-LIMA, A. L., and BELFORT, R., Jr: Effect of Chronic Systemic Use of Trimethoprim-Sulfamethoxazole in the Conjunctival Bacterial Flora of Patients With HIV Infection, 678
- FOROOZAN, R. and BRODSKY, M. C.: Microsaccadic Opsoclonus: An Idiopathic Cause of Oscillopsia and Episodic Blurred Vision, 1053
- FOROOZAN, R.: See LIN, A., 864
- FOSTER, C. S.: See RUBIN, P. A. D., 1041
- FRANCIS, I. C.: See CHAN, D. G., 1087
- FRASER, C. M.: See BROWNING, D. J., 477
- FRAUNFELDER, F. W.: Ocular Side Effects From Herbal Medicines and Nutritional Supplements, 639
- FRAUNFELDER, F. W.: Twice-yearly exams unnecessary for patients taking quetiapine, 870
- FRAY, K. J. and BRODSKY, M. C.: Reply to BROWN, S. M.: Positive Angle Kappa: A Sign of Albinism in Patients With Congenital Nystagmus, 693
- FRCSEd: See SINGHVI, A., 1069
- FREDRICK, D. R.: See HOLLANDER, D. A., 894

- FREITAG, S. K.: See VITALE, S., 18
 FRIEDMAN, D. S.: See WEINREB, R. N., 458
 FRILING, R.: See KRAMER, M., 666
 FUJII, G. Y.: See TAMEESH, M. K., 829
 FUJII, S.: See KUSUHARA, S., 709
 FUJIKADO, T., KURODA, T., NINOMIYA, S., MAEDA, N., TANO, Y., OSHIKA, T., HIROHARA, Y., and MIHASHI, T.: Age-related changes in ocular and corneal aberrations, 143
 FUJIMOTO, J. G.: See WOLLSTEIN, G., 218
 FUJISAWA, K.: See YOSHIDA, S., 670
 FURINO, C.: See BOSCIA, F., 1077

G

- GAASTERLAND, D.: See KOUCEKI, B., 1022
 GAL, R. L.: See BECK, R. W., 695
 GALE, J. S., PROULX, A. A., GONDER, J. R., MAO, A. J., and HUTNIK, C. M. L.: Comparison of the in vitro toxicity of indocyanine green to that of trypan blue in human retinal pigment epithelium cell cultures, 64
 GALE, J. S.: See GONDER, J. R., 690
 GALLAI, R.: See VINCENT, M.-C., 1016
 GALLILY, R.: See GOLDBERG, S., 285
 GANDORFER, A.: See HARITOGLOU, C., 315
 GANDORFER, A.: See HARITOGLOU, C., 691
 GANGOPADHYAY, N.: See RAGHU, H., 313
 GARRITY, J. A., COLEMAN, A. W., MATTESON, E. L., EGGENBERGER, E. R., and WAITZMAN, D. M.: Treatment of Recalcitrant Idiopathic Orbital Inflammation (Chronic Orbital Myositis) With Infliximab, 925
 GARRITY, J. A.: See LEE, A. G., 852
 GARRITY, J. A.: See MAHR, M. A., 396
 GASCH, A. T.: The White Dot Syndromes, 686
 GASTER, R. N.: See COLLINS, J. F., 536
 GASYNA, E. M.: See REZAI, K. A., 492
 GAUDRIC, A.: See BENHAMOU, N., 294
 GAUDRIC, A.: See DUCOS DE LAHITTE, G., 892
 GAUDRIC, A.: See HAOUCHINE, B., 732
 GAYNES, B. I.: Statin and Aspirin Therapy Are Associated With Decreased Rates of Choroidal Neovascularization Among Age-related Macular Degeneration Patients, 1089
 GEBOES, K.: See ABU EL-ASRAR, A. M., 401
 GELISKEN, O.: See DOGRU, M., 381
 GEMMATI, D.: See PARMEGGIANI, F., 481
 GHABRIAL, R.: See LEIBOVITCH, I., 430
 GHAZI-NOURI, S. M. S.: See TRANOS, P. G., 995
 GIACONI, J. A. A., COLEMAN, A. L., and ALDAVE, A. J.: Epithelial Downgrowth Following Surgery for Congenital Glaucoma, 1075
 GIESE, M. J.: See KUEHNE, J. J., 547
 GIL, R.: See ARRANZ-MARQUEZ, E., 625
 GIRGIS, R. A. M. and MCKEE, H. D. R.: Statin and Aspirin Therapy Are Associated With Decreased Rates of Choroidal Neovascularization Among Patients With Age-related Macular Degeneration, 697
 GIRKIN, C. A.: See ARTHUR, S. N., 682
 GIRKIN, C. A.: See WEINREB, R. N., 458
 GIRKIN, C.: See VITALE, S., 18
 GIRMENS, J.-F.: See PAQUES, M., 1083
 GISMONDI, M.: See LO GIUDICE, G., 175
 GJERTSON, D. W.: See LEVINSON, R. D., 631
 GOLDBERG, S., GALLILY, R., BISHARA, S., and BLUMEN-THAL, E. Z.: Dorzolamide-induced choroidal detachment in a surgically untreated eye, 285
 GOLDENBERG-COHEN, N.: See SUBRAMANIAN, P. S., 109
 GOLNIK, K. C., LEE, A. G., and EGGENBERGER, E. R.: Reply to EGAN, R. A.: The monocular vertical prism dissociation test, 514
 GONDER, J. R., PROULX, A. A., and GALE, J. S.: Anatomic and Visual Outcomes After Indocyanine Green-assisted Peeling of the Retinal Internal Limiting Membrane in Idiopathic Macular Hole Surgery, 690
 GONDER, J. R.: See GALE, J. S., 64
 GOOD, W. V. and HOU, C.: Normal vernier acuity in infants with delayed visual maturation, 140
 GORCZYNSKA, I.: See WOJTKOWSKI, M., 412
 GORDON, L.: Fuch's heterochromic cyclitis: new clues regarding pathogenesis, 133
 GORDON, M. O.: See BRANDT, J. D., 717
 GORDON, M. O.: See COLEMAN, A. L., 684
 GORDON, M. O.: See KYMES, S. M., 527
 GORDON, Y. J.: See KOWALSKI, R. P., 33
 GORDON, Y. J.: See RHEE, M. K., 226
 GORIN, M. B.: See DEMIRCI, F. Y. K., 171
 GORIN, M. B.: See DEMIRCI, F. Y. K., 504
 GOTO, E.: See DOGRU, M., 381
 GOTOH, N., KUROIWA, S., KIKUCHI, T., ARAI, J., ARAI, S., YOSHIDA, N., and YOSHIMURA, N.: Apolipoprotein E Polymorphisms in Japanese Patients With Polypoidal Choroidal Vasculopathy and Exudative Age-related Macular Degeneration, 567
 GREEN, R. L.: See KHURANA, R. N., 1063
 GREGOR, Z. J.: See BENSON, S. E., 487
 GRIGORIAN, A. P. and SPAETH, G.: An explanation of transient visual loss associated with leaking filtering bleb, 869
 GROUP, B. V. A. C. C. S.: See COLLINS, J. F., 536
 GROUP, C. L. E. K. C. L. E. K. S.: See KYMES, S. M., 527
 GUIDA, E.: See BAIRD, P. N., 665
 GUTMARK, J. G.: See ALDAVE, A. J., 772
 GUVEN, A.: See BERKER, N., 879
 GUYMER, R.: See BAIRD, P. N., 665

H

- HAGA-SANO, M.: See MACHIDA, S., 296
 HAGEDORN, C. L., TAUBER, S., and ADELMAN, R. A.: Bilateral intraocular foreign bodies simulating crystalline lens, 146
 HALFYARD, A. S.: See LOIS, N., 55
 HALL, E. R.: See KLEIN, B. E. K., 668
 HAMANO, T.: See ONO, M., 6

- HAMILL, M. B.: See PAYSSE, E. A., 70
- HAMMOND, B. R., Jr.: See CIULLA, T. A., 582
- HAOUCHINE, B., MASSIN, P., TADAYONI, R., ERGINAY, A., and GAUDRIC, A.: Diagnosis of macular pseudoholes and lamellar macular holes by optical coherence tomography, 732
- HARBOUR, J. W.: What is the best treatment for retinoblastoma?, 471
- HARDER, B.: See JONAS, J. B., 970
- HARITOGLOU, C., EIBL, K., SCHAUMBERGER, M., MUELLER, A. J., PRIGLINGER, S., ALGE, C., and KAMPIK, A.: Functional outcome after trypan blue-assisted vitrectomy for macular pucker: a prospective, randomized, comparative trial, 1
- HARITOGLOU, C., GANDORFER, A., and KAMPIK, A.: In vivo observation of internal limiting membrane in an eye with macular hole, 315
- HARITOGLOU, C., GANDORFER, A., KAMPIK, A., and TOGNETTO, D.: Anatomic and Visual Outcomes After Indocyanine Green-assisted Peeling of the Retinal Internal Limiting Membrane in Idiopathic Macular Hole Surgery, 691
- HARITOGLOU, C., HOOPS, J. P., STEFANI, F. H., MEHRAIN, P., KAMPIK, A., and DICHGANS, M.: Histopathological abnormalities in ocular blood vessels of CADASIL patients, 302
- HASHIMOTO, M.: See OHTSUKA, K., 881
- HATA, Y.: See SAKAMOTO, T., 137
- HATTON, M. P. and LOEWENSTEIN, J.: Attrition from ophthalmology residency programs, 863
- HAYASHI, H.: See HAYASHI, K., 696
- HAYASHI, H.: See UMEDA, N., 270
- HAYASHI, K. and HAYASHI, H.: Limitation of Scheimpflug Videophotography System in Quantifying Posterior Capsule Opacification After Intraocular Lens Implantation, 696
- HAYASHI, T., OMOTO, S., TAKEUCHI, T., KOZAKI, K., UEOKA, Y., and KITAHARA, K.: Four Japanese male patients with juvenile retinoschisis: only three have mutations in the *RS1* gene, 788
- HEALEY, P. R. and MITCHELL, P.: Visibility of lamina cribrosa pores and open-angle glaucoma, 871
- HEINZL, H.: See ERGUN, E., 434
- HEMMER, B.: See HOFFMANN, S., 439
- HERAS, H.: See MORENO-MONTANES, J., 173
- HERNDON, L. W.: See SINGH, I. P., 286
- HERTLE, R. W., ANNINGER, W., YANG, D., SHATNAWI, R., and HILL, V. M.: Effects of Extraocular Muscle Surgery on 15 Patients With Oculo-Cutaneous Albinism (OCA) and Infantile Nystagmus Syndrome (INS), 978
- HERTLE, R. W.: See BECK, R. W., 698
- HIGASHIDE, T., TAKAHIRA, M., OKUMURA, H., TORISAKI, M., SAKURAI, M., SHIRAO, Y., and SUGIYAMA, K.: Bilaterally identical monoclonality in a case of primary intraocular lymphoma, 306
- HIKICHI, T.: See KITAYA, N., 308
- HILL, V. M.: See HERTLE, R. W., 978
- HILLMAN, T.: See PAYNE, M., 749
- HINCKLEY, M.: See SMITH, S. R., 521
- HINTSCHICH, C. R.: See BALDESCHI, L., 840
- HIROHARA, Y.: See FUJIKADO, T., 143
- HIROHARA, Y.: See TANABE, T., 620
- HOERLE, S.: See HOFFMANN, S., 439
- HOFFMAN, D.: See LAW, S. K., 38
- HOFFMANN, S., BECKER, A., HOERLE, S., METZ, A., OERTEL, W. H., SOMMER, N., and HEMMER, B.: Autosomal dominant congenital nystagmus is not linked to 6p12, 7p11, and 15q11 in a German family, 439
- HOFLING-LIMA, A. L.: See FONTES, B. M., 678
- HOLDER, G. E.: See LOIS, N., 55
- HOLLAND, E. J.: See PFLUGFELDER, S. C., 444
- HOLLAND, G. N.: See KUEHNE, J. J., 547
- HOLLAND, G. N.: See LEVINSON, R. D., 631
- HOLLANDER, D. A., DODDS, E. M., ROSSETTI, S. B., WOOD, I. S., and ALVARADO, J. A.: *Propionibacterium acnes* endophthalmitis with bacterial sequestration in a Molteno's implant after cataract extraction, 878
- HOLLANDER, D. A., HOYT, W. F., HOWES, E. L., and FREDRICK, D. R.: The pseudopapilledema of neonatal-onset multisystem inflammatory disease, 894
- HOLMES, J. M., RICE, M. L., and LESKE, D. A.: Reply to BROWN, S. M.: Comparison of the amblyopia treatment study HOTV and electronic-early treatment of diabetic retinopathy study visual acuity protocols in children aged 5 to 12 years, 512
- HOLMES, J. M.: See BECK, R. W., 698
- HONBOU, M.: See TANAKA, Y., 696
- HOOPS, J. P.: See HARITOGLOU, C., 302
- HORIGUCHI, M.: See HORIO, N., 1082
- HORIO, N. and HORIGUCHI, M.: Retinal Blood Flow Analysis Using Intraoperative Video Fluorescein Angiography Combined With Optical Fiber-free Intravitreal Surgery System, 1082
- HOU, C.: See GOOD, W. V., 140
- HOWES, E. L.: See HOLLANDER, D. A., 894
- HOYT, W. F.: See HOLLANDER, D. A., 894
- HSUAN, J. and SELVA, D.: The Use of a Polyglactin Suture in the Lateral Tarsal Strip Procedure, 588
- HU, K.: See FINGER, P. T., 659
- HUANG, L.: See QIN, B., 1055
- HUDAK, D. T.: See BRANNAN, P. A., 498
- HUGLE, B.: See TEFS, K., 699
- HUMAYUN, M. S.: See TAMEESH, M. K., 829
- HURST, R. W.: See TAMHANKAR, M. A., 484
- HUSSEIN, M. A. W., PAYSSE, E. A., BELL, N. P., COATS, D. K., MCCREERY, K. M. B., KOCH, D. D., ORENGONANIA, S., BASKIN, D., and WILHELMUS, K. R.: Corneal thickness in children, 744
- HUSSEIN, M. A. W.: See PAYSSE, E. A., 70
- HUTNIK, C. M. L.: See GALE, J. S., 64
- HWANG, D. G.: See CHEUNG, M. C., 1058
- HWANG, J.-F., CHEN, S.-N., CHIU, S.-L., and WU, S.-L.: Embolic cilioretinal artery occlusion due to carotid artery dissection, 496

HYDERABAD ENDOPHTHALMITIS RESEARCH GROUP:
See PATHENGAY, A., 663

I

- IACONO, P.: See PARODI, M. B., 157
IGNACIO, T. S.: See SARAYBA, M. A., 206
IKUNO, Y.: See MATSUMURA, N., 1071
IKUNO, Y.: See SAKAGUCHI, H., 1079
IMAMURA, Y.: See INOUE, M., 867
IMHOF, S. M.: See DOMMERING, C. J., 1088
IMMONEN, I. J. R.: See RIUSALA, A. M., 245
INCORVAIA, C.: See PARMEGGIANI, F., 481
INOUE, M., NODA, K., ISHIDA, S., NAGAI, N., IMAMURA, Y., and OGUCHI, Y.: Intraoperative breakage of a 25-gauge vitreous cutter, 867
INOUE, M., NODA, K., ISHIDA, S., YAMAGUCHI, T., NAGAI, N., SHINODA, K., SHINODA, H., and OGUCHI, Y.: Successful treatment of subfoveal choroidal neovascularization associated with combined hamartoma of the retina and retinal pigment epithelium, 155
INOUE, M., TAKEDA, K., MORITA, K., YAMADA, M., TANIGAWARA, Y., and OGUCHI, Y.: Vitreous Concentrations of Triamcinolone Acetonide in Human Eyes After Intravitreal or Subtenon Injection, 1046
IORDANIDOU, V. and DE POTTER, P.: Porous polyethylene orbital implant in the pediatric population, 425
ISHIBASHI, T.: See SAKAMOTO, T., 137
ISHIBASHI, T.: See YOSHIDA, S., 670
ISHIBE, T.: See MACHIDA, S., 296
ISHIDA, S.: See INOUE, M., 155
ISHIDA, S.: See INOUE, M., 867
ISHIKAWA, H.: See WOLLSTEIN, G., 218
ITABASHI, T., WADA, Y., SATO, H., KAWAMURA, M., SHIONO, T., and TAMAI, M.: Novel 615delC mutation in the CRX gene in a Japanese family with cone-rod dystrophy, 876

J

- JABS, D. A.: See KUO, I. C., 338
JAVAHERI, M.: See TAMEESH, M. K., 829
JENSEN, K.: See KLEIN, B. E. K., 668
JIVAN, S.: See KUMAR, N., 889
JOHNSON, D. H.: See BAHLER, C. K., 988
JOHNSON, L. B.: See FINE, J.-D., 254
JONAS, J. B., DEGENRING, R. F., KAMPPETER, B. A., KREISSIG, I., and AKKOYUN, I.: Duration of the effect of intravitreal triamcinolone acetonide as treatment for diffuse diabetic macular edema, 158
JONAS, J. B., DEGENRING, R., KREISSIG, I., and AKKOYUN, I.: Safety of Intravitreal High-dose Reinjections of Triamcinolone Acetonide, 1054
JONAS, J. B., HARDER, B., and KAMPPETER, B. A.: Inter-Eye Difference in Diabetic Macular Edema After Unilateral Intravitreal Injection of Triamcinolone Acetonide, 970
JONAS, J. B.: See DEGENRING, R. F., 354
JONES, D. B.: See CHONG, E.-M., 474
JONES, M., MITCHELL, P., WANG, J. J., and SUE, C.:

MELAS A3243G Mitochondrial DNA Mutation and Age Related Maculopathy, 1051

JOSE, R. J.: See RAGHU, H., 313

JUNEMANN, A. G. M.: See BLEICH, S., 162

K

- KADERLI, B.: See DOGRU, M., 381
KAGEYAMA, M.: See NOMOTO, H., 612
KAGOKAWA, H.: See KITAYA, N., 308
KAISER, P. K.: See MOSHFEGHI, D. M., 959
KAMEI, M., TANO, Y., YASUHARA, T., OHJI, M., and LEWIS, H.: Macular Translocation with Choriocleral Outfolding: 2-Year Results, 574
KAMEI, M.: See YAMAMOTO, T., 809
KAMPIK, A.: See HARITOGLOU, C., 1
KAMPIK, A.: See HARITOGLOU, C., 302
KAMPIK, A.: See HARITOGLOU, C., 315
KAMPIK, A.: See HARITOGLOU, C., 691
KAMPPETER, B. A.: See JONAS, J. B., 158
KAMPPETER, B. A.: See JONAS, J. B., 970
KAMPPETER, B.: See DEGENRING, R. F., 354
KANNEL, W. B.: See WEINREB, R. N., 458
KAPETANIOS, A. D.: See STANGOS, A. N., 952
KAPPEL, P. J.: See LEVINSON, R. D., 631
KARACORLU, M., MUDUN, B., OZDEMIR, H., KARACORLU, S. A., and BURUMCEK, E.: Intravitreal triamcinolone acetonide for the treatment of cystoid macular edema secondary to Behçet disease, 289
KARACORLU, S. A.: See KARACORLU, M., 289
KARDON, R. H.: See LEE, A. G., 114
KAROSEKAR, S.: See PATHENGAY, A., 663
KASS, M. A.: See BRANDT, J. D., 717
KASS, M. A.: See COLEMAN, A. L., 684
KASSIF, Y.: See RUMELT, S., 499
KATO, S.: See TANAKA, Y., 696
KATZ, B. J.: See PAYNE, M., 749
KAWAMURA, M.: See ITABASHI, T., 876
KEARNEY, D. L.: See PARK, P., 151
KEMPEN, J. H.: See KUO, I. C., 338
KENNEDY, R. J.: See PAYNE, M., 749
KERSTEN, R. C.: See BRANNAN, P. A., 498
KHAN, A. O. and LATIMER, B.: Successful Use of Topical Cysteamine Formulated From the Oral Preparation in a Child With Keratopathy Secondary to Cystinosis, 674
KHANANI, A. M.: See BROWN, S. M., 149
KHAWLY, J. A.: See PARK, P., 151
KHURANA, R. N., ALBINI, T., GREEN, R. L., RAO, N. A., and LIM, J. I.: Bartonella henselae Infection Presenting as a Unilateral Panuveitis Simulating Vogt-Koyanagi-Harada Syndrome, 1063
KIKUCHI, T.: See GOTOH, N., 567
KIM, B. Y.: See MOSHFEGHI, D. M., 959
KIM, H. Y.: See KOOK, K. H., 756
KIM, J. W., BOES, D. A., and KINYOUN, J. L.: Optical coherence tomography of bilateral posterior microph-

thalmos with papillomacular fold and novel features of retinoschisis and dialysis, 480

- KIM, R.: See SHUKLA, D., 147
KIM, S.: See KOOK, M. S., 85
KIM, S.-T.: See KOOK, M. S., 85
KIMURA, K.: See YAMAKIRI, K., 650
KIMURA, W.: See SAKAMOTO, T., 137
KING, R. A.: See SUMMERS, C. G., 1093
KINOSHITA, S.: See YAMAMOTO, T., 809
KINYOUN, J. L.: See KIM, J. W., 480
KIRK, G. F.: See COLLINS, J. F., 536
KITAHARA, K.: See HAYASHI, T., 788
KITANO, S.: See TANAKA, Y., 696
KITAYA, N., HIKICHI, T., KAGOKAWA, H., TAKAMIYA, A., TAKAHASHI, A., and YOSHIDA, A.: Irregularity of photoreceptor layer after successful macular hole surgery prevents visual acuity improvement, 308
KIZAWA, J.: See MACHIDA, S., 296
KLEIN, B. E. K., KLEIN, R., HALL, E. R., LEE, K. E., and JENSEN, K.: The Comparability of Estimates of Retroilluminated Lens Opacities as Judged From Film-Based and Digital Imaging, 668
KLEIN, B. E. K.: See KLEIN, R., 688
KLEIN, R. and KLEIN, B. E. K.: Reply to MCGWIN, G., Jr.: Statins and Age-related Macular Degeneration, 688
KLEIN, R.: See KLEIN, B. E. K., 668
KLINTWORTH, G. K.: See ALDAVE, A. J., 772
KNATTERUD, G. L.: See BARTON, F. B., 119
KOBAYASHI, A.: See YOSHITA, T., 486
KOCH, D. D.: See HUSSEIN, M. A. W., 744
KOCH, D. D.: See PAYSSE, E. A., 70
KOCH, D. D.: See WANG, L., 897
KODSI, S. R.: See DESTAFENO, J. J., 1057
KOH, A.: See TONG, L., 160
KOHEN, T.: See BAUMEISTER, M., 723
KOLLING, G.: See SCHEUERLE, A. F., 237
KOLLURU, C. M.: See SHUKLA, D., 147
KOOK, K. H., LEW, H., CHANG, J. H., KIM, H. Y., YE, J., and LEE, S. Y.: Scanning electron microscopic studies of supramid extra from the patients displaying recurrent ptosis after frontalis suspension, 756
KOOK, M. S., YANG, S. J., KIM, S., CHUNG, J., KIM, S.-T., and TCHAH, H.: Effect of cataract extraction on frequency doubling technology perimetry, 85
KORNHUBER, J.: See BLEICH, S., 162
KORTVELESY, J. S. and BUERGER, G. F., Jr.: Sticky eyelid syndrome, 882
KOUCHKEI, B., NOURI-MAHDAVI, K., PATEL, G., GAAS-TERLAND, D., and CAPRIOLI, J.: Visual Field Changes after Cataract Extraction: The AGIS Experience, 1022
KOWALCZYK, A.: See WOJTKOWSKI, M., 412
KOWALSKI, R. P., ROMANOWSKI, E. G., MAH, F. S., YATES, K. A., and GORDON, Y. J.: Topical prophylaxis with moxifloxacin prevents endophthalmitis in a rabbit model, 33
KOWALSKI, R. P.: See RHEE, M. K., 226
KOZAKI, K.: See HAYASHI, T., 788
KRAFF, M. C.: See CLAYMAN, H. M., 896
KRAKER, R. T.: See BECK, R. W., 698
KRAMER, M., EHRLICH, R., SNIR, M., FRILING, R., MUKAMEL, M., WEINBERGER, D., and AXER-SIEGEL, R.: Intravitreal Injections of Triamcinolone Acetonide for Severe Vitritis in Patients With Incomplete Behcet's Disease, 666
KRAMER, M.: See AXER-SIEGEL, R., 602
KREISSIG, I.: See JONAS, J. B., 1054
KREISSIG, I.: See JONAS, J. B., 158
KRIPKE, D. F.: See LIU, J. H. K., 389
KROL, W. F.: See COLLINS, J. F., 536
KRUEGER, R. R.: See NETTO, M. V., 507
KRUSE, F. E.: See BLEICH, S., 162
KUBOTA, T.: See SAKAMOTO, T., 137
KUEHNE, J. J., YU, A. L. T., HOLLAND, G. N., RAMASWAMY, A., TABAN, R., MONDINO, B. J., YU, F., RAYNER, S. A., and GIESE, M. J.: Corneal Pharmacokinetics of Topically Applied Azithromycin and Clarithromycin, 547
KULWIN, D. R.: See BRANNAN, P. A., 498
KUMAR, K.: See SAXENA, T., 508
KUMAR, N., JIVAN, S., TOPPING, N., and MORRELL, A. J.: Blindness and rectus muscle damage following Spinal Surgery, 889
KUNZE, S.: See SCHEUERLE, A. F., 237
KUO, I. C., KEMPEN, J. H., DUNN, J. P., VOGELSANG, G., and JABS, D. A.: Clinical characteristics and outcomes of cytomegalovirus retinitis in persons without human immunodeficiency virus infection, 338
KURLI, M.: See FINGER, P. T., 659
KURODA, T.: See FUJIKADO, T., 143
KUROIWA, S.: See GOTOH, N., 567
KUSUHARA, S., ESCANO, M. F. T., FUJII, S., NAKANISHI, Y., TAMURA, Y., NAGAI, A., YAMAMOTO, H., TSUKAHARA, Y., and NEGI, A.: Prediction of postoperative visual outcome based on hole configuration by optical coherence tomography in eyes with idiopathic macular holes, 709
KWOK, A. K. H., LAI, T. Y. Y., LI, W. W. Y., WOO, D. C. F., and CHAN, N. R.: Indocyanine green-assisted internal limiting membrane removal in epiretinal membrane surgery: a clinical and histologic study, 194
KYMES, S. M., WALLINE, J. J., ZADNIK, K., GORDON, M. O., and GROUP, C. L. E. K. C. L. E. K. S.: Quality of Life in Keratoconus, 527

L

- LAI, T. Y. Y., CHAN, W.-M., and LAM, D. S. C.: Laser Photocoagulation of Indocyanine Green An angiographically Identified Feeder Vessels to Idiopathic Polypoidal Choroidal Vasculopathy, 693
LAI, T. Y. Y.: See KWOK, A. K. H., 194
LAKHANPAL, R. R.: See TAMEESH, M. K., 829
LALIN, S. C., CHANG, S., FLYNN, H., VON FRICKEN, M.,

- and PRIORE, L. V. D.: Familial Idiopathic Macular Hole, 608
- LAM, D. S. C.: See CHAN, C. K. M., 695
- LAM, D. S. C.: See LAI, T. Y. Y., 693
- LANDA, G., ALONI, E., MILSHTAIN, A., MARCOVICH, A., MOZES, M., and POLLACK, A.: Eyelid bleeding and atypical amyloidosis, 495
- LANE, S. S.: Posterior Capsule Opacification and YAG Capsulotomy, 635
- LANGTON, K.: See TSENG, J. J., 169
- LANZETTA, P.: See PARODI, M. B., 263
- LATIMER, B.: See KHAN, A. O., 674
- LAVOIE, J. D.: See SUMMERS, C. G., 1093
- LAW, S. K., SOHN, Y. H., HOFFMAN, D., SMALL, K., COLEMAN, A. L., and CAPRIOLI, J.: Optic disk appearance in advanced age-related macular degeneration, 38
- LEAL, B. C., MEDEIROS, F. A., MEDEIROS, F. W., SANTO, R. M., and SUSANNA, R., Jr: Conjunctival hyperemia associated with bimatoprost use: a histopathologic study, 310
- LEE, A. G., ANDERSON, R., KARDON, R. H., and WALL, M.: Presumed "sulfa allergy" in patients with intracranial hypertension treated with acetazolamide or furosemide: cross-reactivity, myth or reality?, 114
- LEE, A. G., BRAZIS, P. W., GARRITY, J. A., and WHITE, M.: Imaging for neuro-ophthalmic and orbital disease, 852
- LEE, A. G.: See DOAN, A. P., 680
- LEE, A. G.: See GOLNIK, K. C., 514
- LEE, A. G.: See POKHAREL, D., 300
- LEE, K. E.: See KLEIN, B. E. K., 668
- LEE, P. P.: See SINGH, I. P., 286
- LEE, S. Y.: See KOOK, K. H., 756
- LEE, S.-K.: See DOAN, A. P., 680
- LEE, T. C.: See BARBAZETTO, I. A., 183
- LEE, W. B.: See ALVARENGA, L. S., 200
- LEGRA, J.: See MILLER, D. M., 323
- LEIBOVITCH, I., SELVA, D., DAVIS, G., and GHABRIAL, R.: Donor site morbidity in free tarsal grafts, 430
- LEMPERT, P.: Photorefractive Keratectomy for Pediatric Anisometropia: Safety and Impact on Refractive Error, Visual Acuity, and Stereopsis, 1091
- LESKE, D. A.: See HOLMES, J. M., 512
- LEVINSON, R. D., RAJALINGAM, R., PARK, M. S., REED, E. F., GJERTSON, D. W., KAPPEL, P. J., SEE, R. F., RAO, N. A., and HOLLAND, G. N.: Human Leukocyte Antigen A29 Subtypes Associated With Birdshot Retinopathy, 631
- LEVY, J., MONOS, T., and PUTERMAN, M.: Rhinolithiasis: A Very Late Complication After Dacryocystorhinostomy With Rubber-Gum and Polyethylene Stenting, 1065
- LEW, H.: See KOOK, K. H., 756
- LEWIS, H.: See KAMEI, M., 574
- LEWIS, H.: See ROTH, D. B., 287
- LEWIS, H.: See STERNBERG, P., Jr, 513
- LI, W. W. Y.: See KWOK, A. K. H., 194
- LIAO, S. L.: See CHENG, M. S., 420
- LIEBMANN, J. M.: See WEINREB, R. N., 458
- LIETMAN, T.: See MARGOLIS, T. P., 468
- LIM, J. I.: See KHURANA, R. N., 1063
- LIM, L.: See TONG, L., 506
- LIM, M. C.: See ALVARENGA, L. S., 200
- LIM, W.-K., CHEE, S.-P., SNG, I., NUSSENBLATT, R. B., and CHAN, C.-C.: Immunopathology of progressive subretinal fibrosis: A variant of sympathetic ophthalmia, 475
- LIN, A., FOROOZAN, R., CARRIER, D., and YEN, M. T.: Diagnosis of metastatic carcinoma to the cavernous sinus by computed tomography-guided fine-needle aspiration, 864
- LIN, D. Y.: See PRINCIPE, A. H., 657
- LIN, L. L.-K.: See CHENG, M. S., 420
- LITWAK, S.: See ZADOK, D., 190
- LIU, G. T.: See TAMHANKAR, M. A., 484
- LIU, J. H. K., KRIPKE, D. F., and WEINREB, R. N.: Comparison of the nocturnal effects of once-daily timolol and latanoprost on intraocular pressure, 389
- LO GIUDICE, G., VALDI, F., GISMONDI, M., PROSDOCIMO, G., and DE BELVIS, V.: Acute bilateral vitreo-retinal hemorrhages following oxygen-ozone therapy for lumbar disk herniation, 175
- LOEWENSTEIN, J.: See HATTON, M. P., 863
- LOIS, N., HALFYARD, A. S., BIRD, A. C., HOLDER, G. E., and FITZKE, F. W.: Fundus autofluorescence in Stargardt macular dystrophy-fundus flavimaculatus, 55
- LUCCHESI, A.: See DE SANTIS, M., 305
- LUU, C.: See TONG, L., 160
- LYON, D. W.: See BECK, R. W., 698

M

- MACANDIE, K.: See BALDESCHI, L., 840
- MACHIDA, S., HAGA-SANO, M., ISHIBE, T., KIZAWA, J., and TAZAWA, Y.: Decrease of blue cone sensitivity in acute idiopathic blind spot enlargement syndrome, 296
- MADHUSUDHANA, K. C. and CHAKRABORTY, P.: The Challenge of Determining Aqueous Contamination Rate in Anterior Segment Intraocular Surgeries, 687
- MAEDA, N.: See FUJIKADO, T., 143
- MAESTRANZI, G.: See AZZOLINI, C., 560
- MAH, F. S.: See KOWALSKI, R. P., 33
- MAH, F. S.: See RHEE, M. K., 226
- MAH, T. S.: See DEMIRCI, F. Y. K., 171
- MAH, T. S.: See DEMIRCI, F. Y. K., 504
- MAHR, M. A., SALOMAO, D. R., and GARRITY, J. A.: Inflammatory orbital pseudotumor with extension beyond the orbit, 396
- MANNIS, M. J.: See ALVARENGA, L. S., 200
- MAO, A. J.: See GALE, J. S., 64
- MARANAN, L.: See SMITHEN, L. M., 740
- MARCOVICH, A.: See LANDA, G., 495
- MARGALIT, E.: See TAMEESH, M. K., 829
- MARGOLIS, T. P., LIETMAN, T., and STRAUSS, E.: Infectious agents and ARMD: A connection?, 468
- MARKOMICHELAKIS, N. N., THEODOSSIADIS, P. G.,

- PANTELIA, E., PAPAETHIMIOU, S., THEODOSIADIS, G. P., and SFIKAKIS, P. P.: Infliximab for Chronic Cystoid Macular Edema Associated With Uveitis, 648
- MASHAYEKHI, A.: See SHIELDS, C. L., 329
- MASKIN, S. L.: See PFLUGFELDER, S. C., 444
- MASON, J.: See ARTHUR, S. N., 682
- MASSIN, P.: See HAOUCHINE, B., 732
- MATHAROO, N.: See SCOTT, I. U., 662
- MATHER, R., STEWART, J. M., PRABRIPUTALOONG, T., WONG, J., and MCLEOD, S. D.: The Effect of Cataract Surgery on Ocular Levels of Topical Moxifloxacin, 554
- MATHEW, J.: See RENGARAJ, V., 782
- MATOKA, A. Y.: See CHONG, E.-M., 474
- MATSUMURA, N., IKUNO, Y., and TANO, Y.: Posterior Vitreous Detachment and Macular Hole Formation in Myopic Foveoschisis, 1071
- MATTESON, E. L.: See GARRITY, J. A., 925
- MBA: See MOSHFEGHI, A. A., 489
- MCCARTNEY, D. L.: See BROWN, S. M., 149
- MCCREERY, K. M. B.: See HUSSEIN, M. A. W., 744
- MCDONNELL, P. J.: See SARAYBA, M. A., 206
- MCEWAN, G.: See BODEN, C., 1029
- MCGWIN, G., Jr and OWSLEY, C.: Statins and Age-related Macular Degeneration, 688
- MCKEE, H. D. R., SALDANA, M., and AHAD, M. A.: Increased ocular pulse amplitude revealing aortic regurgitation, 503
- MCKEE, H. D. R.: See GIRGIS, R. A. M., 697
- MCLEOD, S. D.: See MATHER, R., 554
- MEADOWS, A. T.: See SHIELDS, C. L., 329
- MEALLET, M. A.: See ALDAVE, A. J., 772
- MEDEIROS, F. A., SAMPLE, P. A., and WEINREB, R. N.: Reply to COSTA, V. P.: Frequency doubling technology perimetry abnormalities as predictors of glaucomatous visual field loss, 898
- MEDEIROS, F. A.: See LEAL, B. C., 310
- MEDEIROS, F. A.: See MOHAMMADI, K., 592
- MEDEIROS, F. W.: See LEAL, B. C., 310
- MEDEIROS, F.: See BODEN, C., 1029
- MEDURA, M.: See VITALE, S., 18
- MEHRAEIN, P.: See HARITOGLOU, C., 302
- MEJICO, L. J.: See VITALE, S., 18
- MELLES, G. R. J.: See DOOFEN, B. V., 211
- MENDEZ, M. C.: See ARRANZ-MARQUEZ, E., 625
- MEROLA, A.: See DE SANTIS, M., 305
- MERRILL, K. S.: See SUMMERS, C. G., 1093
- MESSAS-KAPLAN, A.: See BENHAMOU, N., 294
- METZ, A.: See HOFFMANN, S., 439
- MICUDA, T.: See PFLUGFELDER, S. C., 444
- MIHASHI, T.: See FUJIKADO, T., 143
- MIHASHI, T.: See TANABE, T., 620
- MILLER, D. M., ESPINOSA-HEIDMANN, D. G., LEGRA, J., DUBOVY, S. R., SUNER, I. J., SEDMAK, D. D., DIX, R. D., and COUSINS, S. W.: The association of prior cytomegalovirus infection with neovascular age-related macular degeneration, 323
- MILLER, D.: See MILLER, J. J., 231
- MILLER, D.: See SCOTT, I. U., 662
- MILLER, J. J., SCOTT, I. U., FLYNN, H. W., Jr, SMIDDY, W. E., COREY, R. P., and MILLER, D.: Endophthalmitis caused by *Streptococcus pneumoniae*, 231
- MILLER, K. M.: See POMBERG, M. L., 125
- MILLER, N. R.: See SUBRAMANIAN, P. S., 109
- MILLER, N. R.: See VITALE, S., 18
- MILLER, T.: See CHAR, D. H., 543
- MILSHTEIN, A.: See LANDA, G., 495
- MINO DE KASPAR, H.: See TA, C. N., 687
- MISSIROLI, F.: See ZADOK, D., 190
- MITCHELL, P.: See HEALEY, P. R., 871
- MITCHELL, P.: See JONES, M., 1051
- MIYAI, T.: See AMANO, S., 897
- MIYATA, K.: See AMANO, S., 897
- MIYATA, K.: See SAKAMOTO, T., 137
- MIYATA, K.: See TANABE, T., 620
- MIYATA, K.: See TANAKA, Y., 696
- MIZUNOYA, S.: See YAMAMOTO, S., 907
- M.MEIRE, F.: See PAYNE, M., 749
- MOHAMMADI, K., BOWD, C., WEINREB, R. N., MEDEIROS, F. A., SAMPLE, P. A., and ZANGWILL, L. M.: Retinal Nerve Fiber Layer Thickness Measurements With Scanning Laser Polarimetry Predict Glaucomatous Visual Field Loss, 592
- MOHNEY, B. G.: See CHRISTIANSEN, G., 153
- MOKE, P. S.: See BECK, R. W., 698
- MOLL, A. C.: See DOMMERING, C. J., 1088
- MONDINO, B. J.: See KUEHNE, J. J., 547
- MONOS, T.: See LEVY, J., 1065
- MORAD, Y.: See BARKANA, Y., 347
- MORENO-MONTANES, J., HERAS, H., and FERNANDEZ-HORTELANO, A.: Extraction of endocapsular tension ring after phacoemulsification in eyes with pseudoexfoliation, 173
- MORICHE CARRETERO, M.: See DIAZ-VALLE, D., 292
- MORITA, K.: See INOUE, M., 1046
- MORRELL, A. J.: See KUMAR, N., 889
- MOSHFEGHI, A. A., SCOTT, I. U., FLYNN, H. W., Jr, PULIAFITO, C. A., and MBA: Pseudohypopyon after intravitreal triamcinolone acetonide injection for cystoid macular edema, 489
- MOSHFEGHI, D. M., KIM, B. Y., KAISER, P. K., SEARS, J. E., and SMITH, S. D.: Appositional Suprachoroidal Hemorrhage: A Case-Control Study, 959
- MOSTER, M. R.: See WAMSLEY, S., 1049
- MOZAFFARI, E.: See SCHWARTZ, G. F., 1094
- MOZES, M.: See LANDA, G., 495
- MUCCIOLI, C.: See FONTES, B. M., 678
- MUDUN, B.: See KARACORLU, M., 289
- MUELLER, A. J.: See HARITOGLOU, C., 1
- MUKAMEL, M.: See KRAMER, M., 666

MULDER, P. G. H.: See DOOREN, B. V., 211
MURATA, T.: See SAKAMOTO, T., 137

N

NAGAI, A.: See KUSUHARA, S., 709
NAGAI, N.: See INOUE, M., 155
NAGAI, N.: See INOUE, M., 867
NAKAHARA, M.: See SAKAMOTO, T., 137
NAKANISHI, Y.: See KUSUHARA, S., 709
NAKAO, S.: See YOSHIDA, S., 670
NAMPERUMALSAMY, P.: See SHUKLA, D., 147
NAUMANN, G. O. H.: See BLEICH, S., 162
NEGI, A.: See KUSUHARA, S., 709
NEJIMA, R.: See TANAKA, Y., 696
NERAD, J. A.: See DOAN, A. P., 680
NETTO, M. V., CHALITA, M. R., and KRUEGER, R. R.: Thygeson's superficial punctate keratitis recurrence after laser in situ keratomileusis, 507
NEWTON, J.: See EIFRIG, C. W. G., 799
NG, J. D.: See WESTFALL, A. C., 511
NGUYEN, L. T.: See CAMARA, J. G., 165
NIEUWENDAAL, C. P.: See DOOREN, B. V., 211
NIHALANI, B.: See VASAVADA, A. R., 915
NINOMIYA, S.: See FUJIKADO, T., 143
NODA, K.: See INOUE, M., 155
NODA, K.: See INOUE, M., 867
NODA, Y.: See YOSHIDA, S., 670
NOMOTO, H., SHIRAGA, F., YAMAJI, H., KAGEYAMA, M., TAKENAKA, H., BABA, T., and TSUCHIDA, Y.: Evaluation of Radial Optic Neurotomy for Central Retinal Vein Occlusion by Indocyanine Green Videoangiography and Image Analysis, 612
NOURI-MAHDAVI, K.: See KOUCKE, B., 1022
NUNE, G. C.: See CHEUNG, M. C., 1058
NUSSENBLATT, R. B.: See LIM, W.-K., 475

O

OBER, M. D.: See SMITHEN, L. M., 740
OCULAR HYPERTENSION TREATMENT STUDY (OHTS) GROUP: See BRANDT, J. D., 717
OCULAR HYPERTENSION TREATMENT STUDY (OHTS): See COLEMAN, A. L., 684
OERTEL, W. H.: See HOFFMANN, S., 439
OGUCHI, Y.: See INOUE, M., 1046
OGUCHI, Y.: See INOUE, M., 155
OGUCHI, Y.: See INOUE, M., 867
OHBA, N.: See ANDO, F., 691
OHBA, N.: See ANDO, F., 886
OHJI, M.: See KAMEI, M., 574
OHJI, M.: See SAKAGUCHI, H., 1079
OHTSUKA, K., HASHIMOTO, M., and SUZUKI, Y.: High incidence of orbital malignant lymphoma in Japanese patients, 881
OKUMURA, H.: See HIGASHIDE, T., 306

OLIVIER, D.: See VINCENT, M.-C., 1016
OLSON, R. J.: See SMITH, S. R., 521
OMOTO, S.: See HAYASHI, T., 788
ONAL, S.: See TUGAL-TUTKUN, I., 373
ONGUCHI, T., TAKANO, Y., DOGRU, M., ONO, M., and TSUBOTA, K.: Lidocaine Tape (Penles) Reduces the Pain of Botulinum Toxin Injection for Meige Syndrome, 654
ONO, M., TAKAMURA, E., SHINOZAKI, K., TSUMURA, T., HAMANO, T., YAGI, Y., and TSUBOTA, K.: Therapeutic effect of cevimeline on dry eye in patients with Sjögren's syndrome: a randomized, double-blind clinical study, 6
ONO, M.: See ONGUCHI, T., 654
OPDENAKKER, G.: See ABU EL-ASRAR, A. M., 401
ORENGO-NANIA, S.: See HUSSEIN, M. A. W., 744
OSHIKA, T.: See AMANO, S., 897
OSHIKA, T.: See FUJIKADO, T., 143
OSHIKA, T.: See TANABE, T., 620
OSHIKA, T.: See TANAKA, Y., 696
OSHIMA, K.: See UMEDA, N., 270
OTHENIN-GIRARD, C. B.: See ZOGRAFOS, L., 964
OUARDIGHI, H. E.: See POSTELMANS, L., 803
OWSLEY, C.: See MCGWIN, G., Jr, 688
OYAGI, T. and EMI, K.: Reply to HARITOGLU, C.: In vivo observation of internal limiting membrane in an eye with macular hole, 316
OZAKI, H.: See UMEDA, N., 270
OZALP, S.: See BERKER, N., 879
OZDEK, S.: See TIFTIKCIOGLU, Y., 698
OZDEMIR, H.: See KARACORLU, M., 289

P

PAL, N.: See SINGHVI, A., 1069
PANTELIA, E.: See MARKOMICHELAKIS, N. N., 648
PAPAEFTHIMIOU, S.: See MARKOMICHELAKIS, N. N., 648
PAQUES, M., GIRMENS, J.-F., RIVIERE, E., and SAHEL, J.: Dilation of the Minor Arterial Circle of the Iris Preceding Rubeosis Iridis During Retinal Vein Occlusion, 1083
PARK, M. S.: See LEVINSON, R. D., 631
PARK, M.: See TAKAHASHI, H., 1060
PARK, P., KHAWLY, J. A., KEARNEY, D. L., ALTMAN, C. A., and YEN, K. G.: Bilateral endogenous endophthalmitis secondary to endocarditis with negative transesophageal echocardiogram, 151
PARK, S.-W.: See YOON, K.-C., 873
PARK, Y.-G.: See YOON, K.-C., 873
PARMEGGIANI, F., COSTAGLIOLA, C., INCORVAIA, C., GEMMATI, D., D'ANGELO, S., TOGNAZZO, S., SCAPOLI, G. L., and SEBASTIANI, A.: Prevalence of factor XIII Val34Leu polymorphism in patients affected by spontaneous subconjunctival hemorrhage, 481
PARODI, M. B.: Transpupillary Thermotherapy for Subfoveal Choroidal Neovascularization Associated With Choroidal Nevus, 1074
PARODI, M. B., DI CRECCHIO, L., LANZETTA, P., POLITO, A., BANDELLO, F., and RAVALICO, G.: Photody-

- namic therapy with verteporfin for subfoveal choroidal neovascularization associated with multifocal choroiditis, 263
- PARODI, M. B. and IACONO, P.: Photodynamic therapy with verteporfin for anterior segment neovascularizations in neovascular glaucoma, 157
- PASCUAL ALLEN, D.: See DIAZ-VALLE, D., 292
- PASCUAL, J.: See BODEN, C., 1029
- PASTEELS, B.: See POSTELMANS, L., 803
- PATEL, C. K.: See FLETCHER, E. C., 689
- PATEL, G.: See KOUCHEKI, B., 1022
- PATHENGAY, A., KAROSEKAR, S., RAJU, B., SHARMA, S., DAS, T., and HYDERABAD ENDOPHTHALMITIS RESEARCH GROUP: Microbiologic Spectrum and Susceptibility of Isolates in Scleral Buckle Infection in India, 663
- PAVLIDIS, M.: See STUPP, T., 764
- PAVLIN, C. J.: See ADAM, R. S., 652
- PAYNE, M., YANG, Z., KATZ, B. J., WARNER, J. E. A., WEIGHT, C. J., ZHAO, Y., PEARSON, E. D., TREFT, R. L., HILLMAN, T., KENNEDY, R. J., M. MEIRE, F., and ZHANG, K.: Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in *OPA1*, 749
- PAYSSE, E. A.: Reply to LEMPERT, P.: Photorefractive Keratectomy for Pediatric Anisometropia: Safety and Impact on Refractive Error, Visual Acuity, and Stereopsis, 1092
- PAYSSE, E. A., HAMILL, M. B., HUSSEIN, M. A. W., and KOCH, D. D.: Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis, 70
- PAYSSE, E. A.: See CHONG, E.-M., 474
- PAYSSE, E. A.: See HUSSEIN, M. A. W., 744
- PEARSON, E. D.: See PAYNE, M., 749
- PERRY, J. D.: See VITALE, S., 18
- PETROPOULOS, I. K.: See STANGOS, A. N., 952
- PFLUGFELDER, S. C., MASKIN, S. L., ANDERSON, B., CHODOSH, J., HOLLAND, E. J., DE PAIVA, C. S., BARTELS, S. P., MICUDA, T., PROSKIN, H. M., and VOGEL, R.: A randomized, double-masked, placebo-controlled, multicenter comparison of loteprednol etabonate ophthalmic suspension, 0.5%, and placebo for treatment of keratoconjunctivitis sicca in patients with delayed tear clearance, 444
- PLATT, R.: See SCHWARTZ, G. F., 1094
- POKHAREL, D., DOAN, A. P., and LEE, A. G.: Group B streptococcus endogenous endophthalmitis presenting as septic arthritis and a homonymous hemianopsia due to embolic stroke, 300
- POLITO, A.: See PARODI, M. B., 263
- POLLACK, A.: See LANDA, G., 495
- POMBERG, M. L. and MILLER, K. M.: Functional visual outcomes of cataract extraction in monocular versus binocular patients, 125
- POSTELMANS, L., PASTEELS, B., COQUELET, P., OUARDIGHI, H. E., VEROUGSTRAETE, C., and SCHMIDT-ERFURTH, U.: Severe pigment epithelial alterations in the treatment area following photodynamic therapy with verteporfin for subfoveal choroidal neovascularization in young females, 803
- POURNARAS, C. J.: See STANGOS, A. N., 952
- PRABRIPUTALOONG, T.: See MATHER, R., 554
- PRAJNA N, V.: See RENGARAJ, V., 782
- PRATI, M.: See AZZOLINI, C., 560
- PRICE, L. L.: See WOLLSTEIN, G., 218
- PRIEL, E.: See AXER-SIEGEL, R., 602
- PRIGLINGER, S.: See HARITOGLOU, C., 1
- PRIMACK, J. D.: See DESTAFENO, J. J., 1057
- PRINCIPE, A. H., LIN, D. Y., SMALL, K. W., and ALDAVE, A. J.: Macular Hemorrhage After Laser in Situ Keratomileusis (LASIK) With Femtosecond Laser Flap Creation, 657
- PRIORE, L. V. D.: See LALIN, S. C., 608
- PRINCIPE, A. H.: See FONTES, B. M., 678
- PRO, M. J.: See FINGER, P. T., 659
- PROOST, P.: See ABU EL-ASRAR, A. M., 401
- PROSDOCIMO, G.: See LO GIUDICE, G., 175
- PROSKIN, H. M.: See PFLUGFELDER, S. C., 444
- PROULX, A. A.: See GALE, J. S., 64
- PROULX, A. A.: See GONDER, J. R., 690
- PULIAFITO, C. A.: See MOSHFEGHI, A. A., 489
- PUTERMAN, M.: See LEVY, J., 1065

Q

- QIN, B., ZHAO, T., and HUANG, L.: Removal of Silicone Oil from Aphakia: Use of a Self-sealing Corneal Incision, 1055
- QUENTIN, C. D. and REIBER, H.: Fuchs heterochromic cyclitis: rubella virus antibodies and genome in aqueous humor, 46
- QUINN, G. E.: See BECK, R. W., 698

R

- RADAK, A. L.: See DEMIRCI, F. Y. K., 504
- RADHAKRISHNAN, M.: See RENGARAJ, V., 782
- RADZEWICZ, C.: See WOJTKOWSKI, M., 412
- RAGHU, H., SUBHAN, S., JOSE, R. J., GANGOPADHYAY, N., BHEND, J., and SHARMA, S.: Herpes Simplex Virus-1-Associated Congenital Cataract, 313
- RAI, S.: See WAMSLEY, S., 1049
- RAJ, S. M.: See VASAVADA, A. R., 915
- RAJALINGAM, R.: See LEVINSON, R. D., 631
- RAJU, B.: See PATHENGAY, A., 663
- RAMASAMY, K.: See RENGARAJ, V., 782
- RAMASWAMY, A.: See KUEHNE, J. J., 547
- RAO, N. A.: See ALDAVE, A. J., 772
- RAO, N. A.: See KHURANA, R. N., 1063
- RAO, N. A.: See LEVINSON, R. D., 631
- RAVALICO, G.: See PARODI, M. B., 263
- RAYNER, S. A.: See KUEHNE, J. J., 547
- REARDON, G.: See SCHWARTZ, G. F., 1094
- REED, E. F.: See LEVINSON, R. D., 631

- REGILLO, C. D.: See SHARMA, M. C., 280
- REHANY, U.: See RUMELT, S., 499
- REIBALDI, M.: See BOSCIA, F., 1077
- REIBER, H.: See QUENTIN, C. D., 46
- REINACH, P.: See YUAN, Z., 138
- RENGARAJ, V., RADHAKRISHNAN, M., EONG, K.-G. A., SAW, S.-M., SRINIVASAN, A., MATHEW, J., RAMASAMY, K., and PRAJNA N, V.: Visual experience during phacoemulsification under topical versus retrobulbar anesthesia: results of a prospective, randomized, controlled trial, 782
- REPKA, M. X.: See BECK, R. W., 698
- REULBACH, U.: See BLEICH, S., 162
- REZAI, K. A., FARROKH-SIAR, L., GASYNA, E. M., and ERNEST, J. T.: Trypan blue induces apoptosis in human retinal pigment epithelial cells, 492
- RHEE, M. K., KOWALSKI, R. P., ROMANOWSKI, E. G., MAH, F. S., RITTERBAND, D. C., and GORDON, Y. J.: A laboratory evaluation of antibiotic therapy for ciprofloxacin-resistant *Pseudomonas aeruginosa*, 226
- RICE, M. L.: See HOLMES, J. M., 512
- RIGATTI, B. W.: See DEMIRCI, F. Y. K., 171
- RIGATTI, B. W.: See DEMIRCI, F. Y. K., 504
- RITTERBAND, D. C.: See RHEE, M. K., 226
- RIUSALA, A. M. and IMMONEN, I. J. R.: Predictors of structural findings in old disciform lesions, 245
- RIVIERE, E.: See PAQUES, M., 1083
- ROBERTS, B.: See ARTHUR, S. N., 682
- ROBLEDO, N.: See ZADOK, D., 190
- ROCK, T.: See YESHURUN, I., 866
- ROEDL, J.: See BLEICH, S., 162
- ROEST, M.: See VAN KOOIJ, B., 1010
- ROLANDO, M.: See BARABINO, S., 699
- ROMANOWSKI, E. G.: See KOWALSKI, R. P., 33
- ROMANOWSKI, E. G.: See RHEE, M. K., 226
- ROSENBLATT, B. J.: See SHAH, G. K., 656
- ROSENBLATT, I.: See AXER-SIEGEL, R., 602
- ROSS, J. J., TU, K. L., and DAMATO, B. E.: Systemic Remission of Non-Hodgkin's Lymphoma After IntraleSIONal Interferon Alpha-2b to Bilateral Conjunctival Lymphomas, 672
- ROSSETTI, S. B.: See HOLLANDER, D. A., 878
- ROTH, D. B., SEARS, J. E., and LEWIS, H.: Removal of retained subfoveal perfluoro-n-octane liquid, 287
- ROTHOVA, A.: See VAN KOOIJ, B., 1010
- RUBIN, G. S.: See TRANOS, P. G., 995
- RUBIN, P. A. D. and FOSTER, C. S.: Etiology and Management of Idiopathic Orbital Inflammation, 1041
- RUBIN, P. A. D.: See BOULOS, P. R., 168
- RUMELT, S., KASSIF, Y., and REHANY, U.: Congenital eyelid imbrication syndrome, 499
- TANO, T.: Multiple Components of Epiretinal Tissues Detected by Triamcinolone and Indocyanine Green in Macular Hole and Retinal Detachment as a Result of High Myopia, 1079
- SAKAMOTO, T., ENAIDA, H., KUBOTA, T., NAKAHARA, M., YAMAKIRI, K., YAMASHITA, T., YOKOYAMA, M., HATA, Y., MURATA, T., MIYATA, K., UEMURA, A., KIMURA, W., and ISHIBASHI, T.: Incidence of acute endophthalmitis after triamcinolone-assisted pars plana vitrectomy, 137
- SAKAMOTO, T.: See YAMAKIRI, K., 650
- SAKURAI, M.: See HIGASHIDE, T., 306
- SALDANA, M.: See MCKEE, H. D. R., 503
- SALOMAO, D. R.: See MAHR, M. A., 396
- SALOMAO, S. R.: See FELIUS, J., 362
- SAMEJIMA, T.: See AMANO, S., 897
- SAMEJIMA, T.: See TANABE, T., 620
- SAMPLE, P. A.: See BODEN, C., 1029
- SAMPLE, P. A.: See MEDEIROS, F. A., 898
- SAMPLE, P. A.: See MOHAMMADI, K., 592
- SAMPLES, J. R.: See WESTFALL, A. C., 511
- SANTIS, L. D.: See DE SANTIS, M., 305
- SANTO, R. M.: See LEAL, B. C., 310
- SAORNIL, M. A.: See ARRANZ-MARQUEZ, E., 625
- SARAYBA, M. A., TABAN, M., IGNACIO, T. S., BEHRENS, A., and MCDONNELL, P. J.: Inflow of ocular surface fluid through clear corneal cataract incisions: A laboratory model, 206
- SASANO, K.: See ANDO, F., 886
- SATO, E.: See YAMAMOTO, S., 907
- SATO, H.: See ITABASHI, T., 876
- SAW, S.-M.: See RENGARAJ, V., 782
- SAW, S.-M.: See TONG, L., 160
- SAXENA, T., KUMAR, K., SEN, S., and TANDON, R.: Langerhans cell histiocytosis presenting as a limbal nodule in an adult patient, 508
- SBORGIA, C.: See BOSCIA, F., 1077
- SBORGIA, L.: See BOSCIA, F., 1077
- SCAPOLI, G. L.: See PARMEGGIANI, F., 481
- SCHALENBURG, A.: See ZOGRAFOS, L., 964
- SCHAUMBERGER, M.: See HARITOGLOU, C., 1
- SCHEIMAN, M. M.: See BECK, R. W., 698
- SCHEUERLE, A. F., STEINER, H. H., KOLLING, G., KUNZE, S., and ASCHOFF, A.: Treatment and long-term outcome of patients with orbital cavernomas, 237
- SCHLOTZER-SCHREHARDT, U.: See BLEICH, S., 162
- SCHMIDT-ERFURTH, U.: See POSTELMANS, L., 803
- SCHNEIDER, S.: See FINGER, P. T., 659
- SCHUMAN, J. S.: See WOLLSTEIN, G., 218
- SCHUSTER, V.: See TEFS, K., 699
- SCHWAB, I. R.: See ALVARENGA, L. S., 200
- SCHWARTZ, G. F., REARDON, G., PLATT, R., and MOZAF-FARI, E.: Reply to FISCELLA, R. G.: Persistency With Glaucoma Medication, 1094
- SCOTT, I. U., MATHAROO, N., FLYNN, H. W., Jr., and

S

- SAHEL, J.: See PAQUES, M., 1083
- SAITO, W.: See YAMAMOTO, S., 907
- SAKAGUCHI, H., IKUNO, Y., CHOI, J.-S., OHJI, M., and

- MILLER, D.: Endophthalmitis Caused by *Klebsiella* Species, 662
- SCOTT, I. U.: See EIFRIG, C. W. G., 799
- SCOTT, I. U.: See MILLER, J. J., 231
- SCOTT, I. U.: See MOSHFEGHI, A. A., 489
- SEARS, J. E.: See MOSHFEGHI, D. M., 959
- SEARS, J. E.: See ROTH, D. B., 287
- SEBASTIANI, A.: See PARMEGGIANI, F., 481
- SEDMAN, D. D.: See MILLER, D. M., 323
- SEE, R. F.: See LEVINSON, R. D., 631
- SELVA, D.: See HSUAN, J., 588
- SELVA, D.: See LEBOVITCH, I., 430
- SEN, S.: See SAXENA, T., 508
- SEO, M.-S.: See YOON, K.-C., 873
- SFIKAKIS, P. P.: See MARKOMICHELAKIS, N. N., 648
- SHAH, G. K., ROSENBLATT, B. J., and SMITH, M.: Internal Limiting Membrane Peeling Using Triamcinolone Acetonide: Histopathologic Confirmation, 656
- SHAH, V. A.: See CHALAM, K. V., 1091
- SHAH, V. A.: See CHALAM, K. V., 79
- SHANI, L.: See AXER-SIEGEL, R., 602
- SHAPIRA, I.: See FINGER, P. T., 659
- SHARMA, M. C., REGILLO, C. D., SHULER, M. F., BORRILLO, J. L., and BENSON, W. E.: Determination of the incidence and clinical characteristics of subsequent retinal tears following treatment of the acute posterior vitreous detachment-related initial retinal tears, 280
- SHARMA, N.: See SINGHVI, A., 1069
- SHARMA, S.: See PATHENGAY, A., 663
- SHARMA, S.: See RAGHU, H., 313
- SHATNAWI, R.: See HERTLE, R. W., 978
- SHELIL, A.: See SHIELDS, C. L., 329
- SHELLEY, T. H.: See TAMEESH, M. K., 829
- SHIELDS, C. L., MASHAYEKHI, A., CATER, J., SHELIL, A., MEADOWS, A. T., and SHIELDS, J. A.: Chemoreduction for retinoblastoma. Analysis of tumor control and risks for recurrence in 457 tumors, 329
- SHIELDS, J. A.: See SHIELDS, C. L., 329
- SHIMAZAKI, J.: See DOGRU, M., 381
- SHIMMURA, S.: See DOGRU, M., 381
- SHINODA, H.: See INOUE, M., 155
- SHINODA, K.: See INOUE, M., 155
- SHINOZAKI, K.: See ONO, M., 6
- SHIONO, T.: See ITABASHI, T., 876
- SHIRAGA, F.: See NOMOTO, H., 612
- SHIRAO, Y.: See HIGASHIDE, T., 306
- SHUKLA, D., SINGH, J., KOLLURU, C. M., KIM, R., and NAMPERUMALSAMY, P.: Transpupillary thermotherapy for subfoveal neovascularization secondary to group 2A idiopathic juxtafoveal telangiectasis, 147
- SHUKLA, S.: See SUBRAMANIAN, P. S., 109
- SHULER, M. F.: See SHARMA, M. C., 280
- SINGH, I. P., AHMAD, S. I., YEH, D., CHALLA, P., HERN-
DON, L. W., ALLINGHAM, R. R., and LEE, P. P.: Early rapid rise in intraocular pressure after intravitreal triamcinolone acetonide injection, 286
- SINGH, J.: See SHUKLA, D., 147
- SINGH, K.: See TA, C. N., 687
- SINGH, K.: See WEINREB, R. N., 458
- SINGHVI, A., DUTTA, M., SHARMA, N., PAL, N., VAJ-
PAYEE, R. B., and FRCSEd: Bilateral Serous Macular Detachment Following Laser In Situ Keratomileusis, 1069
- SMALL, K. W.: See ALDAVE, A. J., 772
- SMALL, K. W.: See PRINCIPE, A. H., 657
- SMALL, K.: See LAW, S. K., 38
- SMEDLEY, G. T.: See BAHLER, C. K., 988
- SMIDDY, W. E.: Optical coherence tomography comes of age, 845
- SMIDDY, W. E.: See EIFRIG, C. W. G., 799
- SMIDDY, W. E.: See MILLER, J. J., 231
- SMITH, M.: See SHAH, G. K., 656
- SMITH, S. D.: See MOSHFEGHI, D. M., 959
- SMITH, S. R., DAYNES, T., HINCKLEY, M., WALLIN, T. R., and OLSON, R. J.: The Effect of Lens Edge Design Versus Anterior Capsule Overlap on Posterior Capsule Opacification, 521
- SMITHEN, L. M., OBER, M. D., MARANAN, L., and SPAIDE, R. F.: Intravitreal triamcinolone acetonide and intraocular pressure, 740
- SMITHEN, L. M. and SPAIDE, R. F.: Photodynamic therapy and intravitreal triamcinolone for a subretinal neovascularization in bilateral idiopathic juxtafoveal telangiectasis, 884
- SNG, I.: See LIM, W.-K., 475
- SNIR, M.: See KRAMER, M., 666
- SOHN, Y. H.: See LAW, S. K., 38
- SOMMER, N.: See HOFFMANN, S., 439
- SOUBRANE, G.: See BENHAMOU, N., 294
- SOUIED, E. H.: See BENHAMOU, N., 294
- SPAETH, G.: See GRIGORIAN, A. P., 869
- SPAIDE, R. F.: Collateral damage in acute zonal occult outer retinopathy, 887
- SPAIDE, R. F.: See SMITHEN, L. M., 740
- SPAIDE, R. F.: See SMITHEN, L. M., 884
- SPEEG-SCHATZ, C.: See VINCENT, M.-C., 1016
- SRINIVASAN, A.: See RENGARAJ, V., 782
- STAGER, D. R., Jr.: See FELIUS, J., 362
- STAGER, D. R., Sr.: See BIRCH, E. E., 1003
- STAGER, D. R., Sr.: See FAWCETT, S. L., 931
- STAGER, D. R., Sr.: See FELIUS, J., 362
- STANGOS, A. N., PETROPOULOS, I. K., BROZOU, C. G., KAPETANIOS, A. D., WHATHAM, A., and POUR-
NARAS, C. J.: Pars-plana Vitrectomy Alone vs Vitrec-
tomy With Scleral Buckling for Primary
Rhegmatogenous Pseudophakic Retinal Detachment, 952
- STARK, P. C.: See WOLLSTEIN, G., 218
- STEFANI, F. H.: See HARITOGLOU, C., 302
- STEIN, A.: See FINE, J.-D., 254

- STEINER, H. H.: See SCHEUERLE, A. F., 237
- STEINERT, R. F.: Phakic IOLs: a photo finish?, 849
- STERNBERG, P., Jr and LEWIS, H.: Reply to BECK, R. W.: Photodynamic therapy for age-related macular degeneration, 513
- STEWART, J. M.: See MATHER, R., 554
- STRAFACE, G.: See DE SANTIS, M., 305
- STRAUSS, E.: See MARGOLIS, T. P., 468
- STRUYF, S.: See ABU EL-ASRAR, A. M., 401
- STUPP, T., PAVLIDIS, M., BUSSE, H., and THANOS, S.: Presurgical and postsurgical ultrasound assessment of lacrimal drainage dysfunction, 764
- STUR, M.: See ERGUN, E., 434
- SUBHAN, S.: See RAGHU, H., 313
- SUBMACULAR SURGERY TRIALS RESEARCH GROUP: Health- and vision-related quality of life among patients with choroidal neovascularization secondary to age-related macular degeneration at enrollment in randomized trials of submacular surgery: SST report No. 4, 91
- SUBRAMANIAN, P. S., GOLDENBERG-COHEN, N., SHUKLA, S., CHESKIN, L. J., and MILLER, N. R.: Plasma ghrelin levels are normal in obese patients with idiopathic intracranial hypertension (pseudotumor cerebri), 109
- SUCHINDRAN, C.: See FINE, J.-D., 254
- SUE, C.: See JONES, M., 1051
- SUGIYAMA, K.: See HIGASHIDE, T., 306
- SUGIYAMA, K.: See YOSHITA, T., 486
- SUMMERS, C. G., KING, R. A., MERRILL, K. S., and LAVOIE, J. D.: Positive Angle Kappa in Albinism, 1093
- SUNER, I. J.: See MILLER, D. M., 323
- SUSANNA, R., Jr: See LEAL, B. C., 310
- SUTTER, E. E.: See CHEUNG, M. C., 1058
- SUTTON, L. N.: See TAMHANKAR, M. A., 484
- SUZUKI, F.: See ANDO, F., 886
- SUZUKI, Y.: See OHTSUKA, K., 881
- T**
- TA, C. N., EGBERT, P. R., SINGH, K., BLUMENKRANZ, M. S., and MINO DE KASPAR, H.: Reply to MADHUSUDHANA, K. C.: The Challenge of Determining Aqueous Contamination Rate in Anterior Segment Intraocular Surgeries, 687
- TABAN, M.: See SARAYBA, M. A., 206
- TABAN, R.: See KUEHNE, J. J., 547
- TABBARA, K. F.: Prevention of ligneous conjunctivitis by topical and subconjunctival fresh frozen plasma, 299
- TADA, H.: See YOSHIDA, S., 670
- TADAYONI, R.: See HAOUCHINE, B., 732
- TAKAHASHI, A.: See KITAYA, N., 308
- TAKAHASHI, H., TANITO, M., YOKOYAMA, M., PARK, M., and CHIHARA, E.: Two Cases of Intraoperative Anterior Chamber Angle Observation Using Ophthalmic Endoscope in Viscocanalostomy, 1060
- TAKAHASHI, M.: Reply to LAI, T. Y. Y.: Laser Photocoagulation of Indocyanine Green Anisographically Identified Feeder Vessels to Idiopathic Polypoidal Choroidal Vasculopathy, 694
- TAKAHIRA, M.: See HIGASHIDE, T., 306
- TAKAMIYA, A.: See KITAYA, N., 308
- TAKAMURA, E.: See ONO, M., 6
- TAKANO, Y.: See ONGUCHI, T., 654
- TAKEDA, K.: See INOUE, M., 1046
- TAKENAKA, H.: See NOMOTO, H., 612
- TAKEUCHI, S.: See YAMAMOTO, S., 907
- TAKEUCHI, T.: See HAYASHI, T., 788
- TAMAI, M.: See ITABASHI, T., 876
- TAMEESH, M. K., LAKHANPAL, R. R., FUJII, G. Y., JAVAHERI, M., SHELLEY, T. H., D'ANNA, S., BARNES, A. C., MARGALIT, E., FARAH, M., DE JUAN, E., Jr., and HUMAYUN, M. S.: Retinal vein cannulation with prolonged infusion of tissue plasminogen activator (t-PA) for the treatment of experimental retinal vein occlusion in dogs, 829
- TAMHANKAR, M. A., LIU, G. T., YOUNG, T. L., SUTTON, L. N., and HURST, R. W.: Acquired, isolated third nerve palsies in infants with cerebrovascular malformations, 484
- TAMURA, Y.: See KUSUHARA, S., 709
- TAN, D. T. H. and ANG, L. P. K.: Automated Lamellar Therapeutic Keratoplasty for Post-PRK Corneal Scarring and Thinning, 1067
- TAN, D. T. H.: See TONG, L., 506
- TAN, D.: See TONG, L., 160
- TANABE, T., MIYATA, K., SAMEJIMA, T., HIROHARA, Y., MIHASHI, T., and OSHIKA, T.: Influence of Wavefront Aberration and Corneal Subepithelial Haze on Low-contrast Visual Acuity After Photorefractive Keratectomy, 620
- TANAKA, Y., KATO, S., MIYATA, K., HONBOU, M., NEJIMA, R., KITANO, S., AMANO, S., and OSHIKA, T.: Reply to HAYASHI, K.: Limitation of Scheimpflug Videophotography System in Quantifying Posterior Capsule Opacification After Intraocular Lens Implantation, 696
- TANDON, R.: See SAXENA, T., 508
- TANIGAWARA, Y.: See INOUE, M., 1046
- TANITO, M.: See TAKAHASHI, H., 1060
- TANO, T.: See SAKAGUCHI, H., 1079
- TANO, Y.: See FUJIKADO, T., 143
- TANO, Y.: See KAMEI, M., 574
- TANO, Y.: See MATSUMURA, N., 1071
- TARGOWSKI, P.: See WOJTKOWSKI, M., 412
- TAUBER, S.: See HAGEDORN, C. L., 146
- TAZAWA, Y.: See MACHIDA, S., 296
- TCHAH, H.: See KOOK, M. S., 85
- TEFS, K., HUGLE, B., and SCHUSTER, V.: Therapeutic Approaches in the Treatment of Ligneous Conjunctivitis, the Most Common Clinical Manifestation of a Systemic Disease, Caused by Severe Type I Plasminogen Deficiency, 699
- TEI, M.: See YAMAMOTO, T., 809
- TEUS, M. A.: See ARRANZ-MARQUEZ, E., 625

THANOS, S.: See STUPP, T., 764

THEODOSSIADIS, G. P.: See MARKOMICHELAKIS, N. N., 648

THEODOSSIADIS, P. G.: See MARKOMICHELAKIS, N. N., 648

THOMPSON, J. T.: What Is the Role of Vitrectomy for Macular Edema From Branch Retinal Vein Occlusion?, 1037

TIFTIKCIOGLU, Y. and OZDEK, S.: A Prospective, Pilot Study of Treatment of Amblyopia in Children 10 to <18 Years Old, 698

TOGNAZZO, S.: See PARMEGGIANI, F., 481

TOGNETTO, D.: See HARITOGLOU, C., 691

TONG, L., SAW, S.-M., CHUA, W.-H., LUU, C., CHENG, B., YEO, I., WONG, E., TAN, D., and KOH, A.: Optic disk and retinal characteristics in myopic children, 160

TONG, L., TAN, D. T. H., ABANO, J. M., and LIM, L.: Deep anterior lamellar keratoplasty in a patient with descemetocele following gonococcal keratitis, 506

TOPPING, N.: See KUMAR, N., 889

TORISAKI, M.: See HIGASHIDE, T., 306

TORRES, R. M. and CALONGE, M.: Macular Edema As the Only Ocular Finding of Tuberculosis, 1047

TRANOS, P. G., GHAZI-NOURI, S. M. S., RUBIN, G. S., ADAMS, Z. C., and CHARTERIS, D. G.: Visual Function and Subjective Perception of Visual Ability After Macular Hole Surgery, 995

TREFT, R. L.: See PAYNE, M., 749

TRIVEDI, R. H.: See WILSON, M. E., Jr, 1039

TSENG, J. J., TURANO, M. R., Jr, LANGTON, K., and CHANG, S.: Measurement of retinal thickness by ocular coherence tomography in a case of scleral transparency in high myopia, 169

TSENG, S. C. G.: See YOSHITA, T., 486

TSUBOTA, K.: See DOGRU, M., 381

TSUBOTA, K.: See ONGUCHI, T., 654

TSUBOTA, K.: See ONO, M., 6

TSUCHIDA, Y.: See NOMOTO, H., 612

TSUKAHARA, Y.: See KUSUHARA, S., 709

TSUMURA, T.: See ONO, M., 6

TU, K. L.: See ROSS, J. J., 672

TUGAL-TUTKUN, I., ONAL, S., ALTAN-YAYCIOGLU, R., ALTUNBAS, H. H., and URGANCIOGLU, M.: Uveitis in Behçet disease: An analysis of 880 patients, 373

TURANO, M. R., Jr.: See TSENG, J. J., 169

U

UCHINO, E.: See YAMAKIRI, K., 650

UDAR, N.: See ALDAVE, A. J., 772

UEMURA, A.: See SAKAMOTO, T., 137

UEOKA, Y.: See HAYASHI, T., 788

UFFER, S.: See ZOGRAFOS, L., 964

ULANSKI, L. J.: See ADAM, R. S., 652

UMEDA, N., OZAKI, H., HAYASHI, H., and OSHIMA, K.: Expression of ephrinB2 and its receptors on fibroproliferative membranes in ocular angiogenic diseases, 270

URGANCIOGLU, M.: See TUGAL-TUTKUN, I., 373

V

VAJPAYEE, R. B.: See SINGHVI, A., 1069

VALDI, F.: See LO GIUDICE, G., 175

VAN DAMME, J.: See ABU EL-ASRAR, A. M., 401

VAN KOOIJ, B., FIJNHEER, R., ROEST, M., and ROTHOVA, A.: Trace Microalbuminuria in Inflammatory Cystoid Macular Edema, 1010

VASAVADA, A. R., RAJ, S. M., and NIHALANI, B.: Rate of Axial Growth After Congenital Cataract Surgery, 915

VEROUGSTRAETE, C.: See POSTELMANS, L., 803

VINCENT, M.-C., GALLAI, R., OLIVIER, D., SPEEG-SCHATZ, C., FLAMENT, J., CALVAS, P., and DOLL-FUS, H.: Variable Phenotype Related to a Novel PAX 6 Mutation (IVS4+5G>C) in a Family Presenting Congenital Nystagmus and Foveal Hypoplasia, 1016

VITALE, S.: CLEK Study Reports on the Quality of Life, 637

VITALE, S., MILLER, N. R., MEJICO, L. J., PERRY, J. D., MEDURA, M., FREITAG, S. K., and GIRKIN, C.: A randomized, placebo-controlled, crossover clinical trial of super blue-green algae in patients with essential blepharospasm or Meige syndrome, 18

VOGEL, R.: See PFLUGFELDER, S. C., 444

VOGELSANG, G.: See KUO, I. C., 338

VON FRICKEN, M.: See LALIN, S. C., 608

VU, H. T. V.: See BAIRD, P. N., 665

W

WADA, Y.: See ITABASHI, T., 876

WAGONER, M. D.: See CHARUKAMNOETKANOK, P., 875

WAITZMAN, D. M.: See GARRITY, J. A., 925

WALL, M.: See LEE, A. G., 114

WALLACE, D. K.: See BECK, R. W., 698

WALLIN, T. R.: See SMITH, S. R., 521

WALLINE, J. J.: See KYMES, S. M., 527

WAMSLEY, S., MOSTER, M. R., RAI, S., ALVIM, H. S., and FONTANAROSA, J.: Results of the Use of the EXPRESS Miniature Glaucoma Implant in Technically Challenging, Advanced Glaucoma Cases: a Clinical Pilot Study, 1049

WANG, J. J.: See JONES, M., 1051

WANG, L. and KOCH, D. D.: Age-related changes in corneal and ocular higher-order aberrations, 897

WARNER, J. E. A.: See PAYNE, M., 749

WASILEWSKI, W.: See WOJTKOWSKI, M., 412

WATZKE, R. C.: See CHUNG, K. D., 501

WEAKLEY, D. R., Jr: See BECK, R. W., 698

WEAKLEY, D. R., Jr: See BIRCH, E. E., 1003

WEIGHT, C. J.: See PAYNE, M., 749

WEILER, C. R.: See EBERHART, A. H., 142

WEINBERGER, D.: See AXER-SIEGEL, R., 602

WEINBERGER, D.: See KRAMER, M., 666

WEINER, M.: See FINE, J.-D., 254

WEINREB, R. N., FRIEDMAN, D. S., FECHTNER, R. D., CIOFFI, G. A., COLEMAN, A. L., GIRKIN, C. A., LIEB-MANN, J. M., SINGH, K., WILSON, M. R., WILSON, R., and KANNEL, W. B.: Risk assessment in the management of patients with ocular hypertension, 458

- WEINREB, R. N.: See BODEN, C., 1029
 WEINREB, R. N.: See LIU, J. H. K., 389
 WEINREB, R. N.: See MEDEIROS, F. A., 898
 WEINREB, R. N.: See MOHAMMADI, K., 592
 WEISSMAN, J. L.: See WESTFALL, A. C., 511
 WESTFALL, A. C., NG, J. D., SAMPLES, J. R., and WEISSMAN, J. L.: Reply to BRODSKY, M. C.: Flattening of the posterior sclera: Hypotony or elevated intracranial pressure?, 511
 WHATHAM, A.: See STANGOS, A. N., 952
 WHITE, M.: See LEE, A. G., 852
 WILHELMUS, K. R.: See CHONG, E.-M., 474
 WILHELMUS, K. R.: See HUSSEIN, M. A. W., 744
 WILSON, M. E., Jr and TRIVEDI, R. H.: Eye Growth After Pediatric Cataract Surgery, 1039
 WILSON, M. R.: See WEINREB, R. N., 458
 WILSON, R.: See WEINREB, R. N., 458
 WOJTKOWSKI, M., BAJRASZEWSKI, T., GORCZYNSKA, I., TARGOWSKI, P., KOWALCZYK, A., WASILEWSKI, W., and RADZEWICZ, C.: Ophthalmic imaging by spectral optical coherence tomography, 412
 WOLLSTEIN, G., SCHUMAN, J. S., PRICE, L. L., AYDIN, A., BEATON, S. A., STARK, P. C., FUJIMOTO, J. G., and ISHIKAWA, H.: Optical coherence tomography (OCT) macular and peripapillary retinal nerve fiber layer measurements and automated visual fields, 218
 WONG, E.: See TONG, L., 160
 WONG, J.: See MATHER, R., 554
 WOO, D. C. F.: See KWOK, A. K. H., 194
 WOOD, I. S.: See HOLLANDER, D. A., 878
 WU, S.-L.: See HWANG, J.-F., 496

Y

- YAGI, F.: See YAMAMOTO, S., 907
 YAGI, Y.: See ONO, M., 6
 YAMADA, M.: See INOUE, M., 1046
 YAMAGAMI, S.: See AMANO, S., 897
 YAMAGUCHI, T.: See INOUE, M., 155
 YAMAJI, H.: See NOMOTO, H., 612
 YAMAKIRI, K., UCHINO, E., KIMURA, K., and SAKAMOTO, T.: Intracameral Triamcinolone Helps to Visualize and Remove the Vitreous Body in Anterior Chamber in Cataract Surgery, 650
 YAMAKIRI, K.: See SAKAMOTO, T., 137
 YAMAMOTO, H.: See KUSUHARA, S., 709
 YAMAMOTO, S., SAITO, W., YAGI, F., TAKEUCHI, S., SATO, E., and MIZUNOYA, S.: Vitrectomy With or Without Arteriovenous Adventitial Sheathotomy for Macular Edema Associated with Branch Retinal Vein Occlusion, 907
 YAMAMOTO, T., KAMEI, M., YOKOI, N., YASUHARA, T., TEI, M., and KINOSHITA, S.: Comparative effect of antiplatelet therapy in retinal vein occlusion evaluated by the particle-counting method using light scattering, 809
 YAMASHITA, T.: See SAKAMOTO, T., 137
 YANG, D.: See HERTLE, R. W., 978

- YANG, S. J.: See KOOK, M. S., 85
 YANG, Z.: See PAYNE, M., 749
 YASSUR, Y.: See AXER-SIEGEL, R., 602
 YASUHARA, T.: See KAMEI, M., 574
 YASUHARA, T.: See YAMAMOTO, T., 809
 YATES, K. A.: See KOWALSKI, R. P., 33
 YE, J.: See KOOK, K. H., 756
 YEH, D.: See SINGH, I. P., 286
 YELLORE, V. S.: See ALDAVE, A. J., 772
 YEN, K. G.: See PARK, P., 151
 YEN, M. T.: See LIN, A., 864
 YEO, I.: See TONG, L., 160
 YESHURUN, I., ROCK, T., and BARTOV, E.: Modified sutureless sclerotomies for pars plana vitrectomy, 866
 YOKOI, N.: See YAMAMOTO, T., 809
 YOKOYAMA, M.: See SAKAMOTO, T., 137
 YOKOYAMA, M.: See TAKAHASHI, H., 1060
 YOON, K.-C., SEO, M.-S., PARK, S.-W., and PARK, Y.-G.: Eyelid sparganosis, 873
 YOSHIDA, A.: See KITAYA, N., 308
 YOSHIDA, A.: See YOSHIDA, S., 670
 YOSHIDA, N.: See GOTOH, N., 567
 YOSHIDA, S., ARITA, R.-I., YOSHIDA, A., TADA, H., EMORI, A., NODA, Y., NAKAO, S., FUJISAWA, K., and ISHIBASHI, T.: Novel Mutation in FZD4 Gene in a Japanese Pedigree With Familial Exudative Vitreoretinopathy, 670
 YOSHIMURA, N.: See GOTOH, N., 567
 YOSHITA, T., KOBAYASHI, A., SUGIYAMA, K., and TSENG, S. C. G.: Oxygen permeability of amniotic membrane and actual tear oxygen tension beneath amniotic membrane patch, 486
 YOUNG, T. L.: See TAMHANKAR, M. A., 484
 YU, A. L. T.: See KUEHNE, J. J., 547
 YU, F.: See KUEHNE, J. J., 547
 YUAN, J.: See YUAN, Z., 138
 YUAN, Z., REINACH, P., and YUAN, J.: Contrast sensitivity and color vision with a yellow intraocular lens, 138
 YUCEL, A.: See DOGRU, M., 381

Z

- ZADNIK, K.: See KYMES, S. M., 527
 ZADOK, D., CARRILLO, C., MISSIROLI, F., LITWAK, S., ROBLEDO, N., and CHAYET, A. S.: The effect of corneal flap on optical aberrations, 190
 ZADOK, D.: See BARKANA, Y., 347
 ZANGWILL, L. M.: See MOHAMMADI, K., 592
 ZHANG, K.: See PAYNE, M., 749
 ZHAO, T.: See QIN, B., 1055
 ZHAO, Y.: See PAYNE, M., 749
 ZHOU, J.: See BAHLE, C. K., 988
 ZILELIOGLU, O.: See BERKER, N., 879
 ZOGRAFOS, L., OTHENIN-GIRARD, C. B., DESJARDINS, L., SCHALENBURG, A., CHAMOT, L., and UFFER, S.: Melanocytomas of the Optic Disk, 964

ABSTRACT INDEX

A

Academic medicine

Compensation and advancement of women in academic medicine: is there equity?, 903

Acanthamoeba keratitis

In vitro transcorneal penetration of metronidazole and its potential use as adjunct therapy in *Acanthamoeba* keratitis, 702

Acute ocular motor mononeuropathies

Acute ocular motor mononeuropathies: prospective study of the roles of neuroimaging and clinical assessment, 318

Age-related macular degeneration

Age-related macular degeneration: a high-resolution genome scan for susceptibility loci in a population enriched for late stage disease, 515

Analysis of the ARMD1 locus: evidence that a mutation in HEMICENTIN-1 is associated with age-related macular degeneration in a large family, 1097

Association between C-reactive protein and age-related macular degeneration, 704

Missense variations in the fibulin 5 gene and age-related macular degeneration, 702

Age-related maculopathy

Age-related maculopathy: a genomewide scan with continued evidence of susceptibility loci within the 1q31, 10q26, and 17q25 regions, 1098

AIDS

Emergence of drug-resistant cytomegalovirus retinitis in the contralateral eyes of patients with AIDS treated with ganciclovir, 315

Amblyopia

Successful occlusion therapy of amblyopia in 11- to 15-year-old children, 517

Amniotic membrane transplantation

Incidence of microbial infection after amniotic membrane transplantation, 701

Multilayer amniotic membrane transplantation in the treatment of corneal perforations, 1095

Results of amniotic membrane transplantation for primary pterygium compared with conjunctival autograft, 900

Antigen-presenting cells

Good, the bad and the ugly—APCS of the eye, 178

Antiglaucoma medications

Is addition of a third or fourth antiglaucoma medication effective?, 518

ARMD1

Analysis of the ARMD1 locus: evidence that a mutation in HEMICENTIN-1 is associated with age-related macular degeneration in a large family, 1097

Autografts

Results of amniotic membrane transplantation for primary pterygium compared with conjunctival autograft, 900

B

B cells

B- and T-cell markers in opsoclonus-myoclonus syndrome: immunophenotyping of CSF lymphocytes, 319

Blebs

Correlation between the early morphological appearance of filtering blebs and outcome of trabeculectomy with mitomycin C, 180

Brachytherapy

Ocular motility disturbances after episcleral plaque brachytherapy for uveal melanoma, 518

Brain-derived precursor cells

Survival and long distance migration of brain-derived precursor cells transplanted to adult rat retina, 903

Brainstem infarction

Internuclear ophthalmoplegia as an isolated or predominant symptom of brainstem infarction, 318

Brimonidine tartrate

Miotic effect of brimonidine tartrate 0.15% ophthalmic solution in normal eyes, 1095

C

Career satisfaction

Career satisfaction and surgical practice patterns among female ophthalmologists, 179

Cataract surgery

Combined viscocanalostomy and cataract surgery compared with cataract surgery in Japanese patients with glaucoma, 320

Long-term follow-up of eye growth in pediatric patients after unilateral cataract surgery with intraocular lens implantation, 517

Cell-cycle markers

Prognostic value of cell-cycle markers in ocular adnexal lymphoma: an assessment of 230 cases, 179

Cephalgia

Primary trochlear headache: a new cephalgia generated and modulated on the trochlear region, 703

Cerebrospinal fluid tests

Alternative cerebrospinal fluid tests to diagnose neurosyphilis in HIV-infected individuals, 702

Children

Long-term follow-up of eye growth in pediatric patients after unilateral cataract surgery with intraocular lens implantation, 517

Preschool vision screening: what should we be detecting and how should we report it? Uniform guidelines for reporting results of preschool vision screening studies, 181

Successful occlusion therapy of amblyopia in 11- to 15-year-old children, 517

Uveitis in childhood, 516

Choroidal neovascularization

Choroidal neovascularization following laser in situ keratomileusis, 317

Color perception

Experience in early infancy is indispensable for color perception, 902

Complex I deficiency

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I, 1096

Cone photoreceptors

Vigabatrin, the GABA-transaminase inhibitor, damages cone photoreceptors in rats, 516

Conjunctiva

Experience with sentinel lymph node biopsy for eyelid and conjunctival malignancies at a cancer center, 1098

Conjunctival autograft

Results of amniotic membrane transplantation for primary pterygium compared with conjunctival autograft, 900

Corneal endothelium

Corneal endothelial assessment after ICL implantation, 900

Corneal epithelial defects

Clinical course of severe corneal central epithelial defects in laser in situ keratomileusis, 1095

Corneal pathogens

Impact of prior therapy on the recovery and frequency of corneal pathogens, 320

Corneal perforations

Multilayer amniotic membrane transplantation in the treatment of corneal perforations, 1095

Corneal transplantation

Cellular and nerve regeneration within a biosynthetic extracellular matrix for corneal transplantation, 318

C-reactive protein

Association between C-reactive protein and age-related macular degeneration, 704

CSF lymphocytes

B- and T-cell markers in opsoclonus-myoclonus syndrome: immunophenotyping of CSF lymphocytes, 319

Cystic fibrosis

Lutein, zeaxanthin, macular pigment, and visual function in adult cystic fibrosis patients, 703

Cytomegalovirus retinitis

Emergence of drug-resistant cytomegalovirus retinitis in the contralateral eyes of patients with AIDS treated with ganciclovir, 315

D**Deep lamellar endothelial keratoplasty**

Rapid visual rehabilitation after endothelial transplants with deep lamellar endothelial keratoplasty (DLEK), 181

Dendritic cells

Good, the bad and the ugly—APCS of the eye, 178

Diffuse lamellar keratitis

Risk factors for development of diffuse lamellar keratitis after laser in situ keratomileusis, 181

Diplopia

Incidence and treatment of diplopia after three-wall orbital decompression in Graves' ophthalmopathy, 901

"Retinal diplopia" associated with macular wrinkling, 1097

Disc hemorrhage

Correlation between a disc hemorrhage and peripapillary atrophy in glaucoma patient with a unilateral disc hemorrhage, 319

E**Endophthalmitis**

Postoperative endophthalmitis, 178

Eosinophilic granuloma

Eosinophilic granuloma of the orbit: understanding the paradox of aggressive destruction responsive to minimal intervention, 317

Epilepsy

Paroxysmal eyelid movements: a confusing feature of generalized photosensitive epilepsy, 702

Episcleral plaque brachytherapy

Ocular motility disturbances after episcleral plaque brachytherapy for uveal melanoma, 518

Extracellular matrix

Cellular and nerve regeneration within a biosynthetic extracellular matrix for corneal transplantation, 318

Eyelids

Experience with sentinel lymph node biopsy for eyelid and conjunctival malignancies at a cancer center, 1098

Paroxysmal eyelid movements: a confusing feature of generalized photosensitive epilepsy, 702

F**Fibulin 5 gene**

Missense variations in the fibulin 5 gene and age-related macular degeneration, 702

Filtering blebs

Correlation between the early morphological appearance of filtering blebs and outcome of trabeculectomy with mitomycin C, 180

Fuchs' endothelial dystrophy

Rapid visual rehabilitation after endothelial transplants with deep lamellar endothelial keratoplasty (DLEK), 181

G**Ganciclovir**

Emergence of drug-resistant cytomegalovirus retinitis in the contralateral eyes of patients with AIDS treated with ganciclovir, 315

Gene expression

Gene expression variation in adult human retina, 902

Glaucoma

Combined viscocanalostomy and cataract surgery compared with cataract surgery in Japanese patients with glaucoma, 320

Correlation between a disc hemorrhage and peripapillary atrophy in glaucoma patient with a unilateral disc hemorrhage, 319

Genomewide scan identifies novel early-onset primary open-angle glaucoma loci on 9q22 and 20p12, 704

Is addition of a third or fourth antiglaucoma medication effective?, 518

Medical predictive factors of glaucoma treatment costs, 1096

Vaccination for glaucoma: dream or reality?, 515

Viscocanalostomy in patients with glaucoma secondary to uveitis: preliminary report, 701

Granuloma

Eosinophilic granuloma of the orbit: understanding the paradox of aggressive destruction responsive to minimal intervention, 317

Graves' ophthalmopathy

Incidence and treatment of diplopia after three-wall orbital decompression in Graves' ophthalmopathy, 901

H

Headaches

- International Classification of Headache Disorders, 179
- Primary trochlear headache: a new cephalgia generated and modulated on the trochlear region, 703

HEMICENTIN-1

- Analysis of the ARMD1 locus: evidence that a mutation in HEMICENTIN-1 is associated with age-related macular degeneration in a large family, 1097

Hemorrhage

- Correlation between a disc hemorrhage and peripapillary atrophy in glaucoma patient with a unilateral disc hemorrhage, 319

Hepatic perfusion

- Hyperthermic isolated hepatic perfusion using melphalan for patients with ocular melanoma metastatic to liver, 902

Human immunodeficiency virus

- Alternative cerebrospinal fluid tests to diagnose neurosyphilis in HIV-infected individuals, 702

I

Imaging

- Acute ocular motor mononeuropathies: prospective study of the roles of neuroimaging and clinical assessment, 318
- Photographic images, digital imaging, dermatology, and the law, 319

Immunophenotyping

- B- and T-cell markers in opsoclonus-myoclonus syndrome: immunophenotyping of CSF lymphocytes, 319

Implantable contact lens

- Corneal endothelial assessment after ICL implantation, 900

Infants

- Experience in early infancy is indispensable for color perception, 902

Infections

- Incidence of microbial infection after amniotic membrane transplantation, 701

Internuclear ophthalmoplegia

- Internuclear ophthalmoplegia as an isolated or predominant symptom of brainstem infarction, 318

Intraocular lens

- Long-term follow-up of eye growth in pediatric patients after unilateral cataract surgery with intraocular lens implantation, 517

Intraocular pressure

- Risk factors for elevated intraocular pressure in uveitis, 900

J

Juvenile open-angle glaucoma

- Genomewide scan identifies novel early-onset primary open-angle glaucoma loci on 9q22 and 20p12, 704

K

Keratitis

- Pressure-induced interface keratitis: a late complication following LASIK, 701
- Risk factors for development of diffuse lamellar keratitis after laser in situ keratomileusis, 181
- In vitro transcorneal penetration of metronidazole and its potential use as adjunct therapy in Acanthamoeba keratitis, 702

L

Laser in situ keratomileusis

- Choroidal neovascularization following laser in situ keratomileusis, 317
- Clinical course of severe corneal central epithelial defects in laser in situ keratomileusis, 1095
- Long-term analysis of LASIK for the correction of refractive errors after penetrating keratoplasty, 901
- Pressure-induced interface keratitis: a late complication following LASIK, 701
- Risk factors for development of diffuse lamellar keratitis after laser in situ keratomileusis, 181

Leber hereditary optic neuropathy

- SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I, 1096

Liver metastases

- Hyperthermic isolated hepatic perfusion using melphalan for patients with ocular melanoma metastatic to liver, 902
- Regional treatment options for patients with ocular melanoma metastatic to the liver, 516

Lutein

- Lutein, zeaxanthin, macular pigment, and visual function in adult cystic fibrosis patients, 703

Lymph node biopsy

- Experience with sentinel lymph node biopsy for eyelid and conjunctival malignancies at a cancer center, 1098

Lymphocytes

- B- and T-cell markers in opsoclonus-myoclonus syndrome: immunophenotyping of CSF lymphocytes, 319

Lymphoma

- Prognostic value of cell-cycle markers in ocular adnexal lymphoma: an assessment of 230 cases, 179

M

Macular pigment

- Lutein, zeaxanthin, macular pigment, and visual function in adult cystic fibrosis patients, 703

Macular wrinkling

- "Retinal diplopia" associated with macular wrinkling, 1097

Melanoma

- Hyperthermic isolated hepatic perfusion using melphalan for patients with ocular melanoma metastatic to liver, 902
- Ocular motility disturbances after episcleral plaque brachytherapy for uveal melanoma, 518
- Prolonged survival after complete resection of metastases from intraocular melanoma, 704
- Regional treatment options for patients with ocular melanoma metastatic to the liver, 516

Melphalan

- Hyperthermic isolated hepatic perfusion using melphalan for patients with ocular melanoma metastatic to liver, 902

Metastases

- Hyperthermic isolated hepatic perfusion using melphalan for patients with ocular melanoma metastatic to liver, 902
- Prolonged survival after complete resection of metastases from intraocular melanoma, 704
- Regional treatment options for patients with ocular melanoma metastatic to the liver, 516

Metronidazole

In vitro transcorneal penetration of metronidazole and its potential use as adjunct therapy in *Acanthamoeba keratitis*, 702

Miosis

Miotic effect of brimonidine tartrate 0.15% ophthalmic solution in normal eyes, 1095

Mitomycin C

Correlation between the early morphological appearance of filtering blebs and outcome of trabeculectomy with mitomycin C, 180

Mononeuropathies

Acute ocular motor mononeuropathies: prospective study of the roles of neuroimaging and clinical assessment, 318

Mydriasis

Systemic manifestations in response to mydriasis and physical examination during screening for retinopathy of prematurity, 901

Myopia

Candidate high myopia loci on chromosomes 18p and 12q does not play a major role in susceptibility to common myopia, 1098

Eight-year follow-up of photorefractive keratectomy for myopia, 517

N

Neuroimaging

Acute ocular motor mononeuropathies: prospective study of the roles of neuroimaging and clinical assessment, 318

Neurosyphilis

Alternative cerebrospinal fluid tests to diagnose neurosyphilis in HIV-infected individuals, 702

O

Occlusion therapy

Successful occlusion therapy of amblyopia in 11- to 15-year-old children, 517

Ocular adnexal lymphoma

Prognostic value of cell-cycle markers in ocular adnexal lymphoma: an assessment of 230 cases, 179

Ocular melanoma

Hyperthermic isolated hepatic perfusion using melphalan for patients with ocular melanoma metastatic to liver, 902

Regional treatment options for patients with ocular melanoma metastatic to the liver, 516

Ocular motility disturbances

Ocular motility disturbances after episcleral plaque brachytherapy for uveal melanoma, 518

Open-angle glaucoma

Genomewide scan identifies novel early-onset primary open-angle glaucoma loci on 9q22 and 20p12, 704

Ophthalmologists

Career satisfaction and surgical practice patterns among female ophthalmologists, 179

Ophthalmology

State of basic surgical training in the UK: ophthalmology as a case example, 903

Opsoclonus-myoclonus syndrome

B- and T-cell markers in opsoclonus-myoclonus syndrome: immunophenotyping of CSF lymphocytes, 319

Optic neuritis

Neurologic impairment 10 years after optic neuritis, 1096

Optic neuropathy

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I, 1096

Orbit

Eosinophilic granuloma of the orbit: understanding the paradox of aggressive destruction responsive to minimal intervention, 317

Orbital decompression

Incidence and treatment of diplopia after three-wall orbital decompression in Graves' ophthalmopathy, 901

Outcomes

Visual outcome and ocular survival after sports related ocular trauma in playing golf, 515

P

Penetrating keratoplasty

Long-term analysis of LASIK for the correction of refractive errors after penetrating keratoplasty, 901

Peripapillary atrophy

Correlation between a disc hemorrhage and peripapillary atrophy in glaucoma patient with a unilateral disc hemorrhage, 319

Photographic images

Photographic images, digital imaging, dermatology, and the law, 319

Photoreceptors

Vigabatrin, the GABA-transaminase inhibitor, damages cone photoreceptors in rats, 516

Photorefractive keratectomy

Eight-year follow-up of photorefractive keratectomy for myopia, 517

Preschool vision screening

Preschool vision screening: what should we be detecting and how should we report it? Uniform guidelines for reporting results of preschool vision screening studies, 181

Pressure-induced interface keratitis

Pressure-induced interface keratitis: a late complication following LASIK, 701

Primary care

Preventing and managing visual disability in primary care: clinical applications, 180

Preventing visual loss from chronic eye disease in primary care: scientific review, 180

Pterygium

Results of amniotic membrane transplantation for primary pterygium compared with conjunctival autograft, 900

R

Refractive errors

Long-term analysis of LASIK for the correction of refractive errors after penetrating keratoplasty, 901

Retina

Gene expression variation in adult human retina, 902

Survival and long distance migration of brain-derived precursor cells transplanted to adult rat retina, 903

Retinal diplopia

"Retinal diplopia" associated with macular wrinkling, 1097

Retinopathy of prematurity

Management outcome in prethreshold retinopathy of prematurity, 320

Systemic manifestations in response to mydriasis and physical examination during screening for retinopathy of prematurity, 901

ROBO gene

Mutations in a human ROBO gene disrupt hindbrain axon pathway crossing and morphogenesis, 1097

S

Screenings

Systemic manifestations in response to mydriasis and physical examination during screening for retinopathy of prematurity, 901

Sentinel lymph node biopsy

Experience with sentinel lymph node biopsy for eyelid and conjunctival malignancies at a cancer center, 1098

Slit lamps

Enhanced models for teaching slit-lamp skills, 516

SOD2 gene transfer

SOD2 gene transfer protects against optic neuropathy induced by deficiency of complex I, 1096

Sports-related ocular trauma

Visual outcome and ocular survival after sports related ocular trauma in playing golf, 515

Sulfonamide antibiotics

Absence of cross-reactivity between sulfonamide antibiotics and sulfonamide nonantibiotics, 178

Surgical training

State of basic surgical training in the UK: ophthalmology as a case example, 903

T

T cells

B- and T-cell markers in opsoclonus-myoclonus syndrome: immunophenotyping of CSF lymphocytes, 319

Three-wall orbital decompression

Incidence and treatment of diplopia after three-wall orbital decompression in Graves' ophthalmopathy, 901

Trabeculectomy

Correlation between the early morphological appearance of filtering blebs and outcome of trabeculectomy with mitomycin C, 180

Trauma

Visual outcome and ocular survival after sports related ocular trauma in playing golf, 515

Trochlear headache

Primary trochlear headache: a new cephalgia generated and modulated on the trochlear region, 703

U

Uveal melanoma

Ocular motility disturbances after episcleral plaque brachytherapy for uveal melanoma, 518

Uveitis

Risk factors for elevated intraocular pressure in uveitis, 900

Uveitis in childhood, 516

Viscocalanostomy in patients with glaucoma secondary to uveitis: preliminary report, 701

V

Vaccinations

Vaccination for glaucoma: dream or reality?, 515

Vigabatrin

Vigabatrin, the GABA-transaminase inhibitor, damages cone photoreceptors in rats, 516

Viscocalanostomy

Combined viscocalanostomy and cataract surgery compared with cataract surgery in Japanese patients with glaucoma, 320

Viscocalanostomy in patients with glaucoma secondary to uveitis: preliminary report, 701

Vision screening

Preschool vision screening: what should we be detecting and how should we report it? Uniform guidelines for reporting results of preschool vision screening studies, 181

Visual disability

Preventing and managing visual disability in primary care: clinical applications, 180

Preventing visual loss from chronic eye disease in primary care: scientific review, 180

Visual function

Lutein, zeaxanthin, macular pigment, and visual function in adult cystic fibrosis patients, 703

Visual loss

Preventing visual loss from chronic eye disease in primary care: scientific review, 180

Visual rehabilitation

Rapid visual rehabilitation after endothelial transplants with deep lamellar endothelial keratoplasty (DLEK), 181

W

Women

Compensation and advancement of women in academic medicine: is there equity?, 903

Z

Zeaxanthin

Lutein, zeaxanthin, macular pigment, and visual function in adult cystic fibrosis patients, 703

